

KENTILE FLOORS Inc.

58 SECOND AVENUE, BROOKLYN, N.Y. 11215

TELEPHONE (718) 768-9500

FAX (718) 965-0718

D3D-05304

*Rec'd LFMS
9/28/88*

August 26, 1988

Mr. John R. White, Chief
Nuclear Materials Section C
Division of Radiation Safety and Safeguards
U.S. Nuclear Regulatory Commission - Region 1
475 Allendale Road
King of Prussia, PA 19406

Re: License No. 29-04385-01

Dear Mr. White:

Referring to your letter of August 12, 1988, we wish to advise you that it is our intention to terminate subject license as of the expiration date, August 31, 1988. The nuclear sources covered by this license were disposed of on November 1, 1985. We transferred the sources to the LFE Corporation, Process Control Division, 55 Green Street, Clinton, MA 01510.

Included with this letter are copies of all paperwork tracing the transfer of the sources from Kentile Floors Inc. to the LFE Corporation.

If we can be of any further assistance, please do not hesitate to contact us at the above address.

Sincerely,

KENTILE FLOORS INC.

B. Ramundo

B. Ramundo
Chief Engineer

9001120194 BB1026
REG1 LIC30
29-04385-01 PDR

BR: gk
Encs.

FEE EXEMPT

Termination

RECEIVED BY LFMS	
Date	<i>10/3/88</i>
Log	<i>Det: 2I</i>
By	<i>S. Kennedy</i>
Date Completed	<i>10/3/88</i>

"OFFICIAL RECORD COPY" ML 10

109526
30 AUG 1988

KENTILE FLOORS INC.

58 SECOND AVENUE
BROOKLYN, N.Y. 11215

PURCHASE ORDER

This Number Must Appear on
All Invoices, Shipping Papers
and Shipments

P N° 32156

Date: 11-11-85

Ship to: Kentile Floors Inc.
Kentile Rd., So. Plainfield, NJ 07080

To: LFE CORPORATION
PROCESS CONTROL DIV.
55 GREEN STREET
CLINTON, MA 01510

Department: 530-0
Individual: GHS SR.

Ship Via: YOUR TRUCK

Shipping Date: 10-31-85

PLEASE ENTER OUR ORDER FOR THE GOODS OR SERVICES DESCRIBED BELOW. THIS ORDER IS ON THE TERMS AND CONDITIONS OF SALE AND THE SPECIAL SHIPPING INSTRUCTIONS CONTAINED ON THE REVERSE SIDE HEREOF UNLESS SPECIFICALLY CHANGED BY THE BUYER.

SIX MONTH SERVICE CALL TO S. PLAINFIELD PLANT TO
INSPECT BETA GAUGE EQUIPMENT ON S/V LINE #5

\$75.00/HR.
PLUS TRAVEL EXPENSE

REMOVAL OF NUCLEAR SOURCES (4)

300.00 EA.

CONFIRMING ORDER - DO NOT DUPLICATE

Send all invoices to the attention of
Accounting Department,
58 2nd Avenue, Brooklyn, N.Y. 11215.

KENTILE FLOORS INC.

Per Charles R. Hull

CENTRAL PURCHASING

jb



Process Control Division
55 Green Street
Clinton, Massachusetts 01510
(617) 835-1000

RADIOACTIVE MATERIALS

- () SHIPPING REPORT
- (X) RECEIVING REPORT

TO: WILLIAM R. PRENDERGAST
FROM: Jack McGarry

DATE SHIPPED: Nov. 11, 1985
OUR WORK ORDER: ZPB001

CUSTOMER: Kentile Floors
INSTALLATION ADDRESS: Kentile Road
South Plainfield, N.J.

ISOTOPE: SR-90 QTY. MC: 30
SOURCE MODEL: BGL-1C SERIAL: 024028 & D20D43
DEVICE MODEL: _____ SERIAL: _____
FRAME TYPE: _____ LICENSE NO.: _____

FOR DISPOSAL



Process Control Division

1601 Trapelo Road,
Waltham, Massachusetts 02154
Tel: (617) 890-2000

RETURNED SOURCE

TRANSFERED SOURCE

[] TRANSFERED OR RETURNED FROM: Kentile Floors
Kentile Road
S. Plainfield, NJ 07060

TRANSFERED TO: LFE Corporation
55 Green Street Clinton, MA
01510 617-835-1000

SOURCE MANUFACTURER: LFE Corporation

SOURCE MODEL: BGL-1C

SOURCE SERIAL: 24028

ISOTOPE: SR-90

STRENGTH φ MILLICURIES 30/30

REASON FOR RETURN: NO Longer Needed, System ~~is~~ Beyond Rep

IF SOURCE IS RETURNED FOR REPAIR OR DISPOSAL, ENTER CUSTOMER PURCHASE
ORDER NUMBER: P-32156

Richard P. Felt
FIELD ENGINEER

SERVICE REPORT NUMBER: SR#16346

DATE: 11/4/85

NOTE: ONE COPY OF THIS FORM MUST BE PACKED WITH SOURCE.
OTHER COPIES RETURNED IN RADIATION SOURCE INSPECTION ENVELOPE.



PROCESS CONTROL DIVISION

55 GREEN STREET
CLINTON, MA 01510
(617) 835-1000

Returned for Disposal 11/1/85

RADIATION INSPECTION REPORT

THIS DOCUMENT IS A REPORT OF THE INSPECTION OF YOUR RADIOISOTOPE GAUGE YOU ARE REQUIRED BY THE NUCLEAR REGULATORY COMMISSION AND/OR YOUR STATE REGULATIONS TO RETAIN THIS REPORT IN YOUR FILES FOR REVIEW BY FEDERAL, STATE, AND LOCAL AUTHORITIES.

IDENTIFICATION NUMBER: **4611**

DATE:

FROM:



WILLIAM R. PRENDERGAST
RADIATION SAFETY OFFICER

ATTENTION:

STATE: **NJ**

NAME: **KENTILE FLOOR**

SOURCE			GAUGE			NEXT INSPECTION DUE DATE	SHIPPING DATE	INSTALLATION DATE	LICENSE G/S
SERIAL NUMBER	MODEL NUMBER	ISOTOPE	MILLI-CURIES	SERIAL NUMBER	MODEL NUMBER				
020043	BGL-1C	SR-090	3030	0192	060027	08/27/85			GENERAL

FIELD INSPECTION			LABORATORY INSPECTION		
SHUTTERS	INDICATORS	PERFORMED BY	SOURCE	PERFORMED BY	DATE PERFORMED
		<i>M. Petrus</i>			

ORIGINAL SOURCE SERIAL NO.
Back DUAL SOURCE

- NOTE:**
1. THE PRESENCE OF .005 MICROCURIES OR MORE OF REMOVABLE RADIOACTIVITY IS CONSIDERED BY THE NRC TO BE EVIDENCE OF SOURCE LEAKAGE.
 2. THE LABORATORY TEST RESULTS ARE SHOWN IN MICROCURIES.
 3. WHEN SHUTTERS AND INDICATORS ARE OPERATING PROPERLY, THE REPORT SHOWS ✓
 4. THE DETECTION SYSTEM IS CAPABLE OF DETECTING .0001 MICROCURIES.

SITE SURVEY

RECORD RADIATION READINGS IN MR/HR AT	SKIN	WHOLE BODY	1 FT	2 FT	3 FT	5 FT	10 FT

SURVEY INSTRUMENT _____
SERIAL NUMBER _____

TERMINAL OCCUPANCY TIME IN HOURS PER QUARTER AT VARIOUS DISTANCES FROM THE SOURCE FOR ALL PERSONNEL WORKING WITH THE GAUGE. MULTIPLY OCCUPANCY TIME BY THE APPROPRIATE RADIATION READING TO OBTAIN THE MR/QTR. COMPUTE THE TOTAL MR/QTR FOR EACH PERSON. ENTER THE HIGHEST TOTALS. -

WHOLE BODY	_____	MR/QTR	_____	125	MR/QTR
SKIN	_____	MR/QTR	_____	750	MR/QTR
HANDS	_____	MR/QTR	_____	1075	MR/QTR

NOTE: THIS FORM MUST BE PRINTED, ACCURATE AND LEGIBLE.
BLUE COPY TO CUSTOMER. PINK COPY TO CUSTOMER SERVICE AREA MANAGER. GREEN YELLOW WHITE COPIES TO CLINTON CUSTOMER SERVICE DEPT.
DATA PROCESSING

PROCESS CONTROL DIVISION

55 GREEN STREET
CLINTON, MA 01510
(617) 835-1000

Returned For Disposal

RADIATION INSPECTION REPORT

THIS DOCUMENT IS A REPORT OF THE INSPECTION OF YOUR RADIOISOTOPE GAUGE YOU ARE REQUIRED BY THE NUCLEAR REGULATORY COMMISSION AND/OR YOUR STATE REGULATIONS TO RETAIN THIS REPORT IN YOUR FILES FOR REVIEW BY FEDERAL, STATE, AND LOCAL AUTHORITIES.

TERRITORY:

DATE:

CUSTOMER:

**KENTILE FLOORS
KENTILE RD
S PLAINFIELD NJ
STANLEY JUVA
ATTENTION: STANLEY JUVA** 07060

WILLIAM R. PRENDERGAST
RADIATION SAFETY OFFICER

ATTENTION:

STATE: NJ

NAME: KENTILE FLOOR

SOURCE				GAUGE		NEXT INSPECTION DUE DATE	SHIPPING DATE	INSTALLATION DATE	LICENSE G/S
SERIAL NUMBER	MODEL NUMBER	ISOTOPE	MILLI-CURIES	SERIAL NUMBER	MODEL NUMBER				
024028	08GL1C	SR-090	3030	0188	008G27	08/27/89			



FIELD INSPECTION			LABORATORY INSPECTION		
SHUTTERS	INDICATORS	PERFORMED BY	SOURCE	PERFORMED BY	DATE PERFORMED
		<i>m Petric</i>			

FRONT

30 AUG 1988
11 9526

1. THE PRESENCE OF .005 MICROCURIES OR MORE OF REMOVABLE RADIOACTIVITY IS CONSIDERED BY THE NRC TO BE EVIDENCE OF SOURCE LEAKAGE.
2. THE LABORATORY TEST RESULTS ARE SHOWN IN MICROCURIES.
3. WHEN SHUTTERS AND INDICATORS ARE OPERATING PROPERLY, THE REPORT SHOWS ✓
4. THE DETECTION SYSTEM IS CAPABLE OF DETECTING .0001 MICROCURIES.

SITE SURVEY

RECORD RADIATION READINGS IN MR/HR	SKIN WHOLE BODY	DISTANCE				
		1 FT	2 FT	3 FT	5 FT	10 FT
AT						

SURVEY INSTRUMENT _____
SERIAL NUMBER _____

DETERMINE OCCUPANCY TIME IN HOURS PER QUARTER AT VARIOUS DISTANCES FROM THE SOURCE FOR ALL PERSONNEL WORKING WITH THE GAUGE. MULTIPLY OCCUPANCY TIME BY THE APPROPRIATE RADIATION READING TO OBTAIN THE MR/QTR. COMPUTE THE TOTAL MR/QTR FOR EACH PERSON. ENTER THE HIGHEST TOTALS. —

WHOLE BODY	MR/QTR	125	MR/QTR
SKIN	MR/QTR	750	MR/QTR
HANDS	MR/QTR	1875	MR/QTR

NOTE: THIS FORM MUST BE PRINTED, ACCURATE AND LEGIBLE.
BLUE COPY TO CUSTOMER. PINK COPY TO CUSTOMER SERVICE AREA MANAGER. GREEN YELLOW WHITE COPIES TO CLINTON CUSTOMER SERVICE DEPT.

(FOR LFMS USE)
INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 03120
STATUS CODE: 0
FEE CATEGORY: 3P
EXP. DATE: 19880831
FEE COMMENTS:

LICENSE FEE TRANSMITTAL

A. REGION I

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: KENTILE FLOORS, INC.
RECEIVED DATE: 880830
DOCKET NO: 3005304
CONTROL NO.: 109526
LICENSE NO.: 29-04380-01
ACTION TYPE: TERMINATION

2. FEE ATTACHED

AMOUNT: \$ 0.00
CHECK NO.:

3. COMMENTS

SIGNED *L. Brown*
DATE 88/09/23

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED 1-1)

1. FEE CATEGORY AND AMOUNT: 3P

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT
RENEWAL
LICENSE

FEE EXEMPT
Termination

3. OTHER

SIGNED *S. L. [Signature]*
DATE 10/3/88