



MARATHON MANAGEMENT COMPANY
 (A SUBSIDIARY OF MARATHON WATCH COMPANY LTD.)
 67A STEELCASE RD. WEST, MARKHAM, ONT. L3R 2M4

TEL: (416) 475-8420
 TELEX: 06-936849
 Cable: Morwein-Markham
 FAX: (416) 475-2535

July 26, 1989

Nuclear Regulatory Commission
 Commercial Section
 Medical Academic & Commercial Use
 Safety Branch
 N.M.S.S.
 1 White Flint North
 11555 Rockville Pike
 Rockville, MD. 20852

Attention: Floyd Deschamps
Mail Stop 6H3 301-492-0503

Dear Mr. Deschamps,

Enclosed please find a copy of MIL-W-46374E requiring glass vial encapsulated tritium for our mechanical and quartz wrist watches. We need to adjust our license to qualify for this MIL-W-46374 Revision E. If we need to submit any additional fees for the above please advise and we will send you a cheque immediately.

With reference to your question on amount of millicuries per compass, we will reply you after after August 7, 1989.

Thank you very much for your co-operation.

Yours truly,

MARATHON WATCH COMPANY LTD.

Leon Wein
 Leon Wein

/lz
 Encl.

*Rand
 YAMB
 8/30/89*

*Per Steve Roggett,
 the wrist watches
 and lensmatic will
 require 2 reviews,
 but will be placed
 on one license.*

HQS / Aug 89

Exp Aug 89	Aug 89
Advertiser	*
Order No. 000033	
Amount \$ 2,180.7	Refused 58
Buy Order # 24	* 9A
Agency APP	
Date of Bill 5/29/89	10/2/89
Date of Payment 8/30/89	
S. Kumbhar	

* See orig. fee block on 7/11/89 app. form.

L'L STATUS

DOW CORNING 732 multi-purpose sealant is recognized by Underwriters Laboratories for service to 150 C (302 F) where elongation is not essential.

SPECIFICATIONS

DOW CORNING 732 multi-purpose sealant is designed to meet the requirements of MIL-A-46106, per current revision and type.

SHIPPING LIMITATIONS

None.

STORAGE AND SHELF LIFE

When stored in original unopened containers at or below 32 C (90 F), DOW CORNING 732 multi-purpose sealant has a shelf life of 12 months from date of shipment. Containers should always be kept sealed when not in use. After a container has been opened, a plug of cured material may form in the

nozzle or tube tip during storage. When ready to reuse, unscrew the nozzle and remove the cured plug. The remaining sealant is ready to use.

PACKAGING

DOW CORNING 732 multi-purpose sealant is available in 3- and 4.7-fl oz (90- and 139-mL) tubes, 10.3-fl oz (305-mL) cartridges, and 4.5- and 52-gal (17- and 197-L) containers, net weight.

WARRANTY INFORMATION - PLEASE READ CAREFULLY

Dow Corning believes that the information in this publication is an accurate description of the typical characteristics and/or uses of the product or products, but it is your responsibility to thoroughly test the product in your specific application to determine its performance, efficacy and safety.

Unless Dow Corning provides you with a specific written warranty of fitness for a particular use, Dow Corning's sole warranty is that the product or products will meet Dow Corning's then current sales specifications. DOW CORNING SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR USE. Your exclusive remedy and Dow Corning's sole liability for breach of warranty is limited to refund of the purchase price or replacement of any product shown to be other than as warranted, and Dow Corning expressly disclaims any liability for incidental or consequential damages.

DOW CORNING CORPORATION
MIDLAND, MICHIGAN 48686-0994

Dow Corning is a registered trademark of Dow Corning Corporation

Printed in U.S.A.

Form No. 61-358E-86

DOW CORNING

4164752535

8-89 WED 9:57 MARTHON

P. 01

TEL (416) 475 0430
TELEX 08 080840
Cable Monweil-Markham

FAX: (416) 475-2535



MARATHON MANAGEMENT COMPANY
A SUBSIDIARY OF MARATHON WATCH COMPANY LTD.
87A STEELCASE RD. WEST, MARKHAM, ONT. L3R 2W4

G-H-3

DATE: August 2/89

TIME: _____

FAX: 1-301-492-1137

TO : U.S. Nuclear Regulatory Authority

ATTN: Mr. Floyd Deschamps


(492-4503)

Total Number of Pages 3 Including this page. (Please advise immediately if all pages not received)

With reference to our telephone conversation the following are copies of missing pages 9 and 10. We will mail you a sample of compass today.

Regards

[Handwritten signature]
Monweil



DOW CORNING

May 17, 1989

Marathon Watch Company Ltd.
67A Steelcase Road West
Markham, ON L3R 2M4

Attention: Mr. Leo Wien


Dear Sir:

REFERENCE: AS PER OUR CONVERSATION OF MAY 17, 1989

A-4094 primer was obsoleted in December 1975. The suggested replacement for this primer is Dow Corning® 1200 RTV Prime Coat.

If you have any further questions, please contact me at 1-800-268-5353, extension 6063.

Yours truly,



Jennifer Findlay
Technical Information

JF/ms