

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT

2. AMENDMENT/MODIFICATION NO. Ten (10)	3. EFFECTIVE DATE 1/4/90	4. REQUISITION/PURCHASE REQ. NO. NRC-39-88-170 dtd. 1/29/90	5. PROJECT NO. (If applicable) 30117
6. ISSUED BY U.S. Nuclear Regulatory Commission Division of Contracts & Property Management Washington, D.C. 20555		7. ADMINISTERED BY (If other than Item 6) CODE	

8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code) Automation Management Consultants, Inc. 14519 Woodcrest Dr. Rockville, MD 20853	9A. AMENDMENT OF SOLICITATION NO. 9B. DATED (SEE ITEM 11) 10A. MODIFICATION OF CONTRACT/ORDER NO. X NRC-39-88-170 10B. DATED (SEE ITEM 13) 1/29/90
CODE	FACILITY CODE

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items B and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

N/A

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

W	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(D).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)
X	Mutual Agreement of the Parties

E. IMPORTANT: Contractor is not, is required to sign this document and return 2 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)



The purpose of this modification is to revise Section C.1, Statement of Work. Accordingly, the contract is revised to read as follows:

- Section C.1, STATEMENT OF WORK (MAR 1987) is hereby revised to read: (See Attached Statement of Work).

All other terms and conditions under this contract remain unchanged.

**9002260336 900205
PDR CONTR
NRC-39-88-170 PNU**

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) Mary H. Mace, Contracting Officer	
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED 5 FEB 90	16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)
		16C. DATE SIGNED 1/31/90

STATEMENT OF WORK

1. The contractor shall provide on-call services as listed below for those items listed in Table 1. The Government reserves the right to add items to the list at any time during the period of the contract. This will be accomplished by modification to the contract subject to mutual agreement of the parties. Contractor on-call services shall be performed during the normal NRC working hours, 7:30 am to 4:15 pm. Off-site maintenance services may be required during non-working hours.

Maintenance - the contractor shall provide all necessary labor, supplies, tools, test equipment, transportation, repair parts, documentation and their related services. The contractor shall provide qualified maintenance people within 4 hours of receiving the call for service. All maintenance personnel shall be highly qualified to diagnose problems with and perform repairs on microcomputers and peripherals, and shall be experienced with IBM PCs, XTs, ATs and compatibles.

The contractor shall notify the Project Officer and receive approval from the Project Officer before performing work in any of the following instances:

1. The expected cost of repairs/parts exceeds the contractor's estimate for worth of the equipment being repaired.
2. The expected cost of repairs/parts exceeds \$200 except in cases of hard drive replacement.
3. The expected cost of hard drive replacement exceeds \$300.
4. The contractor expects the time for repairs to exceed 2 days.

The contractor may replace parts to insure return to the NRC within the two day time frame, however, nonworking parts removed from the machines shall be returned to the NRC within 24 hours of replacement determination. The NRC may exercise the discretion of requesting a written estimate for repair of quantities of boards, drives, etc.

The contractor shall: When necessary, change switch settings on the microcomputer or boards to assure proper operation and prevent damage to equipment;

"Park" fixed disks before moving PC's to prevent loss of data or damage to equipment;

Provide all tools, hand truck, and parts when specified, for the performance of work.

Notify the Project Officer if specified services cannot be performed or cannot be performed within the specified time limit.

2. The contractor shall be familiar with the locations of the buildings specified below. NRC will provide the contractor with the procedures for gaining access to the various buildings, and the procedures for removing

hardware from the HRC guard-controlled buildings. Equipment to be serviced under this contract may be located or moved to/from any of the following locations.

GTSI
14130-B Sullyfield Circle
Chantilly, VA 22021

Congressional Affairs
80 F Street, N.W.
Washington, D.C.

East-West West Towers Bldg.
4350 East-West Highway
Bethesda, MD

Ford Building
7101 Wisconsin Avenue
Bethesda, MD

IBM Service Center
1801 K Street, N.W.
Washington, D.C.

Maryland Nat'l Bank Bldg.
7735 Old Georgetown Road
Bethesda, MD

Analysis Group, Inc.
1750 New York Ave., Suite 200
Washington, D.C.

Phillips Building
7920 Norfolk Avenue
Bethesda, MD

Nicholson Lane Building
5650 Nicholson Lane
Rockville, MD

White Flint Building
11555 Rockville Pike
Rockville, MD

Woodmont Building
8120 Woodmont Avenue
Bethesda, MD

Businessland
12240 Rockville Pike
Rockville, MD

PDR
2120 L Street, N.W.
Washington, D.C.

2101 East Jefferson St.
Rockville, MD

Warehouse
49xx Boiling Brook Parkway
Rockville, MD

3. The contractor shall accept oral orders under this contract placed by the Contracting Officer's Authorized Representative (Project Officer or Project Officer's designee). Orders may be placed under this from the effective date through its expiration and are subject to the terms and conditions of the contract. When a call is placed to the contractor the Project Officer or his/her designee will specify the following:

Contract Number
Make(s) & Model(s) of equipment
HRC tag number(s)
Description(s) of service

For each service call placed, the contractor shall, if directed by the Project Officer, first stop at the Project Officer's office at the Phillips Building in Bethesda, to pick up equipment, boards, chips, or property pass to be used on the call.

4. The contractor shall document each service call which requires contractor supplied parts or repair services through the use of consecutively numbered service order forms in a configuration acceptable to the NRC. At a minimum, the service order forms shall include the following:

- Service Order Number
- Date and Time notified
- Date and Time of arrival
- Location of equipment
- NRC Contract Number
- Make and Model of equipment
- NRC Tag number of equipment
- Description of services requested
- Action taken
- Time spent for service
- Signature of NRC personnel cognizant to the work performed
- Signature of contractor

A copy of each completed service order shall be submitted to the Project Officer or his/her designee, within 24 hours of completion of a service call. Each invoice shall be accompanied by a copy of the service orders signed and certified by the Project Officer or his/her designee.

5. The contractor personnel assigned to this contract must be cleared by NRC Security for unescorted access within NRC buildings. NRC form 89 (photo badge request) will be provided to the contractor for this purpose.

TABLE 1

MICROCOMPUTERS AND PERIPHERALS

IBM Personal Computers including Portable, PC, XT, AT, XT-286
 IBM Personal System/2s including Model 30, 30-286, 50, 50z, 60, 70, 80
 COMPAQ PCs including Portable, Portable Plus, Portable III
 COMPAQ DeskPros including 286-all models, 386-all models
 Wyse Tech 386 PC, Ind Tech 5170 PC, AST 32-bit AT compatible PC
 IBM TPC 1 tempest PC
 Data General One portables, Toshiba portable, NEC portable and laptops
 Zenith Portables and laptops
 IBM monitors including Monochrom, Color, Enhanced Color, VGA
 COMPAQ monitors, including Dual Mode, Color, VGA
 Amdek monitors, NEC Multisync monitors, Tecmar monitors
 Samsung S38A7 monodisplay, MicroviTech 1019SP Color Display
 Taxan Multivision 770 Plus VGA Display, Laser Data monodisplay
 Zenith Data ZVM-121 monodisplay, Priam LV700 monodisplay
 Princeton Graphics HX12 monodisplay
 IBM SLP 12287 tempest printer, C, Itoh 8510 printer
 Epson printers including FX Series, MX Series, LX Series
 Hewlett-Packard LaserJet printers including Series II, Series IID
 IBM printers including Graphics, Pageprinter, Proprinter, Quietwriter
 NEC printers including LC890 PostScript printer, and 3550 printer
 Epson LetterJet printer, DG Portable printer, Centronics GLP printer
 Okidata printers including Microline series, Ricoh LP 4080E printer
 Hewlett-Packard 7475 & 7475A plotters, JOLine LP300 plotter
 ALLOY FT60 tap drives, IBM PS/2 external drive, Toshiba external drive
 Poloroid Palette, Poloroid 72-10 Computer Recorder
 Ricoh Laser Image Scanner
 IBM expansion chassis, Sigma Designs expansion chassis/drive unit
 Iomega Bernoulli Box drives, Tallgrass tape/hard drives
 Emerald Systems external tape drive, Priam CT0206A disk tower
 Sony WDD3000 external disk drive, Toshiba PA77225U disk drive
 Toshiba XM-2000/XM-3000 series CD-ROM drive
 Hitachi 1502S CD-ROM drive

BOARDS, CHIPS, AND CABLES

8086/8088/80286/80286 processor chips
 8087/80287/80387/Weiteck numeric coprocessors
 Memory chips including IBM, INTEL, COMPAQ, AST
 Memory Expansion Adapters including AST, IBM, COMPAQ
 Hayes 1200B Smartmodem
 IBM monitor adapters including MDA, CGA, EGA, VGA, 8514/A
 COMPAQ monitor adapters including Video Display Controller, EGA, VGA
 Tecmar graphics adapter, Hercules Monographics Plus adapter
 Scuzi Interface board ASC88
 Serial/parallel adapters and including IBM and COMPAQ
 IBM asynchronous and Dual-asynchronous adapters
 Bisynchronous, and SDLC adapters including IBM and COMPAQ
 IBM parallel printer adapters
 IBM 3278/79 and IBM 5250 and IBM 5250 emulation adapters
 IBM Token Ring Network Adapters, Adapter II, Adapter/A, and 16//4 Adapter
 Other PC network adapters including 3Com Token Link Plus adapter

Fixed and floppy drive controllers including IBM, COMPAQ, AST, ZENITH, NEC,
SYSGEN, TEAC, Sony
Parallel printer cables, RS-232 cables
Other communications cables including 25-pin straight-thru
Internal fixed or floppy drive to controller cables
Expansion controller to expansion unit cables

DRIVES, MICE, AND KEYBOARDS

360KB and 1.2 MB 5.25" diskette drives for IBMs, COMPAQs, and ASTs
720KB and 1.44 MB 3.5" diskette drives for IBMs, COMPAQs, Zeniths, NECs
10/20/30/40/60/130/300 MB fixed drives for IBMs, COMPAQs, ASTs
IBM PS/w Mouse, Mouse Systems PC Mouse, Microsoft series & Bus Mouse
other mice including Logitech Hi-Rez mouse
Standard IBM, COMPAQ and AST keyboards
IBM, COMPAQ, and AST Enhanced keyboards (with and without panel lights)
IBM PS/2 keyboards, Ketronics KB-101 keyboards