



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION V

1990 N. CALIFORNIA BOULEVARD
SUITE 202, WALNUT CREEK PLAZA
WALNUT CREEK, CALIFORNIA 94596

June 26, 1981

License No. 53-19129-01

Dames and Moore
1144 10th Avenue
Honolulu, Hawaii 96816

Attention: Mr. Donald F. Graff
Administrative Manager

Gentlemen:

Subject: NRC Inspection

This refers to the routine safety inspection conducted by Mr. Grayson of this office on May 5, 1981, of activities authorized by NRC License No. 53-19129-01 and to the discussion of our findings held by Mr. Grayson with you at the conclusion of the inspection.

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel and observations by the inspector.

During this inspection, it was found that certain of your activities appeared to be in noncompliance with NRC requirements. The items and references to the pertinent requirements are listed in Appendix A. These items have been categorized into severity levels as described in the Federal Register Notice (45 FR 66754) dated October 7, 1980.

Your response to this notice is to be submitted in accordance with the provisions of 10 CFR 2.201 as stated in Appendix A, Notice of Violation.

If you have any questions on this matter or concerning this inspection please telephone Mr. Grayson on 415-943-3700.

Sincerely,

G. S. Spencer, Director
Division of Technical Inspection



Enclosure:
A. Notice of Violation

8107150237 810626
NMS LIC30
53-19129-01 PDR

IE07
S.11