

THE CLEVELY LELECTING TELOMINATING COME AINS

P.O. BOX 97 PERRY, OHIO 44081

TELEPHONE (216) 259-3737

ADDRESS-10 CENTER ROAD

FROM CLEVELAND: 479-1260

TELEX: 241599

ANSWERBACK: CEI PRYO

Al Kaplan

VICE PRESIDENT

Serving The Best Location in the Nation
PERRY NUCLEAR POWER PLANT

February 26, 1990 PY-CEI/NRR-1139 L

U.S. Nuclear Regulatory Commission Document Control Desk Washington, D.C. 20555

> Perry Nuclear Power Plant Docket No. 50-440 Annual Personnel Exposure and Monitoring Report

Dear Sir:

The Cleveland Electric Illuminating Company is hereby submitting the Annual Personnel Exposure and Monitoring Report for the Perry Nuclear Power Plant for the 1989 calendar year as required by 10 CFR 20.407(a)(2).

If there are any questions, please feel free to call.

Very truly yours

Al Kaplan Vice President Nuclear Group

AK:njc

Attachment

cc: T. Colburn P. Hiland

USNRC, Region III

Director, Office Nuclear Regulatory Research

1E56

Attached is the Annual Personnel Exposure and Monitoring Report for the Perry Nuclear Power Plant for the 1989 calendar year as required by 10 CFR 20.407(a)(2) and (b).

marie or

Plant Health Physicist

Radiation Protection Section Manager

ANNUAL OCCUPATIONAL RADIATION EXPOSURE REPORT PERSONNEL WHOLE BODY EXPOSURE FOR CALENDAR YEAR 1989

LICENSEE REPORTING: CLEVELAND ELECTRIC ILLUM. CO PERRY NUCLEAR POWER PLANT 10 CENTER ROAD PERRY, OHIO 44081

LICENSE NO.

NFP-58

ANNUAL DOSE RANGES * (REM)	NUMBER OF INDIVIDUALS IN EACH RANGE
NO MEASURABLE EXPOSURE	1124
MEASURABLE EXP. <0.100	531
0.10 - 0.25	351
0.25 - 0.50	381
0.50 - 0.75	264
0.75 - 1.00	170
1.00 - 2.00	185
2.00 - 3.00	1
3.00 - 4.00	0
4.00 - 5.00	0
5.00 - 6.00	0 0 0
6.00 - 7.00	0
7.00 - 8.00	0
8.00 - 9.00	0
9.00 - 10.00	0 0 0 0
10.00 - 11.00	0
11.00 - 12.00	0
12.00 +	0

The above information is submitted for the total number of individuals for whom personnel monitoring was provided during the calendar year including those individuals required to be reported under 10 CFR 20.202(a)(1).

767.368

* Individual values exactly equal to the values separating exposure ranges shall be reported in the higher range.

NJC/FORM/V3169

TOTAL DOSE REPORTED: