



Region I Office
 Division of Nuclear Materials Safety
 2100 Renaissance Boulevard, Suite 100
 King of Prussia, PA 19406-2713
 (610)337-5000

Telephone Conversation Record

Date: 01/10/2020
 License No.: 55-31380-01
 Docket No.: 03038134
 Mail Control/Report No.: 616114
 Licensee Name: DSM Holdings, LLC
 Participant(s) Name/Title: Carl Tesitor, RSO
 Work Telephone No.: 340-778-0200
 Business Cellphone No.: 340-690-8054
 NRC Representative Name/Title: Michael Reichard, HP; Juan Ayala, HP

Subject: Clarification of Authorized Amounts of Material and Follow-up to RAI

Discussion: On the licensee’s renewal application, the licensee requested authorization for 9.0 millicuries per source and 18.0 millicuries total of Cesium 137, and 44.0 millicuries per source and 88.0 millicuries total of Americium 241. The current license authorizes 27.0 millicuries total of Cesium 137 and 132.0 millicuries total of Americium 241. Licensee stated that they would like to keep the current authorized amounts in the renewed license.

Additionally, NRC staff identified during review of the RAI response that the licensee had the improper signage for the storage location. The licensee had a transportation Yellow 2 sign instead of the proper Caution – Radioactive Material sign. Licensee agreed to replace sign.

Action Required:

SUNSI REVIEW	
Document Availability:	<input checked="" type="checkbox"/> Public or <input type="checkbox"/> Non-Public
Document Sensitivity: (select "1" value to the right)	
<input checked="" type="checkbox"/> Non-Sensitive	<input type="checkbox"/> MD 3.4 Non-Public B.1 (Non-Sensitive)
<input type="checkbox"/> Non-Sensitive Copyright	<input type="checkbox"/> MD 3.4 Non-Public A.3 (Sensitive Security Related)
<input type="checkbox"/> Sensitive – Proprietary	<input type="checkbox"/> MD 3.4 Non-Public A.4 (Sensitive Proprietary)
<input type="checkbox"/> Sensitive – Privacy Act (includes Personally Identifiable Information (PII))	<input type="checkbox"/> MD 3.4 Non-Public A.5 (Sensitive-Privacy Act)
<input type="checkbox"/> Sensitive – Internal, Periodic Review required (All Other Sensitive Internal Info.)	<input type="checkbox"/> MD 3.4 Non-Public A.6 (Sensitive-Federal, State, etc)
<input type="checkbox"/> Sensitive – Security-Related-Periodic Review Required	<input type="checkbox"/> MD 3.4 Non-Public A.7 (Internal)
SUNSI Review Completed by: Juan Ayala	