Facility: Hope Creek Generating St	ation	Date of Examination: 8/12/2019			
Examination Level: RO 🗵 SRO 🛭] 	Operating Test Number:			
Administrative Topic (see Note)	Type Code*	Describe activity to be performed			
Conduct of Operations	S,D	Complete The Daily Surveillance Logs			
Conduct of Operations	S,M	Perform A Shift Turnover As On-Coming/Off- Going NCO			
Equipment Control	S,D	Perform Actions to Achieve Criticality and Raise Power to the Point of Adding Heat			
Radiation Control	R,D	Purge The Containment			
Emergency Plan					
NOTE: All items (five total) are required fo are retaking only the administrative	NOTE: All items (five total) are required for SROs. RO applicants require only four items unless they are retaking only the administrative topics (which would require all five items).				
* Type Codes and Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs and RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1, randomly selected)					

Facility: Hope Creek Generating Sta	Date of Examination: 8/12/2019			
Examination Level: RO 🔲 SRO 🛭	⅓	Operating Test Number:		
Administrative Topic (see Note)	Type Code*	Describe activity to be performed		
Conduct of Operations	R,D,P	Ensure The Operating Shift Is Adequately Manned		
Conduct of Operations	R,D	Review All Operations Logs In Use During A Shift Including Computer Logs		
Equipment Control	R,M	Complete an Action Statement Log Sheet		
, Radiation Control	R,D	Verify Compliance with Gaseous Release Permit		
Emergency Plan	R,M	Utilize The ECG To Determine The Emergency Classification		
NOTE: All items (five total) are required for SROs. RO applicants require only four items unless they are retaking only the administrative topics (which would require all five items).				
* Type Codes and Criteria: (C)ontrol room, (S)imulator, or Class(R)oom (D)irect from bank (≤ 3 for ROs; ≤ 4 for SROs and RO retakes) (N)ew or (M)odified from bank (≥ 1) (P)revious 2 exams (≤ 1, randomly selected)				

Control Room/In-Plant Systems Outline

Form ES-301-2

Fa	Facility: Hope Creek Generating Station Date of Examination: 8/12/2019					
Ex	Exam Level: RO 🗵 SRO-I 🗌 SRO-U 🗎 Operating Test Number:					
Cor	ntrol Room Systems: 8 for RO, 7 for SRO-I, an	d 2 or 3 for SRO-U				
	System/JPM Title		Type Code*	Safety Function		
а.	A.C. Electrical Dist. / Respond To A Turbine (Generator Malfunction	A,D,L,S	6		
b.	Reactor Core Isolation Cooling / Reduce Toru System	s Level Using RCIC	D,S	4		
C.	Component Cooling Water / Transfer TACS T Loop	o The Standby SACs	D,S	8		
d.	Low Pressure Core Spray /Manually Start the	. , ,	A,D,EN,S	2		
е.	Control Rod and Drive Mechanism / Respond Temperature		A,M,S	1		
f.	Primary Containment System and Auxiliaries System During Post LOCA/Isolation Condition		A,D,EN,S	5		
g.	Average Power Range Monitor/Local Power F Respond To A Recirculation Pump Malfunction	Range Monitor /	D,S	7		
h.	h. Reactor/Turbine Pressure Regulating / Perform a Cooldown Using Bypass Valves			. 3		
In-P	lant Systems: 3 for RO, 3 for SRO-I, and 3 or	2 for SRO-U	. / }			
i.	Component Cooling Water / Respond To A Sa	ACS Malfunction	D,EN,R	8		
j.	Uninterruptable Power Supply (A.C. /D.C.) / R Electrical Distribution System From Service	demove 120 VAC	A ,D	6		
k.	Primary Containment System and Auxiliaries	Purge the Vent line	E,EN,L,N	5		
*	All RO and SRO-I control room (and in-plant) s functions, all five SRO-U systems must serve functions may overlap those tested in the cont	different safety functions, ar	nd serve different nd in-plant systen	safety ns and		
1	* Type Codes	Criteria for R /s	SRO-I/SRO-U			
(A) Iternate path $4-6/4-6/2-3$ (C) ontrol room (D) irect from bank $\leq 9/\leq 8/\leq 4$ (E) mergency or abnormal in-plant $\geq 1/\geq 1/\geq 1$ (EN) gineered safety feature (L) ow-Power/Shutdown (L) ow-Power/Shutdown (N) even or (M) odified from bank including 1(A) (P) revious 2 exams (R) CA (S) imulator $4-6/4-6/2-3$ $4-6/4-6/2-3$ (Simulator Simulator $4-6/4-6/2-3$ (Simulator Simulator Simulator $4-6/4-6/2-3$ (Simulator Simulator Simu						

	cility: Hope Creek Generating Station	Date of Exan	nination: 8/	12/201
Exa	am Level: RO 🗌 SRO-I 🗵 SRO-U [Operating Te	st Number;	
Con	trol Room Systems: 8 for RO, 7 for SRO-I, and	2 or 3 for SRO-U	2 Table 1 Table 1	
	System/JPM Title		Type Code*	Safe Fund
a.	A.C. Electrical Dist. / Respond To A Turbine G	enerator Malfunction	A,D,L,S	6
b.	Reactor Core Isolation Cooling / Reduce Torus System	Level Using RCIC	D,S	4
C.	Component Cooling Water / Transfer TACS To Loop	The Standby SACs	D,S	8
d.	Low Pressure Core Spray /Manually Start the 0	Core Spray System	A,D,EN,S	. 2
e.	Control Rod and Drive Mechanism / Respond Temperature	To A Control Rod High	A,M,S	1
f.	Primary Containment System and Auxiliaries / System During Post LOCA/Isolation Conditions		A,D,EN,S	5
g.	Average Power Range Monitor/Local Power Range Respond To A Recirculation Pump Malfunction		D,S	7
h.		,		<u>d</u>
In-P	lant Systems: 3 for RO, 3 for SRO-I, and 3 or 2	? for SRO-U	<u> </u>	- ,
i.	Component Cooling Water / Respond To A SA	CS Malfunction	D,EN,R	. 8
j.	Uninterruptable Power Supply (A.C. /D.C.) / Re Electrical Distribution System From Service	emove 120 VAC	A,D	6
k.	Primary Containment System and Auxiliaries /	Purge the Vent line	E,EN,L,N	5
*	All RO and SRO-I control room (and in-plant) so functions, all five SRO-U systems must serve d functions may overlap those tested in the control.	ifferent safety functions, a	nd serve different nd in-plant system	safety ns and
	* Type Codes	Criteria for R /	SRO-I/SRO-U	
,	(A)Iternate path (C)ontrol room (D)irect from bank	4–6/4–6 /2· ≤ 9/≤ 8/≤ 4		

* Type Codes	Criteria for R /SRO-I/SRO-U
(A)Iternate path (C)ontrol room	4-6/4-6 /2-3
(D)irect from bank	≤ 9/≤ 8/≤ 4
(E)mergency or abnormal in-plant	≥ 1/≥ 1/≥ 1
(EN)gineered safety feature	≥ 1/≥ 1/≥ 1 (control room system)
(L)ow-Power/Shutdown	≥ 1/≥ 1/≥ 1
(N)ew or (M)odified from bank including 1(A)	≥ 2/≥ 2/≥ 1
(P)revious 2 exams	≤ 3/≤ 3/≤ 2 (randomly selected)
(R)CA	≥ 1/≥ 1/≥ 1
(S)imulator	•

		- 1 ₂				
Facility: Hope Creek Generating Station Date of Examination: 8/12/2019						
Exam Level: RO SRO-I SRO-U Operating Test Number:						
Control Room Systems: 8 for RO, 7 for SRO-I, and 2 or 3 for SRO-U						
System/JPM Title	Type Code*	Safety Function				
a. A.C. Electrical Dist. / Respond To A Turbine C	A,D,L,S	6				
b.						
C.						
d. BE005; Manually Start the Core Spray System	n	A,D,EN,S	2			
e. Control Rod and Drive Mechanism / Respond Temperature	To A Control Rod High	A,M,S	1			
f.						
g.						
h.						
In-Plant Systems: 3 for RO, 3 for SRO-I, and 3 or	2 for SRO-U					
i. Component Cooling Water / Respond To A S/	ACS Malfunction	D,EN,R	8			
j.						
k. Primary Containment System and Auxiliaries	Purge the Vent line	E,EN,L,N	5			
functions, all five SRO-U systems must serve	* All RO and SRO-I control room (and in-plant) systems must be different and serve different safety functions, all five SRO-U systems must serve different safety functions, and in-plant systems and functions may overlap those tested in the control room.					
* Type Codes	Criteria for R /	SRO-I/SRO-U				
(A)Iternate path $4-6/4-6/2-3$ (C)ontrol room $\leq 9/\leq 8/\leq 4$ (E)mergency or abnormal in-plant $\geq 1/\geq 1/\geq 1$ (EN)gineered safety feature $\geq 1/\geq 1/\geq 1$ (control room system)(L)ow-Power/Shutdown $\geq 1/\geq 1/\geq 1$ (N)ew or (M)odified from bank including 1(A) $\geq 2/\geq 2/\geq 1$ (P)revious 2 exams $\leq 3/\leq 3/\leq 2$ (randomly selected)(R)CA $\geq 1/\geq 1/\geq 1$			·			

Control Room/In-Plant Systems Outline Form ES-301-2

ES-301

Facility:	The second secon	Hope Cree	ek Scenario No.: 1 Op-Test No.:
Examine			Operators:
Initial Co			rating at approximately 75% power.
Turnove	r: Lower p		· /
Turriove	i. <u>"Lower p</u>	ower to app	proximately 70%. Remove a RFP from service.
Critical 7	asks: 1. N	Manually init	iate ARI to shut down the reactor. 2. Place HPCI in service
	e and mainta		The same of the sa
Event	Malf.	Event	Event
No.	No.	Type*	Description
1		R	Lower Reactor Power with Recirculation System
2		N	Remove RFP In Service
3	RM9635	1	Radiation Monitor Failure
4	CU07	С	RWCU Leak Into RACS
5	ED09D2	C	Loss of 1DD482
6	RR31	M	LOCA
7	RP04	С	RPS Failure-ATWS/ARI Scram Successful
8	FW30/ HP14/5	С	Loss of Condensate-HPCI Injection Valves' Failure
1			
ſ	3		
			
		The second secon	The second secon
+		- is with a single	,
* (1	V)ormal. (R)	eactivity. (Onstrument (C)omponent (M)ajor

nin.

Appendix D	S	cenario Outlin	e	Form ES-D-1
		anne arte en el di conta	M 0 11 7 70	

Facility: Hope Creek	Scenario No.: 2 Op-Test No.:					
Examiners:	Operators:					
Initial Conditions: Approximately 95% Reactor	power with a startup in progress. SSW Pump C					
tagged out for maintenance.						
Turnover: Secure Drywell makeup. Raise Rea	Turnover: Secure Drywell makeup. Raise Reactor Power to 100% Power.					
Critical Tasks: 1. Start the A EDG. 2. Isolate F	HPCI steam leak. 3. Initiate actions to Emergency					
Depressurize the reactor/Restore RPV Level.						

Event No.	Maif. No.	Event Type*	Event Description
1		N	Secure containment makeup
2		R	Raise power with Recirculation Pumps
3	SL03	1	Inadvertent SBLC Initiation
4	ED11B	С	Loss of 10D420 125 VDC Bus
5	5A127	С	Secondary Condensate Pump Malfunction
6	EG12	М	Loss of Offsite Power
7	DG07A	С	Auto Start Failure of EDG/LOP Sequencer Failure
8	HP09	С	Steam Leak in HPCI Room with Auto Isolation Failure
* (1	N)ormal, (R)	eactivity, (l)nstrument, (C)omponent, (M)ajor

			N. Carlotte
Appendix D	Scenario Outline	Form ES-I	D-1

			
Facility:		Hope Cree	ek Scenario No.: 3 Op-Test No.:
Examine	ers:		Operators:
	· · · · · · · · · · · · · · · · · · ·		
Initial Co	onditions:	100% powe	r
Turnove	r:		
	•		ates RR pump before DRWL pressure reaches 1.68 psig.
Event No.	Malf. No.	Event Type*	Event Description
1		N	Swap In-feeds to Non-1E bus
2	RR19	1	Recirculation flow transmitter failure
3	RC08	С	RCIC Suppression Pool Suction Valve Failure
4	RR26	С	Reactor Recirculation Pump Seal Failures
5	CR02	R	Core Instabilities
6	MS15	1	Spurious Group 1 MSIV Isolation
7	RR31	M	LOCA
8	QQ21	С	RHR Pump Failure
9	RH20	С	Drywell Spray Valve Failure/Downcomer Failure

(N)ormal, (R)eactivity, (I)nstrument, (C)omponent, (M)ajor

Facility: Hope (Creek						D	ate c	of Ex	am:	201	9				
Tier	Group					RO I	(/A C	Cate	jory	Poin	ts			SRO	D-Only Poin	ıts
		К1	K2	кз	K4	K5	K6	A1	A2	АЗ	A4	G*	Total	A2	G*	Total
1.	1	3	3	3				3	4			4	20	3	4	7
Emergency and Abnormal Plant	2	1.	1	1		N/A	.: 1	1	2	N	/A	1	7	2	1	3
Evolutions	Tier Totals	4	4:	4			. :-	4	6			5	27	.5	5	10
2	1	3	2	3	3	1	2	3	2	2	2	3	26	3	2	5
Plant	2	2	0	2.	1	1	1	1	1	1	1	1	. 12	0 1	2	3
Systems	Tier Totals	5	2	5	4	2	3	4	3	3	3	4	38	4	4	8
	Knowledge and Categories	Abili	ties			1	· · ·	2	,	3 2	-	4 3	10	1 2 2 2	3 4	7

- Note: 1. Ensure that at least two topics from every applicable K/A category are sampled within each tier of the RO and SRO-only outline sections (i.e., except for one category in Tier 3 of the SRO-only section, the "Tier Totals" in each K/A category shall not be less than two). (One Tier 3 radiation control K/A is allowed if it is replaced by a K/A from another Tier 3 category.)
 - The point total for each group and tier in the proposed outline must match that specified in the table. The final
 point total for each group and tier may deviate by ±1 from that specified in the table based on NRC revisions.
 The final RO exam must total 75 points, and the SRO-only exam must total 25 points.
 - 3. Systems/evolutions within each group are identified on the outline. Systems or evolutions that do not apply at the facility should be deleted with justification. Operationally important, site-specific systems/evolutions that are not included on the outline should be added. Refer to Section D.1.b of ES-401 for guidance regarding the elimination of inappropriate K/A statements.
 - 4. Select topics from as many systems and evolutions as possible. Sample every system or evolution in the group before selecting a second topic for any system or evolution.
 - 5. Absent a plant-specific priority, only those K/As having an importance rating (IR) of 2.5 or higher. Use the RO and SRO ratings for the RO and SRO-only portions, respectively.
 - 6. Select SRO topics for Tiers 1 and 2 from the shaded systems and K/A categories.
 - 7. The generic (G) K/As in Tiers 1 and 2 shall be selected from Section 2 of the K/A catalog, but the topics must be relevant to the applicable evolution or system. Refer to Section D.1.b of ES-401 for the applicable K/As.
 - 8. On the following pages, enter the K/A numbers, a brief description of each topic, the topics' IRs for the applicable license level, and the point totals (#) for each system and category. Enter the group and tier totals for each category in the table above. If fuel-handling equipment is sampled in a category other than Category A2 or G* on the SRO-only exam, enter it on the left side of Column A2 for Tier 2, Group 2. (Note 1 does not apply.) Use duplicate pages for RO and SRO-only exams.
 - 9. For Tier 3, select topics from Section 2 of the K/A catalog, and enter the K/A numbers, descriptions, IRs, and point totals (#) on Form ES-401-3. Limit SRO selections to K/As that are linked to 10 CFR 55.43.

G* Generic K/As

- * These systems/evolutions must be included as part of the sample (as applicable to the facility) when Revision 3 of the K/A catalog is used to develop the sample plan. They are not required to be included when using earlier revisions of the K/A catalog.
- ** These systems/evolutions may be eliminated from the sample (as applicable to the facility) when Revision 3 of the K/A catalog is used to develop the sample plan.

ES-401 Emergency a	ınd ,						Outline s—Tier 1/Group 1 (RO/SRO)	Form	ES-401-1
E/APE # / Name / Safety Function	К1	K2	КЗ	A1	A2	G*	K/A Topic(s)	IR	#
295016 (APE 16) Control Room Abandonment 77						x	G 2.4.35 Knowledge of local auxiliary operator tasks during an emergency and the resultant operational effects.	4.0	76
295019 (APE 19) Partial or Complete Loss of Instrument Air / 8					x		AA2.01 Ability to determine and/or interpret the following as they apply to PARTIAL OR COMPLETE LOSS OF INSTRUMENT AIR: Instrument air system pressure	3.6	77
295021 (APE 21) Loss of Shutdown Cooling / 4						x	G 2.4.47 Ability to diagnose and recognize trends in an accurate and timely manner utilizing the appropriate control room reference material.	4.2	78
295023 (APE 23) Refueling Accidents / 8					x		AA2.04 Ability to determine and/or interpret the following as they apply to REFUELING ACCIDENTS: †Occurrence of fuel handling accident	4.1	79
295024 High Drywell Pressure / 5				1715		x	G 2.2.40 Ability to apply Technical Specifications for a system.	4.7	80
295025 (EPE 2) High Reactor Pressure / 3					x		EA2.01 Ability to determine and/or interpret the following as they apply to HIGH REACTOR PRESSURE: Reactor pressure	4.3	81
295031 (EPE 8) Reactor Low Water Level / 2	,					х	G 2.1.32 Ability to explain and apply system limits and precautions.	4.0	82
295001 (APE 1) Partial or Complete Loss of Forced Core Flow Circulation / 1 & 4					x		AA2.06 Ability to determine and/or interpret the following as they apply to PARTIAL OR COMPLETE LOSS OF FORCED CORE FLOW CIRCULATION: Nuclear boiler	3.2	1
295003 (APE 3) Partial or Complete Loss of AC Power / 6						x	instrumentation G 2.2.39 Knowledge of less than or equal to one hour Technical Specification action statements for systems.	3.9	2
295004 (APE 4) Partial or Total Loss of DC Power / 6	X						AK1.05 Knowledge of the operational implications of the following concepts as they apply to PARTIAL OR COMPLETE LOSS OF D.C. POWER: Loss of breaker protection	3.3	3
95005 (APE 5) Main Turbine Generator Trip /		X					AK2.05 Knowledge of the interrelations between MAIN TURBINE GENERATOR TRIP and the following: Extraction steam system	2.6	4
95006 (APE 6) Scram / 1			X				AK3.04 Knowledge of the reasons for the following responses as they apply to SCRAM: Reactor water level setpoint setdown: Plant-Specific	3.1	5
95016 (APE 16) Control Room Abandonment 7				x			AA1.05 Ability to operate and/or monitor the following as they apply to CONTROL ROOM ABANDONMENT: D.C. electrical distribution	2.8	6
95018 (APE18) Partial or Complete Loss of CCW / 8					X		AA2:03 Ability to determine and/or interpret the following as they apply to PARTIAL OR COMPLETE LOSS OF COMPONENT COOLING WATER: Cause for partial or complete loss	3.2	7
95019 (APE 19) Partial or Complete Loss of strument Air / 8						X	G 2.2.36 Ability to analyze the effect of maintenance activities, such as degraded power sources, on the status of limiting conditions for operations.	3:1	8
95021 (APE 21) Loss of Shutdown Cooling /	X						AK1.02 Knowledge of the operational implications of the following concepts as they apply to LOSS OF SHUTDOWN COOLING: Thermal stratification	3.3	9
95023 (APE 23) Refueling Accidents / 8		x					AK2.03 Knowledge of the interrelations between REFUELING ACCIDENTS and the following: Radiation monitoring equipment	3.4	10

295024 High Drywell Pressure / 5			x	::			EK3.02 Knowledge of the reasons for the following responses as they apply to HIGH	3.5	11
				_			DRYWELL PRESSURE: Suppression pool spray operation: Plant-Specific		
295025 (EPE 2) High Reactor Pressure / 3				Х			EA1.04 Ability to operate and/or monitor the following as they apply to HIGH REACTOR PRESSURE: HPCI: Plant-Specific	3.8	12
295026 (EPE 3) Suppression Pool High Water Temperature / 5					X		EA1.01 Ability to operate and/or monitor the following as they apply to SUPPRESSION POOL HIGH WATER TEMPERATURE: Suppression pool cooling	4.1	13
295028 (EPE 5) High Drywell Temperature (Mark I and Mark II only) / 5						x	G 2.4.49 Ability to perform without reference to procedures those actions that require immediate operation of system components and controls.	4.6	14
295030 (EPE 7) Low Suppression Pool Water Level / 5	x						EK1.03 Knowledge of the operational implications of the following concepts as they apply to LOW SUPPRESSION POOL WATER LEVEL: Heat capacity	3.8	15
295031 (EPE 8) Reactor Low Water Level / 2		X					EK2.05 Knowledge of the interrelations between REACTOR LOW WATER LEVEL and the following: Low pressure coolant injection (RHR)	4.2	16
295037 (EPE 14) Scram Condition Present and Reactor Power Above APRM Downscale or Unknown / 1			X				EK3.01 Knowledge of the reasons for the following responses as they apply to SCRAM CONDITION PRESENT AND REACTOR POWER ABOVE APRM DOWNSCALE OR UNKNOWN: Recirculation pump trip/runback: Plant-Specific	4.1	17
295038 (EPE 15) High Offsite Radioactivity Release Rate / 9				x			EA1:05 Ability to operate and/or monitor the following as they apply to HIGH OFF-SITE RELEASE RATE: Post accident sample system (PASS): Plant-Specific	3.0	18
600000 (APE 24) Plant Fire On Site / 8					X		AA2.10 Ability to determine and interpret the following as they apply to PLANT FIRE ON SITE: Time limit of long-term-breathing air system for control room	2.9	19
700000 (APE 25) Generator Voltage and Electric Grid Disturbances / 6						х	G 2.2.22 Knowledge of limiting conditions for operations and safety limits.	4.0	20
K/A Category Totals:	3	3	3	3	4/3	4/4	Group Point Total:		20/7

	110 /	1	iidi i	icini i	_void	10113	Tier 1/Group 2 (RO/SRO)		1
/APE # / Name / Safety Function	K1	K2	К3	A1	A2	G*	K/A Topic(s)	IR	#
95007 (APE 7) High Reactor Pressure / 3					x		AA2:02 Ability to determine and/or interpret the following as they apply to HIGH REACTOR PRESSURE: Reactor power	4,1	83
95009 (APE 9) Low Reactor Water Level / 2						x	G 2.4.34 Knowledge of RO tasks performed outside the main control room during an emergency and the resultant operational effects.	4.1	84
95034 (EPE 11) Secondary Containment entilation High Radiation / 9					X		EA2.01 Ability to determine and/or interpret the following as they apply to SECONDARY CONTAINMENT VENTILATION HIGH RADIATION: Ventilation radiation levels	4.2	85
95002 (APE 2) Loss of Main Condenser acuum / 3					×		AA2.02 Ability to determine and/or interpret the following as they apply to LOSS OF MAIN CONDENSER VACUUM: Reactor power: Plant-Specific	3.2	21
95010 (APE 10) High Drywell Pressure / 5						X	G 2.4.31 Knowledge of annunciator alarms, indications, or response procedures.	4.2	22
95014 (APE 14) Inadvertent Reactivity ddition / 1	X						AK1.03 Knowledge of the operational implications of the following concepts as they apply to INADVERTENT REACTIVITY ADDITION: Shutdown margin	3.7	23
95015 (APE 15) Incomplete Scram / 1		X					AK2:11 Knowledge of the interrelations between INCOMPLETE SCRAM and the following: Instrument air	3.5	24
95017 (APE 17) Abnormal Offsite Release ate / 9			X				AK3.02 Knowledge of the reasons for the following responses as they apply to HIGH OFF-SITE RELEASE RATE: Plant ventilation	3.3	25
95029 (EPE 6) High Suppression Pool Water evel /.5				x			EA1:03 Ability to operate and/or monitor the following as they apply to HIGH SUPPRESSION POOL WATER LEVEL: RHR/LPCI	2.9	26
95036 (EPE 13) Secondary Containment ligh Sump/Area Water Level / 5					x		EA2. Ability to determine and/or interpret the following as they apply to SECONDARY CONTAINMENT HIGH SUMP/AREA WATER LEVEL: Water level in the affected area	3.1	27

ES-401			P	lant	Sys							utline Form (RO/SRO)	ES-4	01-1
System # / Name	K1	K2	K3	K4	K5	K6	A1	A2	АЗ	A4	G*	K/A Topic(s)	IR	#
203000 (SF2, SF4 RHR/LPCI) RHR/LPCI: Injection Mode						:		x				A2.01 Ability to (a) predict the impacts of the following on the RHR/LPCI: INJECTION MODE (PLANT SPECIFIC); and (b) based on those predictions, use procedures to correct,	3.4	86
						:						control, or mitigate the consequences of those abnormal conditions or operations: Inadequate net positive suction head		
215004 (SF7 SRMS) Source-Range Monitor											X	G 2.4.9 Knowledge of low power/shutdown implications in accident (e.g., loss of coolant accident or loss of residual heat removal) mitigation strategies.	4.2	87
215005 (SF7 PRMS) Average Power Range Monitor/Local Power Range Monitor								X				A2:08 Ability to (a) predict the impacts of the following on the AVERAGE POWER RANGE MONITOR/LOCAL POWER RANGE MONITOR SYSTEM; and (b) based on those predictions; use procedures to correct, control, or mitigate the consequences of those abnormal conditions or operations: A2:08 Faulty or erratic operation of	3.4	88
262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC)	-					-					X	detectors/systems G 2.1.20 Ability to interpret and execute procedure steps.	4.6	89
206000 (SF2, SF4 HPCIS) High-Pressure Coolant Injection				,				х				A2.01 Ability to (a) predict the impacts of the following on the HIGH PRESSURE COOLANT INJECTION SYSTEM; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal conditions or operations: Turbine trips: BWR-2,3,4	4.0	90
203000 (SF2, SF4 RHR/LPCI) RHR/LPCI: Injection Mode						-			- '.		X	G 2.1.25 Ability to interpret reference materials, such as graphs, curves, tables, etc.	3.9	28
205000 (SF4 SCS) Shutdown Cooling			•								X	G 2.4.30 Knowledge of events related to system operation/status that must be reported to internal organizations or external agencies, such as the State, the NRC, or the transmission system operator.	2.7	29
205000 (SF4 SCS) Shutdown Cooling	X		,									K1.08 Knowledge of the physical connections and/or cause/effect relationships between SHUTDOWN COOLING SYSTEM (RHR SHUTDOWN COOLING MODE) and the following: LPCI	3.9	30
206000 (SF2, SF4 HPCIS) High-Pressure Coolant Injection		X										K2.04 Knowledge of electrical power supplies to the following: Turbine control circuits: BWR-2,3,4	2.5	31
209001 (SF2, SF4 LPCS) Low-Pressure Core Spray			X									K3.01 Knowledge of the effect that a loss or malfunction of the LOW PRESSURE CORE SPRAY SYSTEM will have on following: Reactor water level	3.8	32
209001 (SF2, SF4 LPCS) Low-Pressure Core Spray				Х		: + 						K4.07 Knowledge of LOW PRESSURE CORE SPRAY SYSTEM design feature(s) and/or interlocks which provide for the following: Pump operability testing	2.8	33
211000 (SF1 SLCS) Standby Liquid Control				Х								K4.03 Knowledge of STANDBY LIQUID CONTROL SYSTEM design feature(s) and/or interlocks which provide for the following: Keeping sodium pentaborate in solution	3.8	34
212000 (SF7 RPS) Reactor Protection	X		. *										3.2	35

040000 (057 500) 5	Ť	Τ-	_		T	_	$\overline{}$	1	T	r -	· ·	Typ od IX	т—	
212000 (SF7 RPS) Reactor Protection	n		.		X					١.		K5.01 Knowledge of the operational implications of the following concepts as they	2.7.	36
	İ		١.				-	-				apply to REACTOR PROTECTION SYSTEM:		
	H	ı	1			Ι.		1				Fuel thermal time constant		
215003 (SF7 IRM)	-	\top	\top	1	T	x	+-	 .	١.	 	<u> </u>	K6.03 Knowledge of the effect that a loss or	0.0	-
Intermediate-Range Monitor						^		.[malfunction of the following will have on the	2.8	37
memediate-range Monitor			1						1	1		INTERMEDIATE RANGE MONITOR (IRM)		
	<u>. L</u> .	1		1		1 .					Ì	SYSTEM: Detector drive motor		
215004 (SF7 SRMS) Source-Range	T		T	П			Х					A1.06 Ability to predict and/or monitor	3.1	38
Monitor								ŀ				changes in parameters associated with	3.1	130
		-	Ì				1		1		·	operating the SOURCE RANGE MONITOR	٠.	. .
•	.1											(SRM) SYSTEM controls including: Lights		1.
	4_	╁		_	L	_	<u>.</u>	٠.	Ļ	L_	Ŀ	and alarms		
215005 (SF7 PRMS) Average Power				1	١.			X			ı	A2.10 Ability to (a) predict the impacts of the	2.8	39
Range Monitor/Local Power Range				١.		1		-	١.		٠.	following on the AVERAGE POWER RANGE		ļ. ·
Monitor			1.		١.	-[ĺ		MONITOR/LOCAL POWER RANGE		1
• • •			1		1		1	٠.				MONITOR SYSTEM; and (b) based on those		
•							1				·	predictions, use procedures to correct,		ľ
	1										ĺ	control, or mitigate the consequences of		
								ĺ				those abnormal conditions or operations: Changes in void concentration	Ì.	
217000 (SF2, SF4 RCIC) Reactor	+	+	\vdash		+	+	 -		-	\vdash	,	A3.02 Ability to monitor automatic operations		1
Core Isolation Cooling	1		1				1		Х			of the REACTOR CORE ISOLATION	3.6	40
Jore Isolation Cooling								.				COOLING SYSTEM (RCIC) including:	ľ	1 .
<u> </u>			1	.						.		Turbine startup	1	1.
218000 (SF3 ADS) Automatic	1		1						<u> </u>	Х		A4.07 Ability to manually operate and/or	2.5	144
Depressurization		1		ŀ						^		monitor in the control room: ADS valve	3.5	41
					·							acoustical monitor noise: Plant-Specific	٠.	
223002 (SF5 PCIS) Primary	Ι. –										х	G 2.4.50 Ability to verify system alarm	4.2	42
Containment Isolation/Nuclear Steam	1	1			ļ ·						ļ^`.	setpoints and operate controls identified in	7.2	172
Supply Shutoff	1	١		ł								the alarm response manual.	· ·	1.
	+-	+	+	+-	\vdash	┝	┢			-	_	K4 O4 KI-d		<u> </u>
239002 (SF3 SRV) Safety Relief	X		ì				ļ					K1.04 Knowledge of the physical connections	3.6	43
√alves			1				l					and/or cause/effect relationships between		i
. •	i											RELIEF/SAFETY VALVES and the following: Main steam	١,	-
259002 (SF2 RWLCS) Reactor Water	T	×	Τ.				-		-	_		K2.02 Knowledge of electrical power supplies		+
_evel Control		^		l ,		1	'	ļ	. 1			to the following: Feedwater coolant injection	3.5	44
-ever Control			١.			ĺ	ŀ					(FWCI) initiation logic: FWCI/HPCI	.	
261000 (SF9 SGTS) Standby Gas		-	1		-	\vdash	<u> </u>		_	x		A4.08 Ability to manually operate and/or	2.6	1/5
Freatment	1									^		monitor in the control room: System	2.0	45
		1			L.							temperature	Ι.	1.
261000 (SF9 SGTS) Standby Gas			X				-:					K3.01 Knowledge of the effect that a loss or	3.3	46
reatment						1						malfunction of the STANDBY GAS	0.0	70
			İ				1					TREATMENT SYSTEM will have on		
	1						1					following: Secondary containment and	1	1
	1		1		1	ı	1	1.						1
	+-	+-	_	+		⊢-	├	<u> </u>			_	environment differential pressure		
262001 (SF6 AC) AC Electrical	1	t		х				-				K4.06 Knowledge of A.C. ELECTRICAL	3.6	47
262001 (SF6 AC) AC Electrical Distribution				Х						-		K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or	3.6	47
				X						<u> </u>		K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following:	3.6	47
Distribution				X							1	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses		47
Distribution 262002 (SF6 UPS) Uninterruptable				X			х		•		_	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor	3.6	47
Distribution				X			X		* .		-	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor changes in parameters associated with		
Distribution 262002 (SF6 UPS) Uninterruptable				X			x				-	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER		
Distribution 262002 (SF6 UPS) Uninterruptable				X			x				-	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor		
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC)				X			x					K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs	2.5	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical				x		×	x					K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or		
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC)				X		×	x					K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the	2.5	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical				X		X	x					K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C.	2.5	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution				X		X						K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution	3.2	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution				X		X	x				<u> </u>	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution	2.5	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution				X		x						K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution A1.03 Ability to predict and/or monitor changes in parameters associated with	3.2	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution				X		x						K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution A1.03 Ability to predict and/or monitor changes in parameters associated with operating the EMERGENCY GENERATORS	3.2	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution				X		x						K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution A1.03 Ability to predict and/or monitor changes in parameters associated with operating the EMERGENCY GENERATORS (DIESEL/JET) controls including: Operating	3.2	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution 264000 (SF6 EGE) Emergency Generators (Diesel/Jet) EDG			x	x		X					,	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution A1.03 Ability to predict and/or monitor changes in parameters associated with operating the EMERGENCY GENERATORS (DIESEL/JET) controls including: Operating voltages, currents, and temperatures	2.5 3.2 2.8	49
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution			X	x		X					,	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution A1.03 Ability to predict and/or monitor changes in parameters associated with operating the EMERGENCY GENERATORS (DIESEL/JET) controls including: Operating voltages, currents, and temperatures K3.02 Knowledge of the effect that a loss or	3.2	48
Distribution 262002 (SF6 UPS) Uninterruptable Power Supply (AC/DC) 263000 (SF6 DC) DC Electrical Distribution 264000 (SF6 EGE) Emergency Generators (Diesel/Jet) EDG			x	x		x					,	K4.06 Knowledge of A.C. ELECTRICAL DISTRIBUTION design feature(s) and/or interlocks which provide for the following: Redundant power sources to vital buses. A1.02 Ability to predict and/or monitor changes in parameters associated with operating the UNINTERRUPTABLE POWER SUPPLY (A.C./D.C.) controls including: Motor generator outputs K6.01 Knowledge of the effect that a loss or malfunction of the following will have on the D.C. ELECTRICAL DISTRIBUTION: A.C. electrical distribution A1.03 Ability to predict and/or monitor changes in parameters associated with operating the EMERGENCY GENERATORS (DIESEL/JET) controls including: Operating voltages, currents, and temperatures	2.5 3.2 2.8	49

	ES-401			<u>.</u>		7	 ٠	Form ES-401	Ī-1
:		`'		 		. • . • •	 		: ;
133	300000 (SF8 IA) Instrument Air				X			A2.01 Ability to (a) predict the impacts of the following on the INSTRUMENT AIR SYSTEM and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal operation: Air dryer and filter malfunctions	
	00000 (SF8 CCS) Component Cooling Water					X		A3.01 Ability to monitor automatic operations of the CCWS including: Setpoints on instrument signal levels for normal operations, warnings, and trips that are applicable to the CCWS	

2

3/ 2

Group Point Total:

26/5

Ż

K/A Category Point Totals:

ES-401		Plar						Outl oup :			RO)	Form E	S-401	-1
System # / Name	K1	К2	кз	K4	K5	K6	A1	A2	A 3	A4	G*	K/A Topic(s)	IR	#
201001 (SF1 CRDH) CRD Hydraulic					 						X	G 2.4.45 Ability to prioritize and interpret the significance of each	4.3	91
214000 (SF7 RPIS) Rod Position Information							-	x				annunciator or alarm. A2.02 Ability to (a) predict the	3.7	92
												impacts of the following on the ROD POSITION INFORMATION SYSTEM; and (b) based on those		
										. :		predictions, use procedures to correct, control, or mitigate the consequences of those abnormal		
							: .					conditions or operations: Reactor SCRAM		
272000 (SF7, SF9 RMS) Radiation Monitoring											x	G 2.1.31 Ability to locate control room switches, controls, and indications,	4.3	93
												and to determine that they correctly reflect the desired plant lineup.		
201002 (SF1 RMCS) Reactor Manual Control	X											K1.03 Knowledge of the physical connections and/or cause/effect relationships between REACTOR	3.4	54
					 - -			,				MANUAL CONTROL SYSTEM and the following: Control rod block		
		: · ;					:					interlocks/power operation & refueling		
201003 (SF1 CRDM) Control Rod and Drive Mechanism			х							** ** **	. *	K3.02 Knowledge of the effect that a loss or malfunction of the CONTROL ROD AND DRIVE MECHANISM will	2.8	55
202001 (SF1, SF4 RS) Recirculation				_	1	_						have on following: †Flux shaping K4.01 Knowledge of		
				*			:					RECIRCULATION System design feature(s) and/or interlocks which provide for the following: 2/3 core	3.9	56
204000 (SF2 RWCU) Reactor Water Cleanup				12 12 12								coverage: Plant-Specific K5.05 Knowledge of the operational		
					X		. •			· ·		implications of the following concepts as they apply to REACTOR WATER CLEANUP	2.6	57
216000 (SF7 NBI) Nuclear Boiler Instrumentation											_	SYSTEM: Flow controllers K6.02 Knowledge of the effect that a		
2 10000 (Of a Nati) Nacional Bollet Institution						X				: -		loss or malfunction of the following will have on the NUCLEAR BOILER	2.8	58
223001 (SF5 PCS) Primary Containment and		: .									,	INSTRUMENTATION: D.C. electrical distribution Al.09 Ability to predict and/or monitor.		
Auxiliaries		: :					X					changes in parameters associated with operating the PRIMARY	3.5	59
												CONTAINMENT SYSTEM AND AUXILIARIES controls including: Suppression pool temperature		
256000 (SF2 CDS) Condensate	<u> </u>		,					X		.+ ·	, ,	A2.01 Ability to (a) predict the impacts of the following on the	3.3	60
				٠.								REACTOR CONDENSATE SYSTEM; and (b) based on those		
			:			•						predictions, use procedures to correct, control, or mitigate the consequences of those abnormal		
59001 (SF2 FWS) Feedwater			+						x			conditions or operations: Pump trips A3.09 Ability to monitor automatic operations of the REACTOR	3.0	61
	<u> </u>							,				FEEDWATER SYSTEM including: Lights and alarms		
268000 (SF9 RW) Radwaste										X		A4.01 Ability to manually operate and/or monitor in the control room: A4.01 Sump integrators	3.4	62

271000 (SF9 OG) Offgas											x	G 2.4.4 Ability to recognize abnormal indications for system operating parameters that are entry-level conditions for emergency and abnormal operating procedures:	4.5	63
288000 (SF9 PVS) Plant Ventilation	x											K1.04 Knowledge of the physical connections and/or cause/effect relationships between PLANT VENTILATION SYSTEMS and the following: Applicable component cooling water system: Plant Specific	2.6	64
290001 (SF5 SC) Secondary Containment			x									K3.01 Knowledge of the effect that a loss or malfunction of the SECONDARY CONTAINMENT will have on following: †Off-site radioactive release rates	4.0	65
K/A Category Point Totals:	2	0	2	1	1	1.	1	1/1	1	1	1/2	Group Point Total:		12/3

Facility: Hope C	reek	Date of Exam: 2019				
Category	K/A#	Topic	F	80	SRC	-only
			IR	#	IR	#
	2.1.4	Knowledge of individual licensed operator responsibilities related to shift staffing, such as medical requirements, "nosolo" operation, maintenance of active license status, 10CFR55, etc.	3.3	66		
	2.1.9	Ability to direct personnel activities inside the control room.	2.9	67		
1. Conduct of Operations	2.1.34	Knowledge of primary and secondary plant chemistry limits.	2.7	68		
Operations	2.1.2	Knowledge of operator responsibilities during all modes of plant operation.			4.4	94
	2.1.29	Knowledge of how to conduct system lineups, such as valves, breakers, switches, etc.			4.0	95
	Subtotal					
	2.2.6	Knowledge of the process for making changes to procedures.	3.0	69		
	2.2.13	Knowledge of tagging and clearance procedures.	4.1	70		
2. Equipment	2.2.5	Knowledge of the process for making design or operating changes to the facility.			3.2	96
Control	2.2.18	Knowledge of the process for managing maintenance activities during shutdown operations, such as risk assessments, work prioritization, etc.			3.9	97
	Subtotal					
	2.3.5	Ability to use radiation monitoring systems, such as fixed radiation monitors and alarms, portable survey instruments, personnel monitoring equipment, etc.	2.9	71		
3. Radiation Control	2.3.7	Ability to comply with radiation work permit requirements during normal or abnormal conditions.	3.5	72		
	2.3.11	Ability to control radiation releases.			4.3	98
	Subtotal					
	2.4.2	Knowledge of system set points, interlocks and automatic actions associated with EOP entry conditions.	4.5	73		
	2.4.26	Knowledge of facility protection requirements, including fire brigade and portable firefighting equipment usage.	3.1	74		
4	2.4.29	Knowledge of the emergency plan.	3.1	75		
4. Emergency Procedures/Plan	2.4.38	Ability to take actions called for in the facility emergency plan, including supporting or acting as emergency coordinator if required.			4.4	99
	2.4.39	Knowledge of RO responsibilities in emergency plan implementation.			3.8	100
	Subtotal					
Tier 3 Point Total				10		,

Tier / Group	Randomly Selected K/A	Reason for Rejection
1/1 (#8)	295019 / G 2.2.36	Ability to analyze the effect of maintenance activities, such as degraded power sources, on the status of limiting conditions for operations. Cannot write a TS question for instrument air. Randomly re-selected G 2.4.50
1/1 (#14)	295028 / G 2.4.49	Ability to perform without reference to procedures those actions that require immediate operation of system components and controls- High Drywell Temperature No Immediate Operator Actions for Hi Drywell Temperature condition. Randomly re-selected G 2.1.23
1/1 (#18)	295038 / EA1.05	Ability to operate and/or monitor the following as they apply to HIGH OFF-SITE RELEASE RATE: Post accident sample system (PASS): Plant-Specific The PASS system is no longer used at Hope Creek. There are other means used for sampling post-accident. Randomly re-selected EA1.04
1/1 (#19)	600000 / AA2.10	Ability to determine and interpret the following as they apply to PLANT FIRE ON SITE: Time limit of long-term-breathing air system for control room. There is no long-term breathing air system at Hope Creek. OBAs are used for this purpose. Randomly re-selected AA2.17
1/1 (#20)	700000 / G 2.2.22	Knowledge of limiting conditions for operations and safety limits. There are no technical specification associated safety limits for Generator voltage and Electric Grid Disturbances. Randomly re-selected G 2.4.47

Tier / Group	Randomly Selected K/A	Reason for Rejection
` 2/1 (#29)	205000 / G 2.4.30	Knowledge of events related to system operation/status that must be reported to internal organizations or external agencies, such as the State, the NRC, or the transmission system operator. Reportable (ECG) is at the SRO level. Randomly re-selected G 2.4.47
2/1 (#36)	212000 / K5.01	Knowledge of the operational implications of the following concepts as they apply to REACTOR PROTECTION SYSTEM: Fuel thermal time constant. Cannot write an operationally valid question for fuel thermal time constant. Randomly selected K5.02
2/1 (#39)	215005 / A2.10	Ability to (a) predict the impacts of the following on the AVERAGE POWER RANGE MONITOR/LOCAL POWER RANGE MONITOR SYSTEM; and (b) based on those predictions, use procedures to correct, control, or mitigate the consequences of those abnormal conditions or operations: Changes in void concentration GFES- Thermodynamics. There are no mitigating strategies (procedures) for changes in void concentration specifically. Randomly selected A2.01
2/2 (#55)	201003 / K3.02	Knowledge of the effect that a loss or malfunction of the CONTROL ROD AND DRIVE MECHANISM will have on following: †Flux shaping Cannot write an operationally valid question. Randomly selected K3.01
3/1 (#67)	G 2.1.9	Ability to direct personnel activities inside the control room. K/A is not an RO level question. Randomly selected G 2.1.31

Tier / Group	Randomly Selected K/A	Reason for Rejection
3/1 (#68)	2.1.34	Knowledge of primary and secondary plant chemistry limits. K/A is likely to require a reference, such as an entire procedure (DLU). Cannot write a discriminating question. Randomly reselected 2.1.1
3/3 (#71)	2.3.5	Ability to use radiation monitoring systems, such as fixed radiation monitors and alarms, portable survey instruments, personnel monitoring equipment, etc. Cannot write a discriminating question. Randomly reselected 2.3.12
3/4 (#74)	2.4.26	Knowledge of facility protection requirements, including fire brigade and portable firefighting equipment usage. Cannot write a discriminating question. Randomly selected 2.4.39
1/1 (#82)	2.1.32	Cannot write a discriminating question. Randomly selected 2.1.20
1/2 (#83)	295007 / A2.02	Cannot write an SRO level discriminating question for this APE. Added in EPE 295031 to Tier 1 Group 2 IAW ES-401, Attachment 1 as a site specific K/A that is operationally important pertaining to this facility but was not originally included on the generic Tier 1 Group 2 list. Randomly selected 295031 / A2.02
2/1 (#86)	Ą2.01	Cannot write a discriminating question. Randomly selected A2.04
3/4 (#100)	2.4.39	Cannot write a discriminating question. Randomly selected 2.4.25
2/1 (#45)	A4.08	HC does not monitor system temperature from the control room for standby gas. Randomly reselected A4.07
2/2 (#58)	K6.02	Cannot write an operationally valid question regarding DC for nuclear boiler.

		Randomly reselected K6.01
2/2 (#65)	K3.01	Cannot write a discriminating question of appropriate level of difficulty.
		Randomly reselected K6.01
		K/A is more suited for RO level knowledge.
1/2 (#84)	2.1.28	
		Randomly reselected 2.1.20
		K/A is more suited for RO level knowledge.
2/1 (#87)	2.4.9	
		Randomly reselected 2.2.40
		This K/A overlaps substantially with question #44.
2/1 (#31)	206000 / K2.04	
_		Randomly reselected K2.01
		Cannot write a discriminating question.
2/1 (#46)	261000 / K3.01	
_		Randomly reselected K3.04