

FEDERAL NOTIFICATION LETTER

Tuesday, November 26, 2019

Director of ESME
Attn: ~~GIS~~
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

Security Bank
2526 N. Loop 1604 W
San Antonio, TX 78248

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2


Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	12 / 11 / 19
--	--------------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	Kendal Langenberg
Signature:	
Phone Number:	210-967-8766

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

VEOLIA USE ONLY

Sales Order #: 2133323
Case #: 00028087
Box 1 of 2

VEOLIA USE ONLY

RGA #: 998099
RGA # Expiration Date: 2/19/20
UCN: 8Y51386Z-1A55809B
Fedex Tracking #: 691191700295288

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION. Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT OF LIFE RATING
1. Isolite	2000/2040	242977	11-03	11.5
2. Isolite	2000/2040	236907	9-03	11.5
3. Isolite	2000/2040	242970	11-03	11.5
4. Isolite	2000/2040	242976	11-03	11.5
5. Isolite	2000/2040	242971	11-03	11.5
6. Isolite	2000/2040	236909	9-03	11.5
7. Isolite	2000/2040	242974	11-03	11.5
8. Isolite	2000/2040	242975	11-03	11.5
9. Isolite	2000/2040	242972	11-03	11.5
10. Isolite	2000/2040	242973	11-03	11.5

Describe any damaged units:
Please email pictures of damaged signs to
pck.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature: Kendal Langenberg Title: Sales representative
Print Name: Kendal Langenberg Date: 11/13/19

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received: 11-15-19 Checked In by: Angie Kusy

Customer Service | Toll Free: 1-888-889-9725 Monday-Friday - 8am to 5pm CST
Tritium Exit Sign Disposal Box | REV 06/2016



VEOLIA USE ONLY

Sales Order #: 2133323
Case #: 00028087
Box 2 of 2

VEOLIA USE ONLY

RGA #: 998099
RGA # Expiration Date: 2/19/20
UCN: 6C51385D-8E55815F
Fedex Tracking #: 691191700295271

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT OF LIFE RATING
1. Isolite	2000/2040	242979	11-03	11.5
2. Isolite	2000/2040	242978	11-03	11.5
3. Isolite	2000/2040	236910	9-03	11.5

Describe any damaged units:
Please email pictures of damaged signs to pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature: *Kendal Langenberg* Title: sales representative
 Print Name: Kendal Langenberg Date: 11/13/19

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received: 11-15-19 Checked in by: Angie King

