

SEP 4 1981

License No. 53-00458-05

Department of the Army  
Tripler Army Medical Center  
HST-RP  
Tripler AMC, Hawaii 96859

Attention: MG Edward J. Huycke  
Commander



Gentlemen:

Subject: NRC Inspection

This refers to the routine safety inspection conducted by Ms. B. Riedlinger of this office on July 24 and 27, 1981 of activities authorized by NRC License No. 53-00458-05 and to the discussion of our findings held by Ms. Riedlinger with you and other members of your staff at the conclusion of the inspection.

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews with personnel and observations by the inspector.

During this inspection, it was found that one of your activities appeared to be in noncompliance with NRC requirements. The item and reference to the pertinent requirement are listed in Appendix A. This item has been categorized into a severity level as described in the Federal Register Notice (45 FR 66754) dated October 7, 1980.

Your response to this notice is to be submitted in accordance with the provisions of 10 CFR 2.201 as stated in Appendix A, Notice of Violation.

8109230480 810904  
NMS LIC30  
53-00458-05 PDR

IE07  
5  
1/1

OFFICE	RV BAR	RV 8/1	<i>R. Thomas</i>	<i>A. Cook</i>	<i>A. Johnson</i>		
SURNAME	B. Riedlinger	G. Spencer	<i>R. Thomas</i>	<i>A. Cook</i>	<i>A. Johnson</i>		
DATE	8/18/81	8/26/81	8/20/81	8/20/81	8/25/81		

SEP 4 1981

We have adopted a new NRC enforcement policy, as described in the Federal Register Notice ( 45 FR 66754) dated October 7, 1980. With the adoption of that policy we are requiring, under the authority of Section 182 of the Atomic Energy Act of 1954, as amended, that responses to Notices of Violations be submitted under oath or affirmation. Therefore, the last paragraph of your letter should include a statement equivalent to the following:

"I certify that all information contained in this letter, including any supplements attached thereto, is true and correct to the best of my knowledge and belief."

\_\_\_\_\_  
DATE

\_\_\_\_\_  
SIGNATURE

\_\_\_\_\_  
TITLE

The signature should be notarized.

If you have any questions on this matter or concerning this inspection, please telephone B. Riedlinger on 415-943-3700.

Sincerely,

ORIGINAL SIGNED BY

G. S. SPENCER

G. S. Spencer, Director  
Division of Technical Inspection

Enclosure:

A. Appendix A - Notice of Violation

Sent to DMB for DCS Processing

Distributed by RV:  
State of Hawaii  
Engelken/Johnson (ltr & encl)  
LFMB