

Return to 396-55
PDR

SEP 21 1981



70-124

MEMORANDUM FOR: A. L. Soong
Uranium Process Licensing Section
Uranium Fuel Licensing Branch

FROM: F. D. Fisher, Section Leader
Environmental Radiation and
Emergency Support Section
Uranium Fuel Licensing Branch

SUBJECT: RENEWAL OF TELEDYNE ISOTOPIES LICENSE, SNM-107, AND
REQUIREMENTS FOR RADIOLOGICAL CONTINGENCY PLANNING
INFORMATION

We have reviewed the requested new possession limits by Teledyne in their renewal application and find that those requested on a mass basis satisfy the requirements of Section V of the Order signed February 11, 1981, relative to radiological contingency planning. Hence, no radiological contingency planning information is required of Teledyne relative to license SNM-107. Please amend their license regarding possession limits as they have proposed.

We would appreciate the opportunity to review the amended license when you issue it.

Original Signed by
F. D. Fisher

F. D. Fisher
Environmental Radiation and
Emergency Support Section
Uranium Fuel Licensing Branch
Division of Fuel Cycle and
Material Safety

DISTRIBUTION:

REPage
FDFisher
WTCrow
TRDecker
JTLong
ERESS Folder-Teledyne, SNM-107
IE Headquarters
IE Region 1
Docket File & PDR
ERESS/rf

NMSS/rf
FC Central File
SHO
OELD

OFFIC	FCM						
SURNAME	FDFisher/rf						
DATE	9/21/81						

8109250492 810921
PDR ADOCK 05000124
C

PDR .L RECORD COPY