


F.T.L.



FINLAY TESTING LABORATORIES, INC.

Non Destructive Testing & Inspection

2825-A KOAPAKA ST.
HONOLULU, HAWAII 96819
TELEPHONE: (808) 836-1337

RECEIVED
NRC

1981 SEP 29 AM 9 07

REGIONAL

25 September 1981

United States Nuclear Regulatory Commission
1990 N. California Boulevard
Suite 202, Walnut Creek Plaza
Walnut Creek, California 94596

Attention: Mr. H. E. Book


Dear Sir:

In response of NRC inspection conducted on May 11, 1981, corrective steps have been taken.

- A. Application has been made and is pending for a license for shipment in approved packages as per 10 CFR 71.12 B.1
- B. A list of all the radiographer's and radiographer's assistants that have terminated employment has been sent to NRC Director of Management and Program Analysis. This should bring our records up-to-date, and all future terminations will be reported within 90 days, as per 10 CFR 20.408 B
- C. An audit of our Quality Assurance Program for packing of radioactive material will be implemented into our quarterly audits. This will combine the audits so that future oversight will not happen again.

If you have any questions regarding this letter of response, please telephone Gordon Finlay at 808-836-1337.

Sincerely,
FINLAY TESTING LABORATORIES, INC.


Gordon Finlay
President

GF/ku