



Picker International, Inc.

595 Miner Road  
Highland Heights, Ohio 44143  
Telephone (216) 449-3000

August 7, 1986

U.S. Nuclear Regulatory Commission  
Region III  
797 Roosevelt Road  
Glen Ellyn, IL 60137

ATTN: MATERIALS LICENSING SECTION

REFERENCE: LICENSE NO. 34-07225-15  
MAIL CONTROL 76872


Dear Sir,

This is in reference to a telephone conversation with Mr. McCann concerning the above license. Picker International no longer wishes to apply for renewal of this license and requests that License No. 34-07225-15 be terminated. Picker International is not currently using or storing any materials covered by this license.

Yours very truly,

  
William J. Gerber  
MANAGER, INDUSTRY RELATIONS

WJG/mc

  
8703050271

AUG 11 1986

Low TE

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING☒ OUTGOING

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT  
WITH YOU

William J. Geyber

ORGANIZATION (Office, dept., bureau,  
etc.) *Pickor International*  
*Cleveland, Ohio*

TELEPHONE NO.  
(216) 449  
3000

## SUBJECT

C/N 76872

473-3000

## SUMMARY

2 Name of company to remain same, as should it be Picken International?

## 2) ALARA Program? and limits

### 3) Training Programs

d) Trigueros same? i.e. Cornell — Fernal — Fulton — Bridge — Komocar  
Perez

b) Designation of trainers and topic areas

c) Copies of Test and answers

d) is services engineers certified for each different unit number of supervised services required ?? under the scope of certified operators.

4) Submit correct copies of.

a) service personnel training record

c) Therapy Service Record

b) list of currently approved service personnel

2) Radiation Safety  
Instruction for  
Cobalt 60 Therapy  
Units

### ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE \_\_\_\_\_

ACTION TAKEN

SIGNATURE \_\_\_\_\_

TOTAL

DATE \_\_\_\_\_

# CONVERSATION RECORD

TIME

DATE

TYPE

☐ VISIT

☐ CONFERENCE

☐ TELEPHONE

☐ INCOMING

☐ OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

ORGANIZATION (Office, dept., bureau, etc.)

TELEPHONE NO.

SUBJECT

SUMMARY

5) Personnel monitoring consideration for use of ring badge monitoring

6) who analyzes the tapes

7) description of data

8) equipment & cal. procedures

9) who calibrates their survey meters; procedures & sources?

10) expand audit program

Emergency  
1) actions to be followed in event "off-scale" detection

11) Five year inspection, not presently authorized — if desired

ACTION REQUIRED

sent Dr. & Guide for preparation of application for Telephony Service

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

ACTION TAKEN

SIGNATURE

TITLE

DATE

# CONVERSATION RECORD

TIME

DATE

TYPE

☐ VISIT

☐ CONFERENCE

☐ TELEPHONE

☐ INCOMING

☐ OUTGOING

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

ORGANIZATION (Office, dept., bureau, etc.)

TELEPHONE NO.

SUBJECT

ROUTING

NAME/SYMBOL

INT

SUMMARY

11) Contaminator procedures pg 55 address in detail, extra training, step-by-step decon procedure, waste management do they really want this in their license ??

12) authorization of services —

list services which they have call for: Pickw/AMS who "is making further sources" for them

13) do they handle, relocate, install DH ?? provide statement no procedures performed on shields ??

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Mike McCann

George W. McCann

29 July 1986

ACTION TAKEN

SIGNATURE

TITLE

DATE

# CONVERSATION RECORD

TIME

3:20 pm

DATE

29 July 86

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Bill Gerber

ORGANIZATION (Office, dept., bureau etc.)

Pick International

TELEPHONE NO.

(216) 473

3507

SUBJECT

C/N 76872

ROUTING

NAME/SYMBOL

INT

SUMMARY

Licensee is going to send termination letter.

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

rich up

SIGNATURE

George W. C.

DATE

29 July 86

ACTION TAKEN

SIGNATURE

TITLE

DATE

*Coleman L*  
PICKER X-RAY CORPORATION

WHITE PLAINS, N.Y.

EXECUTIVE OFFICES

To: Mr. E. A. Corby  
Pickor New York Corp.  
1361 Commerce Ave.  
Buffalo, N.Y.

Date: February 6, 1962

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. License No. 31-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coablt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *[Signature]*

jjw

cc: Pickor-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts

# PICKER X-RAY CORPORATION

WHITE PLAINS, N.Y.

To: Dr. T. Peral

Date: March 5, 1962

Picker Northwest

234 9th Ave. North

Seattle, Washington

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. Licence No. 31-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coalt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *[Signature]*

*Hawaii*

jjw

cc: Picker-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts



) PICKER X-RAY CORPORATION

To: Mr. W. A. Ronecker  
Picker X-Ray Mississippi Valley  
4354 Olive Street  
St. Louis, Missouri

Date: March 5, 1962

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. License No. 31-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coalt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *[Signature]*  
*[Signature]*

jjw  
cc: ✓ Picker-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts



PICKER X-RAY CORPORATION  
WHITE PLAINS, N. Y.

EXECUTIVE OFFICES

To: Mr. James H. Hurt  
PICKER X-RAY CORPORATION  
1722 E. Riverdale Drive  
Indianapolis, Indiana

Date: March 5, 1962

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. License No. 31-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coalt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *James H. Hurt*  
*James H. Hurt*

cc: PICKER-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts

PICKER X-RAY CORPORATION  
WHITE PLAINS, N.Y.

EXECUTIVE OFFICES

To: Mr. Victor Balcastro  
Picker X-Ray Corporation  
1114 South Dale Mabry  
Tampa, Florida

Date: March 3, 1962

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. License No. 37-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coebt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *[Signature]*

jjw

cc: Picker-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts

PICKER X-RAY CORPORATION

WILMINGTON, MASSACHUSETTS

EXECUTIVE OFFICE

To: Mr. Richard Lennoy  
Picker X-Ray Corp.  
965 Dixwell Ave.  
Hamden, Connecticut

Date: April 5, 1962

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. License No. 31-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coablt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *[Signature]*  
*[Signature]*

jjw

cc: Picker-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts

PICKER X-RAY CORPORATION

To: Mr. J. C. Schieb  
Picker X-Ray Corporation  
1010 W. Jackson Boulevard  
Chicago, Illinois

Date: March 14, 1962

SUBJECT: AUTHORIZATION FOR THE USE OF ISOTOPES

You have fulfilled the requirements as specified by the A.E.C. and are authorized to use the following isotopes for demonstration in your territory under A.E.C. License No. 31-4601-3 expiring April 30, 1962. Use of isotopes is limited to 10 curies of Coalt 60, 100 curies of Iridium 192 or 50 curies of Thulium 170 only in appropriate, approved handling equipment manufactured by Picker-Waite Manufacturing Division or Technical Operations, Inc.

You must acquaint yourself with and comply with any local city or state regulation covering the use of isotopes.

Approved: *[Signature]*  
*Haway*

j1w

cc: Picker-Waite Manufacturing Division  
Cleveland, Ohio  
Technical Operations, Inc.  
Burlington, Massachusetts