

Note To: License Fee Management Section, ADM  
From: Region I  
Subject: ~~VOIDED~~-APPLICATION Abandoned

Aug. 20<sup>I</sup>  
3P LKX  
109416

Control Number 109416  
Applicant DONEGA Construction Corporation  
Date Voided 89-02-06

Reason for Void:

Per note from Glenda Jackson of LFMB and conversation of  
01-23-89, Applicant has withdrawn request for a new license.

Rebecca J. Brown 89/02/06  
Signature Date

Attachment:  
Official Record Copy  
of Voided Action

9004060453 890206  
REQ1 LIC30  
MATLSLICENSING PDR

OK LFMB

m L/D  
11

Note to RT:

This is a w. Thoreau  
app. P/s void &  
return to us for  
sending to DCS -

Charles -

Glenda

PS - I intend m/s 07 for  
1/26/89

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM  
AND  
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)  
INFORMATION FROM LTS

PROGRAM CODE: -----  
STATUS CODE: 3  
FEE CATEGORY: -----  
EXP. DATE: 0  
FEE COMMENTS: -----

LICENSE FEE TRANSMITTAL

A. REGION *I*

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: DONEGAL CONSTRUCTION CORPORATION  
RECEIVED DATE: 880815  
DOCKET NO: 3030754  
CONTROL NO.: 109416  
LICENSE NO.:  
ACTION TYPE: NEW LICENSEE

2. FEE ATTACHED

AMOUNT: -----  
CHECK NO.: -----

3. COMMENTS

*No check included*

SIGNED \_\_\_\_\_  
DATE *5/23/88*

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED *1-5*)

1. FEE CATEGORY AND AMOUNT: *3P*

2. CORRECT FEE PAID, APPLICATION MAY BE PROCESSED FOR:

AMENDMENT -----  
RENEWAL -----  
LICENSE -----

3. OTHER -----

SIGNED \_\_\_\_\_  
DATE -----

*Withdrawn -  
See 1/23 & 1/23  
telephone  
conversations  
B Jackson*

*resubmitted?*

# CONVERSATION RECORD

TIME

DATE

1/23/89 & 1/24/89

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

ROUTING

NAME/SYMBOL

INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Karen - Secretary

ORGANIZATION (Office, Dept., Bureau, etc.)

Donagat Court.

TELEPHONE NO.

412-423-7500

SUBJECT

10/5/87 app for Dr. - Central No. 109416

SUMMARY

Secretary informed me that Mr. Hudach no longer works for the Co. She thinks they applied a couple of years ago. She will have one of the nurses call me. Since Mr. Hudach is no longer there, they may want to withdraw this app.

1/24/89 - She said the nurses want to withdraw the application since there is no one there with necessary training.

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Blenda Jackson

1/23/89

ACTION TAKEN

SIGNATURE

TITLE

DATE

50271-101

U.S. G.P.O. 1985-581-526/6046

CONVERSATION RECORD

OPTIONAL FORM 271 (12-76)  
DEPARTMENT OF DEFENSE

11/16/88

Sandy -- PLS ck

the Rev Log

(Oct - F 188) &

see if a 3P app  
fee was pd then.

This looks fishy

& me - may be

a resubmittal.

Shankles-

Shankles - I can't  
find anything

anywhere - do  
you want me to call them?  
It's possible they charged  
their name.

Sh



SEP 06 1988

Donegal Construction Corporation  
ATTN: Richard Hudock  
Technical Supervisor  
R.D. #8 LR 64040  
Greensburg, PA 15601

Gentlemen:

This refers to your application dated October 5, 1987, for a materials license.

Your application referenced the enclosure of a \$230 fee, which we did not receive. An application fee of \$230 is required as specified in §170.31 (3P) of 10 CFR 170, copy enclosed. Payment should be made to the U.S. Nuclear Regulatory Commission and mailed to my attention at our Washington, D.C. address.

Your application will be processed by the Region I Licensing staff located at 475 Allendale Road, King of Prussia, Pennsylvania 19406. The fee, however, is required prior to issuance of the license. When submitting the fee, please refer to CONTROL NUMBER 109416.

Sincerely,

Signed by  
Glenda Jackson

Glenda Jackson  
License Fee Management Branch  
Division of Accounting and Finance  
Office of Administration and  
Resources Management

Enclosure:  
10 CFR 170

cc: Region I

DISTRIBUTION:

Pending Fee File

ARM/DAF R/F

LFMB R/F (2)

DW/RI/RI Donegal Const Corp

OFFICE: ARM/LFMB *SK*  
SURNAME: SKimberley:ab  
DATE: 8/ 31 /88

ARM/LFMB *G*  
GJackson  
8/2788

*See 1/23/89 telecon  
(abandonment not sent  
because we were trying  
to determine if this  
was a resubmitted  
app & to 10/87 and  
referenced fee, which  
was not received).  
Glenda*

APPLICATION FOR MATERIAL LICENSE **LR 28268**

**030-30754**

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

FEDERAL AGENCIES FILE APPLICATIONS WITH:

U.S. NUCLEAR REGULATORY COMMISSION  
DIVISION OF FUEL CYCLE AND MATERIAL SAFETY, NMSS  
WASHINGTON, DC 20545

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS, IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION I  
NUCLEAR MATERIAL SECTION 8  
401 PARK AVENUE  
KING OF PRUSSIA, PA 19406

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION II  
MATERIAL RADIATION PROTECTION SECTION  
101 MARQUETTE STREET, SUITE 2900  
ATLANTA, GA 30333

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION III  
MATERIALS LICENSING SECTION  
786 ROOSEVELT ROAD  
GLEN ELLYN, IL 60137

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION IV  
MATERIAL RADIATION PROTECTION SECTION  
811 RYAN PLAZA DRIVE, SUITE 1000  
ARLINGTON, TX 76011

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION V  
MATERIAL RADIATION PROTECTION SECTION  
1450 MARIA LANE, SUITE 210  
WALNUT CREEK, CA 94596

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTION.

1. THIS IS AN APPLICATION FOR (Check appropriate item):

- ☒ A. NEW LICENSE  
☐ B. AMENDMENT TO LICENSE NUMBER \_\_\_\_\_  
☐ C. RENEWAL OF LICENSE NUMBER \_\_\_\_\_

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip Code)

Donegal Construction Corporation  
R.D. #8 LR 64040  
Greensburg, Pennsylvania 15601

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED.

At address listed in #2 above and at temporary job sites throughout the United States where the NRC maintains jurisdiction over the use of by-product material.

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Richard Hudock

TELEPHONE NUMBER

(412) 423-7500

SUBMIT ITEMS 5 THROUGH 11 ON 8 1/2" X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL

a. Element and mass number; b. chemical and/or physical form; and c. maximum amount which will be contained at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE.

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT.

10. RADIATION SAFETY PROGRAM

11. WASTE MANAGEMENT.

12. LICENSEE FEES (See 10 CFR 170 and Section 130.3)

FEE CATEGORY 3P AMOUNT ENCLOSED \$ 230.00

13. CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN, IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948, 62 STAT. 349 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

SIGNATURE—CERTIFYING OFFICER

Richard Hudock

TYPED/PRINTED NAME

Richard Hudock

TITLE

Technical Supervisor

DATE

10-5-87

14. ANNUAL RECEIPTS

< \$250K	<input checked="" type="checkbox"/>	\$1M-2.5M
\$250K-500K	<input type="checkbox"/>	\$3.5M-7M
\$500K-750K	<input type="checkbox"/>	\$7M-10M
\$750K-1M	<input type="checkbox"/>	> \$10M

15. NUMBER OF EMPLOYEES (Total for entire facility excluding outside contractors)

40

16. NUMBER OF BEDS

N/A

17. WOULD YOU BE WILLING TO FURNISH COST INFORMATION (Quarterly and/or staff hours) ON THE ECONOMIC IMPACT OF CURRENT NRC REGULATIONS OR ANY FUTURE PROPOSED NRC REGULATIONS THAT MAY AFFECT YOU? (NRC regulations permit it to protect confidential commercial or financial—proprietary—information furnished to the agency in confidence)

☒ YES

☐ NO

FOR NRC USE ONLY

TYPE OF FEE FEE LOG FEE CATEGORY COMMENTS

APP Aug. 20 3P

AMOUNT RECEIVED CHECK NUMBER

APPROVED BY

DATE

109416  
15 AUG 1988

"OFFICIAL RECORD COPY"

11

sa 1/23/87

## PRIVACY ACT STATEMENT

Pursuant to 5 U.S.C. 552a(e)(3), enacted into law by section 3 of the Privacy Act of 1974 (Public Law 93-579), the following statement is furnished to individuals who supply information to the Nuclear Regulatory Commission on NRC Form 313. This information is maintained in a system of records designated as NRC-3 and described at 40 Federal Register 45334 (October 1, 1975).

1. **AUTHORITY:** Sections 81 and 161(b) of the Atomic Energy Act of 1954, as amended (42 U.S.C. 2111 and 2201(b)).
2. **PRINCIPAL PURPOSE(S):** The information is evaluated by the NRC staff pursuant to the criteria set forth in 10 CFR Parts 30, 32, 33, 34, 35 and 40 to determine whether the application meets the requirements of the Atomic Energy Act of 1954, as amended, and the Commission's regulations, for the issuance of a radioactive material license or amendment thereof.
3. **ROUTINE USES:** The information may be (a) provided to State health departments for their information and use; and (b) provided to Federal, State, and local health officials and other persons in the event of incident or exposure, for their information, investigation, and protection of the public health and safety. The information may also be disclosed to appropriate Federal, State, and local agencies in the event that the information indicates a violation or potential violation of law and in the course of an administrative or judicial proceeding. In addition, this information may be transferred to an appropriate Federal, State, or local agency to the extent relevant and necessary for an NRC decision or to an appropriate Federal agency to the extent relevant and necessary for that agency's decision about you.
4. **WHETHER DISCLOSURE IS MANDATORY OR VOLUNTARY AND EFFECT ON INDIVIDUAL OF NOT PROVIDING INFORMATION:** Disclosure of the requested information is voluntary. If the requested information is not furnished, however, the application for radioactive material license, or amendment thereof, will not be processed. A request that information be held from public inspection must be in accordance with the provisions of 10 CFR 2.790. Withholding from public inspection shall not affect the right, if any, of persons properly and directly concerned need to inspect the document.
5. **SYSTEM MANAGER(S) AND ADDRESS:** U.S. Nuclear Regulatory Commission  
Director, Division of Fuel Cycle and Material Safety  
Office of Nuclear Material Safety and Safeguards  
Washington, D.C. 20555



**2 DONEGAL**  
**CONSTRUCTION CORP.**

R.D. #8 BOX 340  
GREENSBURG, PA. 15601  
PHONE: 412/423-7500

\* \* \* A T T A C H M E N T T O F O R M 3 1 3 \* \* \*

ITEM 5

<u>A</u>	<u>B</u>	<u>C</u>
Cs - 137	Special Form	Not to Exceed 9 mCi per Source
Am - 241; Be	Special Form	Not to Exceed 44 mCi per Source

ITEM 6

To be used in Troxler Model 3400 Series Surface moisture / density gauges and/or Troxler Model 4640 Surface Density Gauges.

ITEM 7

Richard Hudock attended Troxler Nuclear Gauge Training Course - 1988.

ITEM 8

All operators will attend the Troxler Training seminar and Richard Hudock shall maintain files on each individual operators training certificates.

ITEM 9

Gauges will be kept in an enclosed locked cupboard in an unoccupied storage room as detailed in attached sketch. Only Richard Hudock and other previously certified technicians will possess keys to the cupboard containing the gauges.


ITEM 10

Copy enclosed

ITEM 11

The gauge will either be transferred to another licensed user or manufacturer or be buried at a NCR licensed burial facility.

# IMPROVEMENTS DIAGRAM



# **2 DONEGAL**

## **CONSTRUCTION CORP.**

R.D. #8 BOX 340  
GREENSBURG, PA. 15601  
PHONE: 412/423-7500

\* \* \* R a d i a t i o n S a f e t y P r o g r a m \* \* \*

### RADIATION SAFETY OFFICER

- A. Richard Hudock has been designated as the company Radiation Safety officer and will assume the duties and responsibilities that include the following:
1. To ensure that all terms and conditions of the license are being met and that the information contained in the license is up-to-date.
  2. To ensure that the equipment has been leak tested every six (6) months and that the leak test is performed in the manner prescribed by the equipment manufacturer.
  3. To ensure that the use of the equipment is only by individuals that have been authorized by the Radiation Safety Officer and that all users wear personnel monitoring badges when utilizing the equipment.
  4. To maintain the records as required by the Nuclear Regulatory Commission. These records shall include personnel quarterly exposure records, leak test reports and training certificates for all operators.
  5. To insure that the equipment is properly secured against unauthorized removal at all times, especially when it is not in use. The RSO will have the keys to the gauge's storage room only.
  6. To serve as a point of contact and give assistance in case an emergency such as damaged equipment or theft. At that point the NRC and Troxler Electronics will be notified.
  7. To insure that all users have read and understand the radiation safety operating and emergency procedures as directed by the Radiation Safety Officer and Troxler Electronics.
  8. To post "Caution Radioactive Material" on the storage location, along with NRC Form #3 "Notice to Employees" nearby in a visible area.
  9. To conduct a written six (6) month inventory of all nuclear gauges, and kept on file for inspection.

### OPERATING PROCEDURES

#### A. Transportation of Equipment

1. All possible means shall be provided to ensure that the equipment is fully secured in the transporting vehicle and when transporting in an enclosed vehicle, keep the gauge in the trunk or rear compartment area so as to limit the exposure rate to a minimum. The vehicle will also be locked at all times. When transporting in an open bed vehicle the gauge should be securely fastened and locked to the truck bed.

**"An Equal Opportunity Employer"**

# **2 DONEGAL**

## **CONSTRUCTION CORP.**

R.D. #8 BOX 340  
GREENSBURG, PA. 15601  
PHONE: 412/423-7500

2. The gauge will be transported in the Troxler transportation case. The U.S. Department of Transportation requires that the gauge be transported in a properly labeled carrying case. A copy of the U.S. D.O.T. Transport package certification will be kept with the transporter.
3. At all times during transport, the transporter (Operator) will also have a properly completed Bill of Lading for each gauge, Source Certificate, Personal ID, and a copy of the Transport Package Certification.

### **B. Utilization Procedures:**

1. A utilization log book will be used to control the gauges whereabouts at all times - signing it out and back in when returning from the field.
2. When the gauge is in the field, we will maintain control over the gauge at all times. The gauge will never be left unattended, as this type of negligence has led to stolen or damaged equipment.
3. When not making measurements, the gauge will be placed in the transportation case and returned to its permanent storage area as soon as possible. The gauge will be properly used as directed by Troxler Electronics. This will maintain any radiation exposure below the acceptable limits. When recharging the gauge, it will be kept in the locked storage room.
4. When using the equipment, we will wear Troxler Electronics TLD badges that has been assigned to the specific operator. These badges will monitor both gamma and neutron radiation with quarterly exchange frequency and reports examined for unusually high dosages. Proper measures will be taken to correct this type of situation.

### **C. MAINTENANCE and LEAK TEST PROCEDURES**

1. Periodic maintenance will include cleaning the gauge, at which point TLD badges will be worn.
2. No maintenance will be performed in which the radioactive source is removed from the gauge. Troxler Electronics will conduct source removal procedures only.
3. Leak tests will be done every 6 months using the Troxler Model 3880 kit, following the instructions as outlined within the kit. TLD badges will be worn.

### **EMERGENCY PROCEDURES**

1. Immediately cordon off an area around the gauge of at least 15 feet.
2. If a vehicle is involved, it will be stopped until the extent of contamination, if any, can be established.
3. A visual inspection of the gauge will be made to determine if the source housing and/or shielding has been damaged.

**"An Equal Opportunity Employer"**



**2 DONEGAL**  
**CONSTRUCTION CORP.**

---

R.D. #8 BOX 340  
GREENSBURG, PA. 15601  
PHONE: 412/423-7500

4. At the earliest possible time, when the situation is under control, we will contact our Radiation Safety Officer at (412 - 423-7500). We will describe the present conditions and follow his instructions.
- B. In the event the gauge is lost or stolen, we will immediately notify the RSO, who in turn will contact the NRC and Troxler Electronics.

A COPY OF THIS RADIATION SAFETY PROGRAM WILL BE KEPT WITH THE GAUGE AT ALL TIMES FOR REFERENCE WHEN NEEDED.