

## NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

April 26, 1990

Docket No. 50-293

Mr. Ralph G. Bird Senior Vice President - Nuclear Pilgrim Nuclear Power Station Boston Edison Company RFD #1 Rocky Hill Road Plymouth, Massachusetts 02360

Dear Mr. Bird:

SUBJECT: PILGRIM NUCLEAR POWER STATION - REVIEW OF RESPONSE TO GENERIC LETTER (GL) 88-01 (TAC NO. 69153)

By letters dated August 4. 1988 and June 19, 1989 Boston Edison Company (BECo) submitted its response to Generic Letter 88-01. "NRC Position on IGSCC in BWR Austenitic Stainless Steel Piping."

The NRC staff has completed its safety evaluation of these submittals. The staff's Safety Evaluation (SE) is enclosed. The staff concludes that BECo's response to Generic Letter 88-01 is acceptable, with the following exceptions:

- 1. BECo's position to exclude from the scope of applicability of GL 88-01. the welds in that portion of the RWCU system piping outboard of the isolation valves is not acceptable as it does not comply with the requirements of GL 88-01. As a minimum you should prepare an inspection plan of the RWCU system piping outboard of the isolation valves on a sampling basis with justification for the selected sample size.
- BECo's position on sample expansion does not comply with the requirements of GL 88-01.
- 3. BECo's position not to amend the Pilgrim Technical Specifications to include an Inservice Inspection Program (ISI) statement does not comply with the requirements of GL 88-01.

For a detailed discussion of these items see Sections 2.0 and 3.0 of the Technical Evaluation Report attached to our SE.

DFO!

The NRC staff considers BECo's implementation of Generic Letter 88-01 to be incomplete until the above three items are resolved. You are requested to provide an implementation target date for these items by May 31. 1990.

Sincerely.

Original signed by Morton Fairtile for Ronald B. Eaton, Senior Project Manager Project Directorate I-3 Division of Reactor Projects I/II

Enclosure: As stated

cc w/enclosure: See next page

Distribution:
Docket File
NRC PDR
LPDR
PDI-3 Reading
S. Varga
B.Boger
M. Fairtile R. Eaton
A. Chu
M. Rushbrook
OGC (info only)
E. Jordan
ACRS (10)
J. Johnson, Region I
C. Cheng, NRR, EMCB
H. Koo, NRR, EMCB

T. noclellan, EMCB

cc w/enclosure:
Mr. K. L. Highfill
Vice President of Operations
and Station Director
Pilgrim Nuclear Power Station
RFD #1 Rocky Hill Road
Plymouth, Massachusetts 02360

Resident Inspector
U. S. Nuclear Regulatory Commission
Pilgrim Nuclear Power Station
Post Office Box 867
Plymouth, Massachusetts 02360

Chairman, Board of Selectmen 11 Lincoln Street Plymouth, Massachusetts 02360

Office of the Commissioner
Massachusetts Department of
Environmental Quality Engineering
One Winter Street
Boston, Massachusetts 02108

Office of the Attorney General One Ashburton Place 20th Floor Boston, Massachusetts 02108

Mr. Rotart M. Hallisey, Director Radiation Control Program Massachusetts Department of Public Health 150 Tremont Street, 2nd Floor Boston, Massachusetts 02111

Regional Administrator, Region I U. S. Nuclear Regulatory Commission 475 Allendale Road King of Prussia, Pennsylvania 19406

Mr. John S. Dietrich Licensing Division Manager Boston Edison Company 25 Braintree Hill Park Braintree, Massachusetts 02184 Mr. Richard N. Swanson, Manager Nuclear Engineering Department Boston Edison Company 25 Braintree Hill Park Braintree, Massachusetts 02184

Ms. Elaine D. Robinson Nuclear Information Manager Pilgrim Nuclear Power Station RFD #1, Rocky Hill Road Plymouth, Massachusetts 02360

Mr. Charles V. Barry Secretary of Public Safety Executive Office of Public Safety One Ashburton Place Boston, Massachusetts 02108