



**New York Power
Authority**

Ralph E. Beedle
Executive Vice President
Nuclear Generation

February 22, 1993
JPN-93-003

U.S. Nuclear Regulatory Commission
ATTN: Document Control Desk
Mail Station P1-137
Washington, D.C. 20555

**SUBJECT: James A. FitzPatrick Nuclear Power Plant
Docket No. 50-333
Proposed Change to the Technical Specifications
Removal of the 3.5 Limit on
Extending Surveillance Intervals (JPTS-89-026)**

**REFERENCE 1. NRC Generic Letter 89-14, J. G. Partlow to All Licensees
of Operating Plants, Applicants for Operating Licenses, and
Holders of Construction Permits, dated August 21, 1989
regarding "Removal of the 3.25 Limit on Extending
Surveillance Intervals."**

Dear Sir:

This application for an amendment to the James A. FitzPatrick Technical Specifications proposes to revise Specifications 1.0.T, 4.0.B and associated Bases to be consistent with the Standard Technical Specifications and NRC Generic Letter 89-14 (Reference 1).

Specification 4.0.B permits surveillance intervals to be extended up to 25 percent of the specified interval but limits any three consecutive extensions to 3.5 times the interval. The limitation in the Standard Technical Specifications is slightly lower at 3.25 times the specified interval. The limitation on extending surveillance intervals has been removed from the Standard Technical Specifications by Generic Letter 89-14 as a line item improvement. Generic Letter 89-14 provides guidance for license amendment requests to implement the improvement. Specification 1.0.T is being deleted for consistency with this change.

The signed original of the Application for Amendment to Operating License is enclosed for filing. Attachments I and II to this application contain the proposed changes to the Technical Specifications and the associated Safety Evaluation.

In accordance with 10 CFR 50.91, a copy of this application and the associated attachments are being provided to the designated New York State official.


010102

9303010394 930222
PDR ADDCK 05000333
P PDR

ADD 1/1

If you have any questions regarding the proposed changes, please contact Mr. J. A. Gray, Jr.

Very truly yours,



Ralph E. Beedle

att: as stated

cc: Regional Administrator
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Office of the Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 136
Lycoming, NY 13093

Mr. Brian C. McCabe
Project Directorate I-1
Division of Reactor Projects - I/II
U.S. Nuclear Regulatory Commission
Mail Stop 14 B2
Washington, DC 20555

Ms. Donna Ross
New York State Energy Office
2 Empire State Plaza
16th Floor
Albany, NY 12223