

APPENDIX A

NOTICE OF VIOLATION

Combustion Engineering, Inc.

Docket No. 70-1100
License No. SNM-1067

As a result of the inspection conducted on July 14-16, 1981, and in accordance with the Interim Enforcement Policy, 45 FR 66754 (October 7, 1980), the following violation was identified:

Section 8.2 of Special Nuclear Material License No. SNM-1067 states, "...all procedures shall provide for the labeling of all mass limited containers to indicate the enrichment, and the uranium content and shall provide for maintaining the identity of enrichments of all SNM in the facility."


Contrary to the above, on July 14, 1981, one closed container, a mass limited container, located in the Pellet Shop Annex, containing SNM bearing waste materials was not labeled to indicate the enrichment and the uranium content.

This is a Severity Level VI Violation (Supplement IV).

Pursuant to the provisions of 10 CFR 2.201, Combustion Engineering, Inc. is hereby required to submit to this office within thirty days of the date of this Notice, a written statement or explanation in reply, including: (1) the corrective steps which have been taken and the results achieved; (2) corrective steps which will be taken to avoid further violations; and (3) the date when full compliance will be achieved. Under the authority of Section 182 of the Atomic Energy Act of 1954, as amended, this response shall be submitted under oath or affirmation. Where good cause is shown, consideration will be given to extending your response time.

The responses directed by this Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

Dated NOV 24 1981


R. R. Keimig, Chief, Projects Branch
No. 2, Division of Resident and
Project Inspection

OFFICIAL RECORD COPY

8112140146 811124
PDR ADDCK 07001100
C PDR