Cleveland-Cliffs

Western Division

R. M. DeGabriele, General Manager, Western Operations

R. M. Tuthill, Manager Uranium

R. W. Riedel, Assistant to the General Manager

E. D. Lindquist, Assistant Manager Special Projects

December 14, 1981

RECEIVE

DEC 2 3 1981 »

U. S. NUCLEAR REGULATORY

40-8200 PDR Return to D. CRAMER 396-55

300 Country Club Road P.O. Box 3140, Casper, WY 82602 Phone: 307 - 234-9133

Mr. Ross A. Scarano, Chief Uranium Recovery Licensing Branch Division of Waste Management U.S. Nuclear Regulatory Commission Washington, D.C. 20555

Attention: Mr. J. Pohle

Gentlemen:

Re: Source Material License No. SUA-1199 Docket No. 40-8200 North Rolling Pin Project

During our telecommunication on December 11, 1981, you asked at what height above the ground was the survey meter during the site gamma radiation survey at the North Rolling Pin Project site. In response to your question the MicroR Meter was held at waist level or approximately three feet above the ground during the gamma survey.

Should you have any further questions please contact me at your earliest convenience. As previously stated we do desire to "wrap-up" the North Rolling Pin Project and terminate the license as soon as possible.



Sincerely,

CLEVELAND-CLIFFS

Saudenting Truman E. Louderback

Director Environmental Affairs

TEL/prh

201200132 81121 DR ADOCK 040082

x.c.: Region IV Office of Inspection and Enforcement U.S. Nuclear Regulatory Commission 611 Ryan Plaza Drive Suite 100 Arlington, Texas 76012

10606

FEE EXCINP