



# LONG ISLAND LIGHTING COMPANY

SHOREHAM NUCLEAR POWER STATION

P.O. BOX 618, NORTH COUNTRY ROAD • WADING RIVER, N.Y. 11792

July 8, 1982

SNRC-728

Mr. Harold R. Denton, Director  
Office of Nuclear Reactor Regulation  
U.S. Nuclear Regulatory Commission  
Washington, DC 20555

Equipment Environmental Qualification  
SER Outstanding Issue No. 9  
Shoreham Nuclear Power Station - Unit 1  
Docket No. 50-322

Dear Mr. Denton:

This letter provides information requested by the NRC audit team for Shoreham equipment environmental qualification during their site visit June 2 and 3, 1982. This information includes the following (40 copies of each):

- 1) Statement dated July 8, 1982 concerning the temperature qualification status of equipment located in the Reactor Building wetwell (Attachment 1);
- 2) Stone & Webster Engineering Corporation calculation SNPS-1-UR-22-F, Revision 1, of the post-LOCA radiation dose to the General Electric Company containment electrical penetrations (Attachment 2); and
- 3) Updated Equipment Qualification Status Report (EQSR) dated July 7, 1982 showing qualification status revisions made after our previous submittal via LILCO letter SNRC-704 dated May 17, 1982 and before the site visit. (Attachment 3)

At the request of the audit team, a copy of this submittal with attachments is being sent to the consultants on the team.

A048  
1/40  
on shelf

707140126 820708  
CLOCK 05000322  
E PDR


NRC-728

July 8, 1982

Page Two

We understand that this information will facilitate completion of the NRC staff's review of our electrical equipment program and close-out of this Safety Evaluation Report (SER) issue.

Very truly yours,

  
J. L. Smith ~~for~~  
Manager, Special Projects  
Shoreham Nuclear Power Station

JFE:spg

Enclosures

cc: J. Higgins  
M. Yost - EG&G Idaho  
All parties  
J. Kennedy

July 8, 1982

Attachment 1

Temperature Qualification Status  
of Equipment Located in the Reactor Building Wetwell

Stone & Webster analysis of the steam bypass event for Shoreham Nuclear Power Station shows a maximum wetwell temperature of 241°F at about five minutes, which is consistent with the wetwell temperature profile in Figure D-1 of the Revision 2 Environmental Qualification Report submitted via LILCO letter SNRC-704, dated May 17, 1982. The analysis was performed in accordance with information submitted via LILCO letter SNRC-577, dated May 27, 1981. LILCO understands that the NRC requires further justification for this analysis.

The NRC audit team for environmental qualification has informed us that the NRC staff-approved wetwell temperature profile includes one-half hour at 270°F, based on NRC staff consideration of the steam bypass event for Shoreham. Review of the Environmental Qualification Status Report (EQSR) indicated only two types of equipment in the wetwell (zones E-23 and F-23). These are NAMCO EA 740 limit switches and Rosemount RTD's. Review of qualification documents for these equipment types shows temperature qualification profiles which envelope the NRC staff requirement described above. Therefore, postulation of the NRC's higher temperature for this event would not change the qualification status of the affected equipment.

Attachment 2

Description of S&W Calculation SNPS-1-UR-22-F

The six month LOCA integrated gamma dose for the electrical penetration in question is based on calculation SNPS-1-UR-22-F - Rev. 1. The six month LOCA integrated gamma dose in the primary containment from above calculation is  $7.26 \times 10^7$  rads (this dose conservatively assumes that 100% of the cesiums 50% halogen and 1% remainder are in the suppression pool water). The dose is the sum of the doses from airborne radioactivity and the nuclides contained in the suppression pool. The normal operation 40 year integrated dose is  $1.8 \times 10^7$  rads.

The total, LOCA plus normal, integrated dose is approximately  $9 \times 10^7$  rads in the area of the penetration, and may be considered the dose at the penetration. This value is enveloped by the  $1 \times 10^8$  rad dose used to qualify the penetration.

**CALCULATION TITLE PAGE**  
\*SEE INSTRUCTIONS ON REVERSE SIDE

ASSEMBLY FRONT

CLIENT & PROJECT <i>LILCO - Shoreham 1</i>				PAGE 1 OF 3 <i>plus A2 &amp; B1</i>	
CALCULATION TITLE (indicative of the Objective): <i>Post-LOCA Upper Limit Gamma and Beta Dose and Dose Rates inside the Primary Cont. with Supp. Pool Water containing 100% Cs, 50% Hal, &amp; 1% Rn and Airborne source made up of 100% noble gases and 50% Halogens.</i>				QA CATEGORY (✓) <input checked="" type="checkbox"/> I - NUCLEAR SAFETY RELATED <input type="checkbox"/> II <input type="checkbox"/> III <input type="checkbox"/> OTHER	
CALCULATION IDENTIFICATION NUMBER					
J. O. OR W.O NO.	DIVISION & GROUP	CURRENT CALC. NO.	OPTIONAL TASK CODE	OPTIONAL WORK PACKAGE NO.	
<i>11600.02</i>	<i>48/88</i>	<i>SNPS-1-UR-22-F-rev.1</i>			
* APPROVALS - SIGNATURE & DATE			REV. NO. OR NEW CALC NO.	SUPERSEDES * CALC. NO. OR REV. NO.	CONFIRMATION * REQUIRED (✓)
PREPARER(S)/DATE(S)	REVIEWER(S)/DATE(S)	INDEPENDENT REVIEWER(S)/DATE(S)			YES   NO
<i>[Signature] (3/1/82)</i>	<i>M. Harsley 3/3/82</i>	<i>A. Amiello 3-9-82</i>		<i>SNPS-1-UR-22-F</i>	✓

**DISTRIBUTION \***

GROUP	NAME & LOCATION	COPY SENT (✓)	GROUP	NAME & LOCATION	COPY SENT (✓)
RECORDS MGT. FILES (OR FIRE FILE IF NONE)	<i>Fire File Shoreham 1</i>				
	<i>245/4</i>				

CALCULATION SHEET

CALCULATION IDENTIFICATION NUMBER				PAGE <u>2</u>
J.O. OF W.O. NO.	DIVISION & GROUP	CALCULATION NO.	OPTIONAL TASK CODE	
W00 02	48/88	SNPS-1-VR-22-F-REV L		

Table of Contents:

Objective . . . . .	3
Basis . . . . .	3-4
Method . . . . .	4-5
Results:	
Table I - Primary Containment - $\gamma$ Dose and Dose Rates Post-LOCA . . . . .	
Table II - Primary Containment - $\beta$ Dose and Dose Rates Post-LOCA . . . . .	
References . . . . .	
Appendix A - Core Activity, from General Electric Document No. 22A2703T . . . . . (1 PAGE)	A
8 - 6/12/74 TELECON BETWEEN RE JANSSE (SSW AND E BERNARD (AEC) . . . . .	E

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46

## CALCULATION SHEET

▲ 5312.55

CALCULATION IDENTIFICATION NUMBER				PAGE <u>3</u>
J.O. OR W.O. NO.	DIVISION & GROUP	CALCULATION NO.	OPTIONAL TASK CODE	
1600.02	48/EE	SNPS-1-UR-22-F-REV. 1		

Objective: To determine the post-LOCA upper limit gamma and beta dose and dose rate inside the Primary Containment, using a Suppression Pool water source containing 100% Cs, 50% Halogens, and 1% Rmndr.

Basis:

- 1) The upper limit gamma dose and dose rates within the Primary Containment would be that 'in contact' with the suppression pool water. This was calculated in Ref. 1, pp 7 and 9. The suppression pool water source includes 100% Cs, 50% Halogens, and 1% Rmndr.
- 2) The DRAGON4 Computer Code will yield results for the dose and dose rate in the Primary containment for both airborne gamma and airborne beta sources. Airborne sources include 100% Noble gases, 50% Halogens.
- 3) LOCA with reactor containment building and MSIV leakage.
  - (I) LOCA parameters;
    - 1) Power level = 2550 mwt
    - 2) Fuel damaged = 100%, Fuel Core Activity (see Appendix A)
    - 3) Activity released from fuel = 100% Noble gases  
50% Halogens

[6]



## CALCULATION SHEET

A 5010 85

CALCULATION IDENTIFICATION NUMBER				PAGE 4
J.O. OR W.O. NO.	DIVISION & GROUP	CALCULATION NO.	OPTIONAL TASK CODE	
11600.02	4E/88	SFPS-1.1R-22.F - rev. 1		

Basis: (continued)

[6]

- 4) Iodine Fractions - Organic = 4%  
Elemental = 91%  
Particulates = 5%

5) Primary Containment leak rate = 0.5% per day

6) Secondary Containment leak rate = 173% (vol/day)  
for 50% 'mixing model'. For 100% mixing  
model (model used for this calc.) leak rate =  $\frac{173\%}{2} =$   
86.5% , which is 0.865 vol/day.

7) Iodine filter efficiency = 95%

[7]

8) Reference Breathing Rate = 3.47-04 m<sup>3</sup>/sec

(I) MSIV Leakage parameters;

[8]

1) Volume of suppression pool is 1.24+05 ft<sup>3</sup> (gas volume)

[9]

2) Drywell leakage rate at:  
 $t = 0.32$  hrs  $\Rightarrow$  16 hrs is 5.35-03 vol/day  
 $t = 16$  hrs on is 6.31-03 vol/day

[8]

3) Volume of Drywell is 1.925+05 ft<sup>3</sup>

Method: The  $\gamma$  dose and dose rate will be the sum of the contributions from both airborne and suppression pool water sources. Table I - 'Primary Containment -  $\gamma$  Dose and Dose Rate Post-LOCA' lists the total dose and dose rates as a function of time from 0 to 2 years.

## CALCULATION SHEET

▲ 5010 65

CALCULATION IDENTIFICATION NUMBER				PAGE <u>5</u>
J.O. OR W.O. NO.	DIVISION & GROUP	CALCULATION NO.	OPTIONAL TASK CODE	
11600.02	48/88	SNPS-1-VR-22-F-REV. 1		

1  
2  
3 Method: (continued)

4  
5 The  $\beta^-$  dose and dose rate result from the  
6 airborne contribution in the Primary containment. The  $\beta^-$   
7 contribution from the suppression pool would be insignificant.  
8  
9 Table II - 'Primary Containment -  $\beta^-$  Dose and Dose Rates  
10 Post-LOCA' lists these values as a function of time  
11  
12  
13 from 0 to 2 years.  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46

CALCULATION SHEET

▲ 5210.65

CALCULATION IDENTIFICATION NUMBER

J.O. OR W.O. NO.  
11600.02

DIVISION & GROUP  
48/82

CALCULATION NO.  
SNPS-1-JR-22-F-REV.1

OPTIONAL TASK CODE

PAGE 6

Table I - 'Primary Containment - & Dose and Dose Rates Post-LOCA'

Time (hrs.)	Dose Rates			Integrated Dose		
	Airborne* (Rem/hr)	In Contact** w/Suppression Pool Water (Rem/hr)	Total (Rem/hr)	Airborne* (Rem)	In Contact** w/Suppression Pool Water (Rem)	Total (Rem)
0.0	5.82+06	5.67+05	6.39+06	0.0	0.0	0.0
0.1	4.72+06	3.79+05	5.10+06	5.11+05	4.67+04	5.58+05
0.5	3.73+06	2.67+05	4.00+06	2.17+06	1.75+05	2.35+06
1.0	3.18+06	1.98+05	3.30+06	3.86+06	2.90+05	4.15+06
4.0	1.59+06	8.56+04	1.68+06	1.04+07	6.67+05	1.11+07
8.0	9.48+05	5.62+04	1.00+06	1.53+07	9.46+05	1.62+07
10.0	7.85+05	4.88+04	8.34+05	1.70+07	1.05+06	1.81+07
24.0	3.38+05	2.59+04	3.64+05	2.41+07	1.56+06	2.57+07
72.0	6.38+03	4.05+03	1.04+04	5.38+07	6.54+06	6.03+07
216.0	2.92+01	2.86+05	2.89+03	5.54+07	1.13+07	6.67+07
438.0	3.35+00	2.53+03	2.53+03	5.54+07	1.72+07	7.26+07
657.0	1.85+00	2.39+03	2.39+03	5.54+07	2.26+07	7.80+07
876.0	1.02+00	2.33+03	2.33+03	5.54+07	2.78+07	8.32+07
1095.0	5.66-01	2.29+03	2.29+03	5.54+07	3.28+07	8.82+07
1314.0	3.13-01	2.26+03	2.26+03	5.54+07	3.78+07	9.32+07
1533.0	1.73-01	2.24+03	2.24+03	5.55+07	4.28+07	9.83+07
1752.0	9.59-02	2.23+03	2.23+03	5.55+07	4.77+07	1.03+08

\* From Refs. 3 & 4

\*\* From Ref. 1 - 7/29

CALCULATION SHEET

▲ 51085

CALCULATION IDENTIFICATION NUMBER

J.O. OR W.O. NO. 11600.02	DIVISION & GROUP 48/88	CALCULATION NO. S-100-1-UR-22-F-REV 2	OPTIONAL TASK CODE	PAGE <u>7</u>
------------------------------	---------------------------	--	--------------------	---------------

Table II

'Primary Containment -  $\beta^-$  Dose and Dose Rates Post-LOCA'

Time (hrs.)	Airborne * Dose Rate (Rem/hr)	Airborne * Dose (Rem.)
0.0	5.50 +07	0.0
0.1	3.58 +07	4.32 +06
0.5	2.34 +07	1.53 +07
1.0	1.96 +07	2.59 +07
4.0	1.19 +07	7.03 +07
8.0	8.79 +06	1.11 +08
10.0	7.92 +06	1.27 +08
24.0	4.66 +06	2.12 +08
72.0	8.83 +04	7.00 +08
216.0	9.03 +03	7.33 +08
438.0	4.81 +03	7.47 +08
657.0	2.66 +03	7.55 +08
876.0	1.47 +03	7.60 +08
1095.0	8.15 +02	7.62 +08
1314.0	4.51 +02	7.63 +08
1533.0	2.50 +02	7.64 +08
1752.0	1.38 +02	7.65 +08

\* From Refs 3 & 4

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46

## CALCULATION SHEET

▲5010 85

CALCULATION IDENTIFICATION NUMBER				PAGE <u>2</u>
J.O. OR W.O. NO.	DIVISION & GROUP	CALCULATION NO.	OPTIONAL TASK CODE	
11600-02	48/88	SNPS-1-VR-22-F-rev.1		

References :

- [1] Calc # - 1-VR-21-M - "Maximum Dose Rate & Integrated Dose Due to a Nest of Pipes Carrying 100% Cs, 50% Hal, and 1% Rnndr. in Suppression Pool Water using New version of Radiisotope Computer Library" (8/27/81)
- [2] DRAGON4 Computer Code, NUHIS - V04/L01, GA Cat. I, effective 12/14/81, Users' Manual by J.P. Hamawi
- [3] R0801888, 24 Feb 82, Job 718 - DRAGON4  
"LOCA + MSIV Leakages for Primary Containment"  
Time = 0.1, 0.3, 0.5, 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0, 16.0, 24.0, 30.0, 50.0, 70.0, 96.0, 200, 300, 500, 720, 2160, 4320, and 8760 hrs.
- [4] R0801777, 24 Feb 82, Job 679 - DRAGON4  
"LOCA + MSIV Leakages for Primary Containment"  
Time = 0.0, 0.3, 0.5, 8.0, 16.0, 24.0, 96.0, 720, 2190, 4320, 6570, 8760, 10950, 13140, 15330, 17520, 26280, and 35040 hrs.
- [5] General Electric Document No. 22A2703T
- [6] SNPS-1, FSAR Table 15.1.34-1, Revision 8, Sept. 1977
- [7] US AEC Regulatory Guide 1.3 June 1974
- [8] SNPS-1, FSAR Table 6.2.1-1, original page
- [9] Calc # SNPS-1-RP-13-W, pb (5/14/78)
- [10] Calc # SNPS-1-VR-22-E-rev. 1, 'Post-LOCA Upper Limit Gamma and Beta Dose and Dose Rate inside the Primary Containment using 50% Halogen & 1% Rnndr. for Supp. Pool Water and 100% Noble Gas & 50% Halogens for Airborne Sources (3/1/82)

Appendix A

Core Activity \*\*\*

	<u>Inotone</u>	<u>Curies/Watt</u>	<u>Curies*</u>
9	Kr - 83m	3.0 + 03	7.7 + 06
10	85m	6.5 + 03	1.7 + 07
11	85	3.0 + 02	7.7 + 05
12	87	2.3 + 04	5.9 + 07**
13	88	3.2 + 04	8.2 + 07**
14	89	2.0 + 04	5.1 + 07
15	90	2.0 + 04	5.1 + 07
16	91	1.3 + 04	3.3 + 07
17	92	6.6 + 03	1.7 + 07
18	93	1.6 + 03	4.1 + 06
19	94	1.1 + 03	2.8 + 06
20			
21	Xe - 131m	1.8 + 02	4.6 + 05
22	133m	2.0 + 02	5.1 + 05
23	133	5.6 + 04	1.4 + 08
24	135m	1.7 + 04	4.3 + 07
25	135	5.3 + 04	1.4 + 08**
26	137	4.7 + 04	1.2 + 08
27	138	4.8 + 04	1.2 + 08**
28	139	4.0 + 04	1.0 + 08
29	140	1.9 + 04	4.8 + 07
30	141	5.9 + 03	1.5 + 07
31	142	1.3 + 03	3.3 + 06
32			
33	Br - 83	3.0 + 03	7.7 + 06
34	84	4.7 + 03	1.2 + 07
35	85	6.5 + 03	1.7 + 07
36	87	1.1 + 04	2.8 + 07
37			
38	I - 131	2.9 + 04	7.4 + 07
39	132	4.2 + 04	1.1 + 08
40	133	4.8 + 04	1.2 + 08
41	134	6.2 + 04	1.6 + 08
42	135	4.9 + 04	1.2 + 08
43	136	2.0 + 04	5.1 + 07

\* - at 2550 Mwt

\*\* - these numbers are scaled from AEC values - see release by R. Vanasse to E. Bernard (AEC) dated 6-12-74 (11:45 am) [ATTN: S]

\*\*\* - from General Electric Document No. 22A2703T

To M. B. Keane  
 for Distribution

LICENSING GROUP  
 TELEPHONE MEMORANDUM

Project/J.O.No. LSU-River Board 112210 or Generic \_\_\_\_\_  
 Call Date June 12, 1974 Time 11:45 Incoming  Outgoing \_\_\_\_\_  
 Between Mr. E. Bernard of AEC and RE Varnose of S&W  
 of Bethesda  
 Subject \_\_\_\_\_

SUMMARY

Mr. Bernard said he had looked at the computer outputs (DRACON and RERM 123 runs) I had provided him to determine the discrepancies between AEC and S&W LOCA data calculations for a 3039 Mw at BWR. He found the following discrepancies:

	Tape	Kr-27	Kr-89	Ye-135	Ye-139
Core Inventory (%)	AEC value	.71±8	.97±8	.11±9	.145±9
	S&W (GF) value	.365±8	.517±8	.297±8	.124±9

Average % Energy	Tape	Kr-23m	Kr-27	Kr-89	Ye-135	Ye-139	T-135
Max	AEC value	.008	1.374	1.06	0.046	1.53	1.7
	S&W value	.005	.956	2.22	.073	.032	2.5

Average % Energy	Tape	Kr-23m	Kr-137	T-135
Max	AEC value	0.27	0.80	0.31
	S&W value	0.101	0.565	0.475

He stated that all other values were in good agreement with his.

Copy to:  
 J. Siegelhaupt \_\_\_\_\_  
 M. Vener \_\_\_\_\_  
 J. Coombe \_\_\_\_\_  
 J. Walker \_\_\_\_\_  
 J. King \_\_\_\_\_  
 G. Cunningham \_\_\_\_\_  
 M. Culp \_\_\_\_\_  
 R. Payne \_\_\_\_\_  
 M. Ray \_\_\_\_\_  
 G. \_\_\_\_\_  
 X  
 A  
 A  
 X  
 V  
 Job Book \_\_\_\_\_

1251-LS096

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)

JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 1  
RESET NO. 004  
RESET DATE 05/12/82

LEGEND \*\*\*

CHANGES TO THE DATA ITEMS ON THIS REPORT WILL BE INDICATED BY STATUS CODES.

- A. DATA ITEMS PRECEDED BY AN ASTERISK HAVE BEEN CHANGED SINCE THE LAST CALENDAR QUARTER.
- B. AN ASTERISK BEFORE THE EQUIPMENT ID INDICATES ADDITION OR DELETION FOR THAT EQUIPMENT ID.  
THE WORD ADDED OR DELETED WILL APPEAR UNDER THE EQUIPMENT ID.
- C. A PERIOD BEFORE THE EQUIPMENT ID INDICATES DATA ITEMS HAVE CHANGED SINCE THE LAST CALENDAR QUARTER.
- D. RESETTING OF THE STATUS CODES TO EQUAL BLANKS WILL BE DONE ON A CALENDAR QUARTER AND THE RESET NUMBER AND RESET DATE WILL BE RECORDED.

ITEM SELECTION CRITERIA \*\*\* (DATA FIELDS MUST MATCH ON ALL SELECTED KEYWORDS FOR EQUIPMENT ITEM TO BE SELECTED.)

KEYWORD:	DESCRIPTION:	SELECT VALUES:
QAC	Q A CATEGORY	1 2 1E 2E
BLDB	BUILDING	ALL
CAQ	NU-REG QUAL CATEGORY	ALL
EMG	ACCIDENT CONDITION	ALL
OPC	OPERABILITY CODE	A B
EQD	ENVIRON QUALIF STATUS	ALL
EC	ELECTRICAL CONNECTION	ALL

QUALIFICATION INDICATOR SELECTION CRITERIA \*\*\*  
(INDICATOR FIELDS NEED MATCH FOR ONLY ONE SELECTED KEYWORD FOR EQUIPMENT ITEM TO BE SELECTED.)

KEYWORD:	DESCRIPTION:	SELECT VALUES:
EQIND	ENVIRON QUAL INDICATOR	ALL
SQIND	SEISHIC QUAL INDICATOR	ALL
HTIND	HYDRODYNAMIC TEST IND	ALL

1E51wL3096

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001

JOB NUMBER 1140002

JOB NAME SHOREHAM - UNIT 1

JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (IS-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 2

RESET NO. 004

RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EHG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****						
REPORT GROUP MAK	x					
*****						
.1E51wL3096	COND STORAGE TANK LEVEL	1	.	.	wH,H	.wB
ES1-M035A		.	.	.		.w180 DYS
		.	.	.		.
		.	.	.	wL	.wB
		.	.	.		.w180 DYS
		.	.	.		.
.1E51wL3097	COND STORAGE TANK LEVEL	1	.	.	wH,H	.wB
ES1-M035C		.	.	.		.w180 DYS
		.	.	.		.
		.	.	.	wL	.wB
		.	.	.		.w180 DYS
		.	.	.		.
.1T46wPH3040A	FLT 1A	w1E	.	.	wH,H	.wA
		.	RBS	.		.w180 DYS
		.	.	.		.
		.	.	.	wL	.wA
		.	.	.		.w070 MIN
		.	.	.		.
.1T46wPH3040B	FLT 1B	w1E	.	.	wH,H	.wA
		.	RBS	.		.w180 DYS
		.	.	.		.
		.	.	.	wL	.wA
		.	.	.		.w180 DYS
		.	.	.		.

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 3  
 RESET NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLOG	ELEV	QUAL STAT	
	MODEL / CATALOG NO	SPEC	PO NUMBER			
.ICS1#EV001A	ICS1#TIP-000A SHEAR VLV #GENERAL ELECT	#1E	#M-12			B
		#003	#PBS	#00073.#DR/IJ		. 180 DYS
			#310010			
.ICS1#EV001B	ICS1#TIP-000B SHEAR VLV #GENERAL ELECT	#1E	#M-12			A
		#003	#PBS	#00073.#DR/IJ		. 070 MIN
			#310010			
.ICS1#EV001C	ICS1#TIP-000C SHEAR VLV #GENERAL ELECT	#1E	#M-12			B
		#003	#PBS	#00073.#DR/IJ		. 180 DYS
			#310010			
.ICS1#EV001D	ICS1#TIP-000D SHEAR VLV #GENERAL ELECT	#1E	#M-12			A
		#003	#PBS	#00073.#DR/IJ		. 070 MIN
			#310010			
.ICS1#HOV001	TURBINE CONTROL VALVE	#1E	G-01			A
		#003	PBS	00000.#DR/IJ		. 070 MIN
			310010			

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAH / MOD / SPEC

REPORT DATE 07/07/82 PAGE 4  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	GAC	ZONE	EQ SHEET	ENG COND	OPER CODE
MAKE / MANUFACTURER	MODEL / CATALOG NO	MJ-CAT BLDG	ELEV	QUAL	STAT			
*****		*****		*****		*****		*****
*****		*****		*****		*****		SUB/NG

HYDRAULIC VALVE IS A MECH. COMPONENT OR CODES REFER TO ELECT. INDICATION ASSOCIATED WITH THIS VALVE.

.1P41PHI034A		PHR MX DIS VLV POSITION					eL	.eB .e100 DYS
	1E	CR						
	125							
.1P41PHI034B		PHR MX DIS VLV POSITION					eH,H	.eB .e100 DYS
	1E	CR						
	125							
.1P41PHI037A		RBCLCH MX DIS VLV POSITN					eL	.eB .e100 DYS
	1E	CR						
	125							
.1P41PHI037B		RBCLCH MX DIS VLV POSITN					eH,H	.eB .e100 DYS
	1E	CR						
	125							

1011#PT066

REPORT NO. PYS-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PYS-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 5  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLOG	ELEV	QUAL STAT	SUBING
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****	*****	*****	*****	*****	*****	*****
REPORT GROUP MAK	= AIR MONITOR CORP					

.1011#PT066

RB EXH TO 1011#PHL066  
POMERS REG  
AIR MONITOR CORP  
#VELTRON JACGHS

1E . 2  
# . RBS 00151.#FT/IJ  
319 . 310738

H,M .#B  
.#180 DYS  
.  
.  
L .#B  
.#180 DYS  
.  
.  
.

REQUIRES INVESTIGATION INTO 1E CIRCUITS TO DOWN GRADE TO OP CODE "C".

REPORT NO. P23-801     STONE AND WEBSTER ENGINEERING CORPORATION     REPORT DATE 07/07/82  
JOB NUMBER 1160002     PROJECT EQUIPMENT SYSTEM - (13-129)     RESET NO. 009  
JOB NAME SHOREHAM - UNIT 1     ENVIRONMENTAL QUALIFICATION STATUS REPORT     RESET DATE 05/12/82  
JOB CLIENT LILCO     SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
--------------	-----------	-----------------------	-----	------	------	----------	----------	-----------

1746FT0044		RBSVS EXH AIR FLOW	1E	M-16			M,H	.WA
		*COPE'S VULCAN	RG	RBS	00150	.#319-01		.#180 DYS
		AIR MONITOR CORP.	319					
		VELTRON 800						

1746FT0048		RBSVS EXH AIR FLOW	1E	M-16			M,H	.WA
		*COPE'S VULCAN	RG	RBS	00150	.#319-01		.#180 DYS
		AIR MONITOR CORP.	319					
		VELTRON 800						

1746-HIT002A REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 7  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PD NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	***** = AMERICAN INST. CO.	*****	*****	*****	*****	*****

.1746-HIT002A	FLT 1A MOISTER POMERS REGUL AMERICAN INST. CO. L15-6371B	1E	M-15	.W	W.H.H	.WB .W180 DYS
		* .	RBS	00112.WFT/IJ		.
		319	310738	.		.

W.L .WB  
.W180 DYS

.1746-HIT002B	FLT 1B MOISTER POMERS REGUL AMERICAN INST. CO. L15-6371B	1E	M-15	.W	W.H.H	.WB .W180 DYS
		* .	RBS	00112.WFT/IJ		.
		319	310738	.		.

W.L .WB  
.W180 DYS

.1746-HE002A	FLT-1A MOISTURE POMERS REGUL AMERICAN INST. CO. 15-18180(HOD)	1E	M-15	.W	W.H.H	.WB .W180 DYS
		* .	RBS	00112.WFT/IJ		.
		319	310738	.		.

W.L .WB  
.W180 DYS

.1746-HE002B	FLT-1B MOISTURE POMERS REGUL AMERICAN INST. CO. 15-18180(HOD)	1E	M-15	.W	W.H.H	.WB .W180 DYS
		* .	RBS	00112.WFT/IJ		.
		319	310738	.		.

W.L .WB  
.W180 DYS

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHORHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/82 PAGE 8  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	QAC	ZONE	MU-CAT	BLDG	ELEV	EQ SHEET	ENG COND	OPER CODE
REPORT GROUP NAME		MODEL / CATALOG NO		SPEC	PO NUMBER				QUAL STAT	SUBING	
1E32#FT037B E32-N053F		MSIV B LEAK TO LPH GENERAL ELEC #AHETE# #078-50091-001-10		1E 003	G-05 RBS 310010				3128 00063. #FT/IJ	H.M	B 100 DYS
1E32#FT037C E32-N053K		MSIV C LEAK TO LPH GENERAL ELEC #AHETE# #078-50091-001-3		1E 003	G-05 RBS 310010				3128 00063. #FT/IJ	L	A 100 DYS #2X FS
1E32#FT037A E32-N053B		MSIV A LEAK TO LPH GENERAL ELEC #AHETE# #078-50091-001-6		1E 003	G-05 RBS 310010				3128 00063. #FT/IJ	H.M	B 100 DYS #2X FS
1E32#FT037D E32-N053P		MSIV D LEAK TO LPH GENERAL ELEC #AHETE# #078-50091-001-7		1E 003	G-05 RBS 310010				3128 00063. #FT/IJ	L	A 100 DYS #2X FS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 9  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

MSIV A LEAK TO LPM  
 GENERAL ELEC  
 #AHETEH  
 #1.03K-16HZ-177

MSIV B LEAK TO LPM  
 GENERAL ELEC  
 #AHETEH  
 #1.03K-16HZ-177

MSIV C LEAK TO LPM  
 GENERAL ELEC  
 #AHETEH  
 #1.03K-16HZ-177

QAC ZONE EQ SHEET  
 MJ-CAT BLDG ELEV QUAL STAT  
 SPEC PO NUMBER

ENG COND OPER CODE  
 SUBING

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 10

RESET NO. 000  
RESET DATE 05/12/82

STONE AND MENSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
MAKE / MANUFACTURER	MU-CAT BLDG	ELEV	QUAL STAT				
MODEL / CATALOG NO	SPEC	PO NUMBER					
***** SUBRG *****							
1798H2115AX AI-3		DRYWELL H2 ANALYZER INDICATION. #DELPHI INDUST #API #7095-MS-8702-0000	1E	J-16 P85	.399-01 00112.WEQ	H,M	.WB .180 DYS
1798H2115DX AI-3		DRYWELL H2 ANALYZER INDICATION. #COMSIP #API #7095-MS-8702-0000	1E	J-16 P85	.399-01 00112.WEQ	H,M	.WB .180 DYS
1798H2116AX AI		SUPP CHR8/RECOM DISCH IND #DELPHI INDUST #API #7095-MS-8702-0000	1E	J-16 P85	.399-01 00112.WEQ	L	.A .180 DYS
1798H2116DX AI		SUPP CHR8/RECOM DISCH IND #COMSIP #API #7095-MS-8702-0000	1E	J-16 P85	.399-01 00112.WEQ	H,M	.WB .180 DYS

1831#P5823C REPORT NO. PES-801 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 11  
 RESET NO. 008  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	END COND	UPPER CODE
MAKE / MANUFACTURER	MODEL / CATALOG NO	INJ-CAT BLDG	SPEC	PO NUMBER	QUAL STAT			
1831#P5823C	B31-M019C	RECIRC SUC PR PWR VLV INTLK	1E	D-02			M,H	.WA
		AUTO SWITCH		RBS	00090	.TA/IJ		.007 DYS
		ASCO	398	10072				
1821#S0V81AX	B21-F022A	1821#MOV081A CONTROL	1E	D-22		3096	M,H	.WA
		GENERAL ELECT		RBP	00082	IJ		.070 MIN
		ASCO	003	310010				
		MT-X-8320A20						
1821#S0V81AY	B21-F022A	1821#MOV081A CONTROL	1E	D-22		3096	M,H	.WA
		GENERAL ELECT		RBP	00082	IJ		.070 MIN
		ASCO	003	310010				
		MT-X-8320A20						
1821#S0V81AZ	B21-F022A	1821#MOV081A CONTROL	1E	D-22		3096	M,H	.WA
		GENERAL ELECT		RBP	00082	IJ		.070 MIN
		ASCO	003	310010				
		MT-X-8320A20						



REPORT NO. P25-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P25-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 13  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	EMG COND	OPER CODE
VENDOR ID	MAKE / MANUFACTURER MODEL / CATALOG NO	MU-CAT BLDG	PO NUMBER	ELEV	QUAL STAT		
		SPEC				SUBNG	
1821*SOV81CZ B21-F022C	1821*MOV081D CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	D-22 RBP	00082. IJ	3096	eL	.eA .e070 MIN
1821*SOV81DX B21-F022D	1821*MOV081D CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	D-22 RBP	00082. IJ	3096	eH,M	.eA .e070 MIN
1821*SOV81DY B21-F022D	1821*MOV081D CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	D-22 RBP	00082. IJ	3096	eL	.eA .e070 MIN
1821*SOV81DZ B21-F022D	1821*MOV081D CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	D-22 RBP	00082. IJ	3096	eH,M	.eA .e070 MIN

1821\*SOV82AX      REPORT NO. PES-801 JOB 116002 07/07/82      ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801      STONE AND WEBSTER ENGINEERING CORPORATION      REPORT DATE 07/07/82 PAGE 14  
 JOB NUMBER 116002      PROJECT EQUIPMENT SYSTEM - (115-129)      RESET NO. 009  
 JOB NAME SHOWHAM - UNIT 1      ENVIRONMENTAL QUALIFICATION STATUS REPORT      RESET DATE 05/11/82  
 JOB CLIENT LILCO      SORTED BY - MAK / HOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EMG COND	OFFER CODE
		MAKE / MANUFACTURER	MJ-CAT BLDG	ELEV	QUAL STAT		
		MODEL / CATALOG NO	SPEC	PO NUMBER			
1821*SOV82AX	B21-F028A	1821*AOV082A CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08	3096	M,H	.WA .W070 MIN
			003	ST 310010	00082. IJ		
1821*SOV82AY	B21-F028A	1821*AOV082A CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08	3096	M,H	.WA .W070 MIN
			003	ST 310010	00082. IJ		
1821*SOV82AZ	B21-F028A	1821*AOV082A CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08	3096	M,H	.WA .W070 MIN
			003	ST 310010	00082. IJ		
1821*SOV82BX	B21-F028B	1821*AOV082B CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08	3096	M,H	.WA .W070 MIN
			003	ST 310010	00082. IJ		
1821*SOV82BY	B21-F028B	1821*AOV082B CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08	3096	M,H	.WA .W070 MIN
			003	ST 310010	00082. IJ		

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PE9-001 JOB 1160002 07/07/82

PAGE 15

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PE9-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

ENG COND OPER COOF

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER COOF
		MANUFACTURER	MU-CAT BLDG			QUAL STAT		
		MODEL / CATALOG NO	SPEC	PO NUMBER				
.1B21-SOV82BZ B21-F0200		1B21-ADV082B CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08 ST	00002. IJ	3096	.eL	.eA .e070 MIN
.1B21-SOV82CX B21-F020C		1B21-ADV082C CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08 ST	00002. IJ	3096	.eL	.eA .e070 MIN
.1B21-SOV82CY B21-F020C		1B21-ADV082C CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08 ST	00002. IJ	3096	.eL	.eA .e070 MIN
.1B21-SOV82CZ B21-F020C		1B21-ADV082C CONTROL GENERAL ELECT ASCO MT-X-8320A20	1E	T-08 ST	00002. IJ	3096	.eL	.eA .e070 MIN

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1821\*SOV020X REPORT NO. PFS-001 JOB 1160002 07/07/82 STORE AND WEBSTER ENGINEERING CORPORATION  
 REPORT NO. PFS-001 PROJECT EQUIPMENT SYSTEM - (115-129) REPORT DATE 07/07/82 PAGE 16  
 JOB NUMBER 1160002 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET NO. 004  
 JOB NAME SHOREHAM - UNIT 1 SORTED BY - HAH / H00 / SPEC RESET DATE 05/12/82  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	OAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR NAME	MAKE / MANUFACTURER	MODEL / CATALOG NO	NU-CAT BLDG	ELEV	QUAL STAT		
			SPEC	PO NUMBER			
1821*SOV020X B21-F0200		1821*AOV0020 CONTROL GENERAL ELECT ASCO HT-X-0320A20	1E ST 310010	Y-08 00002. IJ	3096	.WA .070 MIN	
1821*SOV020Y B21-F0200		1821*AOV0020 CONTROL GENERAL ELECT ASCO HT-X-0320A20	1E ST 310010	Y-08 00002. IJ	3096	.WA .070 MIN	
1821*SOV020Z B21-F0200		1821*AOV0020 CONTROL GENERAL ELECT ASCO HT-X-0320A20	1E ST 310010	Y-08 00002. IJ	3096	.WA .070 MIN	
1T96*SOV035A		OPERATES 1T96*AOV035A FISHER CONT. ASCO MV200-926-1F-EP	1E 111	G-01 PBS 310655	00112.0PR	.WA .070 MIN	
1T96*SOV035B		OPERATES 1T96*AOV035B FISHER CONT. ASCO MV200-926-1F-EP	1E 111	G-01 PBS 310655	00112.0PR	.WA .070 MIN	

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/02 REPORT DATE 07/07/02 PAGE 17  
 RESET NO. 009  
 RESET DATE 05/12/02

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 QAC ZONE  
 MU-CAT BLDG ELEV EQ SHEET  
 SPEC PO NUMBER QUAL STAT

OPERATE 1T96\*AOV037A  
 FISHER -LMT.  
 ASCO  
 HV200-926-1F-EP  
 1E M-12  
 RBS 00095.\*RR  
 111 310653

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

OPERATES 1T96\*AOV037B  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP  
 1E M-12  
 RBS 00095.\*RR  
 111 310655

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

OPERATES 1T96\*AOV038A  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP  
 1E D-22  
 RBP 00078.\*RR  
 172 373023

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

OPERATES 1T96\*AOV038B  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP  
 1E M-10  
 RPS 00078.\*RR  
 172 373023

ENG COMD	OPER CODE	SUBING	WA	MIN
.wL	.wA		.wA	.w070 MIN
.wH,H	.wA		.wA	.w070 MIN
.wL	.wA		.wA	.w070 MIN
.wH,H	.wA		.wA	.w070 MIN
.wL	.wA		.wA	.w070 MIN
.wH,H	.wA		.wA	.w070 MIN
.wL	.wA		.wA	.w070 MIN
.wH,H	.wA		.wA	.w100 DYS
.wL	.wA		.wA	.w070 MIN
.wH,H	.wA		.wA	.w100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 10  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-1291)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / HD0 / SPEC

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EQ SHEET  
 INJ-CAT BLDG ELEV QUAL STAT  
 SPEC PO NUMBER

EMG COMD OPER CODE

\*\*\*\*\*  
 SURNG \*\*\*\*\*

.wL .wA  
 .w070 MIN

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

.wH,M .wB  
 .w180 DYS

OPERATES 1746\*ADV030C  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP

.wL .wA  
 .w070 MIN

1E L-02  
 PDS 00090.wRR  
 172 310574

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

.wH,M .wB  
 .w180 DYS

OPERATES 1746\*ADV0380  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP

.wL .wA  
 .w070 MIN

1E L-02  
 PDS 00090.wRR  
 172 310574

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

.wH,M .wB  
 .w180 DYS

OPERATES 1746\*ADV039A  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP

.wL .wA  
 .w070 MIN

1E 0-22  
 PBP 00112.wRR  
 172 310574

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

.wH,M .wB  
 .w180 DYS

OPERATES 1746\*ADV039B  
 FISHER CONT.  
 ASCO  
 HV200-926-1F-EP

.wL .wA  
 .w070 MIN

1E M-15  
 PDS 00112.wPP  
 172 310574

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 19  
 REPORT NO. 1160002  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 RESET NO. 009  
 RESET DATE 05/12/82  
 STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 RESET NO. 009  
 RESET DATE 05/12/82  
 SORTED BY - HAK / HOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
.1746*50V039C		OPERATES 1746*ADV039C FISHER COMIT. ASCO HV200-926-1F-EP	1E	G-02 PBS	00090	.WPR	.wL	.wA .070 MIN
.1746*50V039D		OPERATES 1746*ADV039D FISHER COMIT. ASCO HV200-926-1F-EP	1E	G-02 PBS	00090	.WPR	.wL	.wA .070 MIN
.1C11*50V042A		BACK UP SCRAM SYSTEM GENERAL ELECT ASCO MP0316C37	1E PG 003	G-05 PBS	00063	.EQ	H.M	A .070 MIN
.1C11*50V042B		BACK UP SCRAM SYSTEM GENERAL ELECT ASCO MP0316C37	1E PG 003	G-05 PBS	00063	.EQ	L	A .070 MIN

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

QUALIFIED REPLACEMENT TO BE INSTALLED PRIOR TO FUEL LOAD.

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 20  
 REPORT NO. 1140002  
 RESET NO. 009  
 JOB NAME SHOREHAM - UNIT 1  
 RESET DATE 05/12/82  
 JOB CLIENT LILCO  
 SORTED BY - MAK / MOD / SPEC

REPORT NO.	EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
.1C11-SOV048A	BACK UP SCRAM SYSTEM AUTOMATIC SWITCH CO. #ASCO #MP8316E36E	1E : G-05 #RBS #FIELD.#FIELD	00063.#DR				L	A 070 MIN
.1C11-SOV048B	BACK UP SCRAM SYSTEM AUTOMATIC SWITCH CO. #ASCO #MP8316E36E	1E : G-05 #RBS #FIELD.#FIELD	00063.#DR				H,M	A 070 MIN
.1C11-SOV052	SCRAM DISCHARGE AIR PILOT AUTOMATIC SWITCH CO. #ASCO #MP832A22E	1E : #G-05 #RBS #FIELD.#FIELD	00063.#DR				L	A 070 MIN
.1Pq2-P5021A	PUMP 1Pq2-P005A DISCH AUTO SWITCH ASCO SB11AHP/TF10A3CB	1E : H-18 #RBS 348 : 10072	150.#TA/IJ				H,M	A 070 MIN #1Z SP

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P23-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 21  
 REPORT NO. P23-001  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 RESET NO. 000  
 JOB NUMBER 1160002  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 RESET DATE 05/12/82  
 JOB NAME SHOREHAM - UNIT 1  
 SORTED BY - MAK / MOD / SPEC  
 JOB CLIENT LILCO

REPORT NO.	DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	NU-CAT BLOC SPEC PO NUMBER	BLOG	ELEV	QUAL STAT	SUBING	
.1P42*P3021B	PUMP 1P42*P005B DISCH AUTO SWITCH ASCO SB11AMP/TF10A32B	1E 398	M-10 PDS 10072	150.	*TA/IJ	H,M L	.A .070 MIN 1X SP .A .070 MIN 1X SP
.1P42*P3021C	PUMP 1P42*P005C DISCH AUTO SWITCH ASCO SB11AMP/TF10A32B	1E 398	M-10 PDS 10072	150.	*TA/IJ	H,M L	.A .070 MIN 1X SP .A .070 MIN 1X SP
.1P42*P3022A	PUMP 1P42*P005A DISCH AUTO SWITCH ASCO SB11AMP/TF10A32B	1E 398	M-10 PDS 10072	150.	*TA/IJ	H,M L	.A .070 MIN 1X SP .A .070 MIN 1X SP
.1P42*P3022B	PUMP 1P42*P005B DISCH AUTO SWITCH ASCO SB11AMP/TF10A32B	1E 398	M-10 PDS 10072	150.	*TA/IJ	H,M L	.A .070 MIN 1X SP .A .070 MIN 1X SP
.1P42*P3022C	PUMP 1P42*P005C DISCH AUTO SWITCH ASCO SB11AMP/TF10A32B	1E 398	M-10 PDS 10072	150.	*TA/IJ	H,M L	.A .070 MIN 1X SP .A .070 MIN 1X SP

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 22  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	ENH COND SUBHG	OPER CODE
						*L	.wA .w070 HIN . *1Z SP
.1P42P3046A	PUMP 1P42P005A DISCH AUTO SWITCH ASCO SB11AHR/TF10A32B	1E 348	H-18 RBS 10072	.w 150.wTA/IJ	. .	*H,H	.wA .w180 DYS . *1Z SP
						*L	.wA .w180 DYS . *1Z SP
.1P42P3046B	PUMP 1P42P005B DISCH AUTO SWITCH ASCO SB11AHR/TF10A32B	1E 348	H-18 RBS 10072	.w 150.wTA/IJ	. .	*H,H	.wA .w180 DYS . *1Z SP
						*L	.wA .w180 DYS . *1Z SP
.1P42P3046C	PUMP 1P42P005C DISCH AUTO SWITCH ASCO SB11AHR/TF10A32B	1E 348	H-18 RBS 10072	.w 150.wTA/IJ	. .	*H,H	.wA .w180 DYS . *1Z SP
						*L	.wA .w180 DYS . *1Z SP
.1P50P3105A 0445000B	SERV AIR HDR A PRESS AUTO SWITCH ASCO SB11AHR/TG10A32B	1E 348	G-10 RBS 10072	. 151. TA/IJ	. .	H,H	.wB .w180 DYS . 1Z SPAN
						L	.wB .w180 DYS . .

1P50P3105B

REPORT NO. PES-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 23  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBNG	OPER CODE
.1P50P3105B 04470008	SERV AIR HDR B PRESS AUTO SWITCH ASCO SB11AHR/TG10A32B	1E 348	H-18 RBS 10072	151. TA/IJ	H,H L	.#B #180 DYS 1% SPAN #B #180 DYS
OP CODE B FOR LOCA						
.1P50P3113A 04490008	SERV AIR HDR A NORM SUP AUTO SWITCH ASCO SB11AHR/TG10A32B	1E 348	H-18 RBS 10072	151. #TA/IJ	H,H L	.#B #180 DYS 1% SPAN #B #180 DYS 1% SPAN
OP CODE B FOR LOCA						
.1P50P3113B 04510008	SERV AIR HDR B NORM SUP AUTO SWITCH ASCO SB11AHR/TG10A32B	1E 348	G-12 RBS 10072	151. #TA/IJ	H,H L	.#B #180 DYS 1% SPAN #B #180 DYS 1% SPAN
OP CODE B FOR LOCA						
1821#SOV036B	REACTOR FW INLET AOV036A VELAN ASCO MJHRX-8320-AB9E	1E 232	T-08 ST 310595	232-01 00087. EQ	H,H L	. B # 180 DYS A 070 MIN
OP CODE B FOR HELB & HELB						

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1821=SOV001A REPORT NO. PES-001 JOB 1160002 07/07/82 STORE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 28  
 REPORT NO. PES-001 PROJECT EQUIPMENT SYSTEM - (115-129) RESET NO. 009  
 JOB NUMBER 1160002 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB NAME SHOREHAM - UNIT 1 SORTED BY - MAK / H00 / SPEC  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	EMG COND	OPER CODE
		VENDOR NAME	MJ-CAT BLDG	EQ QUAL STAT				
		MAKE / MANUFACTURER	SPEC	PD NUMBER				
		MODEL / CATALOG NO						
1821=SOV001A		FOR 1821=ADV001A	1E	B-22	232-01		B	100 DYS
		VELAN		PBP	00126, EQ			
		ASCO	232	310595				
		MJHXK-0320-A09E					L	100 DYS
							MST	
							H,M	100 DYS
.1831=SOV001		OPERATES 1831=ADV001	1E	B-22	310-01		B	100 DYS
		COPEX VULCAN		PBS	00133, EQ			
		ASCO	310	310735				
		MJHXK-0320-A09E					L	070 MIN
							H,M	100 DYS
1821=SOV036A		OPERATES 1821=ADV036A	1E	T-00	232-01		B	100 DYS
		VELAN		37	00007, EQ			
		ASCO	232	310595				
		MJHXK-0320-A09E					L	070 MIN
							H,M	100 DYS
.1811=SOV001A		FOR 1811=ADV001A	1E	D-22	232-01		B	100 DYS
		VELAN		PBP	00079, EQ			
		ASCO	232	310595				
		MJHXK-0320-A09E					L	100 DYS
							H,M	100 DYS
.1811=SOV001B		FOR 1811=ADV001B	1E	D-22	232-01		B	100 DYS
		VELAN		REP	00079, EQ			
		ASCO	232	310595				
		MJHXK-0320-A09E					L	100 DYS
							H,M	100 DYS

OP CODE B FOR HELD & HELD

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 25  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	GAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT BLDG	ELEV	QUAL STAT		
	NAME / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
1E21*SOV001B	FOR 1E21*AOV001B VELAN ASCO	B-22 RPS	00126	232-01 EQ	M,H	B 100 DYS
	MJHXK-8320-A09E	232	310595		L	B 100 DYS
1P92*SOV293	RBCLM RETURN CHECK VLV VELAN ASCO	G-01 RPS	00039	232-01 EQ	M,H	B 100 DYS
	MJHXK-8320-A09E	232	310595		MST	
1P92*SOV296	RBCLM RETURN CHECK VLV VELAN ASCO	G-01 RPS	00039	232-01 EQ	M,H	B 100 DYS
	MJHXK-8320-A09E	232	310595		L	A 070 MIN
1B31*SOV082	OPERATES 1B31*AOV082 COFES VALCAH ASCO	H-10 RPS	00155	310-01 EQ	M,H	B 100 DYS
	MJHXK-8320-A09E	310	310735		L	A 070 MIN

1E11=90V003A

REPORT NO. PES-801 JOB 1160002 07/07/82

## ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 24  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBMG	OPER CODE
.1E11=90V003A	STM TO RHR HX SHELL COPEX VVLCAN ASCO MJHXK-8320-A89E	1E 318	G-03 RBS 310735	318-01 65. EQ	H,H L	B 180 DYS
.1E11=90V003B	STM TO RHR HX SHELL COPEX VVLCAN ASCO MJHXK-8320-A89E	1E 318	G-07 RBS 310735	318-01 65. EQ	H,H L	B 180 DYS
.1E11=90V007A	STM TO RHR HX SHELL COPEX VVLCAN ASCO MJHXK-8320-A89E	1E 318	G-01 RBS 310735	318-01 12. EQ	H,H L	B 180 DYS
.1E11=90V007B	STM TO RHR HX SHELL COPEX VVLCAN ASCO MJHXK-8320-A89E	1E 318	G-01 RBS 310735	318-01 00012. EQ	H,H L	B 180 DYS
.1E11=90V061A	RHR SAMPLE LINE VALVE COPEX VVLCAN ASCO MJHXK-8320-A89E	1E 318	G-01 RBS 310735	318-01 8. EQ	H,H	A 070 MIN

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 27  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE  
 NO-CAT BLDG ELEV  
 SPEC PO NUMBER

EQ SHEET  
 QUAL STAT

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	MAKE / MANUFACTURER	MODEL / CATALOG NO	QAC	ZONE	NO-CAT BLDG	ELEV	SPEC	PO NUMBER	EQ SHEET	QUAL STAT	ENG COND	OPER CODE
.1E11-SOV061B		RHR SAMPLE LINE VALVE COPE3 VULCAN ASCO MJHXK-0320-A09E				1E	G-01 PBS				310735	310-01 0. EQ		HL	HA .070 MIN
.1E11-SOV062A		RHR SAMPLE LINE VALVE COPE3 VULCAN ASCO MJHXK-0320-A09E				1E	G-01 PBS				310735	310-01 0. EQ		HL	HA .070 MIN
.1E11-SOV062B		RHR SAMPLE LINE VALVE COPE3 VULCAN ASCO MJHXK-0320-A09E				1E	G-01 PBS				310735	310-01 0. EQ		HL	HA .070 MIN
.1E01-SOV001		OPERATES 1EQ-AOV001 COPE3 VULCAN ASCO MJHXK-0320-A09E				1E	G-01 PBS				310735	310-01 0. EQ		HL	HA .070 MIN

HAKH NO. REPRESENTS # SWITCHES

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 20  
 PESET NO. 009  
 PESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	VEHICOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
.1E91-SOV002		OPERATES 1E91-ADV002 COPIES VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS 310735	310-01 00008. EQ	H,M	A 070 MIN
.1E91-SOV003		OPERATES 1E91-ADV003 COPIES VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS 310735	310-01 00008. EQ	H,M	A 070 MIN
1E91-SOV091		OPERATES 1E91-LCV091 COPIES VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS 310735	310-01 00008. EQ	H,M	B 100 DYS
1E91-SOV095		OPERATES 1E91-LCV095 COPIES VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS 310735	310-01 00008. EQ	L	B 100 DYS

MARK NO. REPRESENTS & SWITCHES

1E51\*SOV001 REPORT NO. PES-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 STORE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 29  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - 115-1291 RESET NO. 009  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
.1E51*SOV001	OPERATES 1E51*ADV001 COPEX VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS	310-01 00000. EQ		.WB .100 DYS
		310	310735			
.1E51*SOV002	OPERATES 1E51*ADV002 COPEX VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS	310-01 00000. EQ		.WB .100 DYS
		310	310735			
.1E51*SOV003	OPERATES 1E51*ADV003 COPEX VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS	310-01 00000. EQ		.WB .100 DYS
		310	310735			
.1E51*SOV004	OPERATES 1E51*LCV001 COPEX VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS	310-01 00000. EQ		.WB .100 DYS
		310	310735			
.1E51*SOV005	OPERATES 1E51*LCV005 COPEX VULCAN ASCO MJHXK-0320-A09E	1E	G-01 PBS	310-01 00000. EQ		.WB .100 DYS
		310	310735			

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 30

RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLOG	ELEV	QUAL STAT	
	MODEL / CATALOG NO	SPEC	PO NUMBER			
.1746-SOV090A	OPERATES A00090A POHEPS REGUL ASCO MJHXK-8320-A89E	1E	M-16 PBS	00150. EQ 319-03	.eL	.eB .160 DYS
.1746-SOV090B	OPERATES A00090B POHEPS REGUL ASCO MJHXK-8320-A89E	1E	M-16 PBS	00150. EQ 319-03	.eL	.eA .070 MIN
.1746-SOV091A	OPERATES A00091A POHEPS REGUL ASCO MJHXK-8320-A89E	1E	M-15 PBS	00112. EQ 319-03	.eL	.eA .070 MIN
.1746-SOV091B	OPERATES A00091B POHEPS REGUL ASCO MJHXK-8320-A89E	1E	M-15 PBS	00112. EQ 319-03	.eL	.eA .070 MIN

REPORT NO. PES-001 STONE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 31  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (115-129) RESET NO. 004  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	MANUFACTURER	MODEL / CATALOG NO	PO NUMBER	EQAL STAT	SUBING		
.1P42*SOV001Z	RBCLM HK E-11B BYPASS FISHER CONTROL ASCO MJJKX-0320-A09E	1E Q23	G-01 RBS 310772	00000, EQ	423-01	M,H	.WA .180 DYS
LOCA IS OP CODE B AFTER 70 MIN							
.1P42*SOV202	RBCLM RETURN CHECK VLV VELAH ASCO MJJKX-0320-A09E	1E 232	G-01 RBS 310595	00016, EQ	232-01	M,H	.WB .180 DYS
LOCA IS OP CODE B AFTER 70 MIN							
.1P42*SOV001M	RBCLM HK E-11A BYPASS FISHER CONTROL ASCO MJJKX-0320-A09E	1E Q23	G-01 RBS 310772	00000, EQ	223-01	M,H	.WA .180 DYS
LOCA IS OP CODE B AFTER 70 MIN							
.1P42*SOV001X	RBCLM HK E-11A BYPASS FISHER CONTROL ASCO MJJKX-0320-A09E	1E Q23	G-01 RBS 310772	00000, EQ	423-01	M,H	.WA .180 DYS
LOCA IS OP CODE B AFTER 70 MIN							

REPORT NO. PES-801 STONE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 116000P PROJECT EQUIPMENT SYSTEM - (115-88-9)  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 32  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
MAKE / MANUFACTURER	MODEL / CATALOG NO	NO-CAT BLDG	PO NUMBER	EQ QUAL STAT	SUBING			
.1P42-SOV001Y		ISOLCH RX E-118 BYPASS FISHER CONTRO ASCO #MJX-8320-A89E	1E 423	G-01 RBS	00008	423-01 EQ	M,H M,L	A A 180 DYS 070 MIN
LOCA IS OP CODE 8 AFTER 70 MIN								
.1T24-SOV001A		DRYWELL ISOL VLV 1T24-VD001A COPEX VULCAN ASCO MJH206-380-6F	1E 318	G-02 RBS	00040	318-02 EQ	H,M L	B A 180 DYS 180 DYS NA
.1T24-SOV001B		DRYWELL ISOL VLV 1T24-VD001B COPEX VULCAN ASCO MJH206-380-6F	1E 318	G-02 RBS	00040	318-02 EQ	H,M L	B A 180 DYS 180 DYS NA
.1T24-SOV009A		SUPP CHB ISL VLV 1T24-ADV009A COPEX VULCAN ASCO MJH206-380-6F	1E 318	G-02 RBS	00063	318-02 EQ	H,M L	B A 180 DYS 180 DYS NA
.1T24-SOV009B		SUPP CHB ISL VLV 1T24-ADV009B COPEX VULCAN ASCO MJH206-380-6F	1E 318	G-02 RBS	00040	318-02 EQ	H,M L	B A 180 DYS 180 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 34  
 REPORT NO. PES-001 STONE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (115-129)  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	E0 SHEET	ENG COND	OPER CODE
MAKE / MANUFACTURER	MODEL / CATALOG NO	MU-CAT BLDG	ELEV	QUAL STAT	SUBING		
800V AUTO TRANSFER SWITCH	ASC0	M-21	112	030-01	M.H	.WA	.W180 DYS
ASC0	ASC0	RBS	112	WFO			
W307A66AC	Q30	310922			M.L	.WA	.W180 DYS
800V AUTO TRANSFER SWITCH	ASC0	M-21	112	030-01	M.H	.WA	.W180 DYS
ASC0	ASC0	RBS	112	WFO			
W307A66AC	Q30				M.L	.WA	.W180 DYS

1T48RC002A

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-120)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 35  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	EMG COND SUBMG	OPER CODE
***** REPORT GROUP MAK	***** = ATOMICS INT					
.1T48RC002A	HYDROGEN RECOMB ATOMICS INT ATOMICS INT N/A	1E 289	J-16 RBS 310624	00112. TA/IJ	H,H L	B 180 DYS A 180 DYS
.1T48RC002B	HYDROGEN RECOMB ATOMICS INT ATOMICS INT N/A	1E 289	J-16 RBS 310624	00112. TA/IJ	H,H L	B 180 DYS A 180 DYS
.1T48PML048A	HYD RECOMBINER EQUIP ATOMICSINT ATOMICS INT #N019000045-01	#1E # #289	J-16 RBS #310624	00112. TA/IJ	H,H L	B 180 DYS A 180 DYS
.1T48PML048B	HYD RECOMBINER EQUIP ATOMICSINT ATOMICS INT #N019000045-01	#1E # #289	J-16 RBS #310624	00112. TA/IJ	H,H L	B 180 DYS A 180 DYS

1E11PT003A REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 34  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EMG COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PD NUMBER			
	MODEL / CATALOG NO					SUBMG
***** REPORT GROUP MAK	***** = BAILEY					

.1E11PT003A E11-N026A	STM TO RHR HX SHELL GENERAL ELEC BAILEY HG556100AAA1MHN	1E 003	G-01 310010	.3099 00008.#IJ	H,H	.B .180 DYS
--------------------------	--	-----------	----------------	--------------------	-----	----------------

					L	.B .180 DYS
--	--	--	--	--	---	----------------

.1E11PT003B E11-N026B	STM TO RHR HX SHELL GENERAL ELEC BAILEY HG556100AAA1MHN	1E 003	G-01 310010	.3099 00008.#IJ	H,H	.B .180 DYS
--------------------------	--	-----------	----------------	--------------------	-----	----------------

					L	.B .180 DYS
--	--	--	--	--	---	----------------

.1C61PT006 C61-N006	NUCLEAR PRESSURE GENERAL ELEC BAILEY HG556100EAAA1MHN	1E 003	G-09 310010	.3099 00078.RR/IJ	H,H	.#B #180 DYS
------------------------	--	-----------	----------------	----------------------	-----	-----------------

					L	.B .180 DYS
--	--	--	--	--	---	----------------

.1E11PT005 E11-N026	RHR HX SHELL TO RCIC GENERAL ELEC BAILEY HG556110CAAAA1MEL	1E 003	G-01 310010	.3099 00008.#IJ	H,H	.B .180 DYS
------------------------	---	-----------	----------------	--------------------	-----	----------------

					L	.B .180 DYS
--	--	--	--	--	---	----------------

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

1821-PT001A

REPORT NO. 1160002  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 37  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC NO-CAT	ZONE BLOG	ELEV ELEV	EQ SHEET QUAL STAT	ENG COND	OPER CODE
1821-PT001A E21-M001A	CORE SPRAY PUMP DISCH GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-01 RBS	00000. #1J	3094	H,M	B 180 DYS
1821-PT001B E21-M001B	CORE SPRAY PUMP DISCH GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-01 RBS	00000. #1J	3094	L	B 180 DYS
1821-PT001C E21-M001C	CORE SPRAY PUMP DISCH GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-01 RBS	00000. #1J	3094	H,M	B 180 DYS
1821-PT001D E21-M001D	CORE SPRAY PUMP DISCH GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-01 RBS	00000. #1J	3094	L	B 180 DYS
1821-PT001E E21-M001E	REACTOR PRESSURE GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-10 RBS	00070. #PP/1J	3094	H,M	A 180 DYS
1821-PT001F E21-M001F	REACTOR PRESSURE GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-10 RBS	00070. #PP/1J	3094	L	A 180 DYS
1821-PT001G E21-M001G	REACTOR PRESSURE GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-10 RBS	00070. #PP/1J	3094	H,M	A 180 DYS
1821-PT001H E21-M001H	REACTOR PRESSURE GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-10 RBS	00070. #PP/1J	3094	L	A 180 DYS
1821-PT001I E21-M001I	MPCI PUMP DISCHARGE GENERAL ELEC BAILEY #HG5561100AAA1M1EH	1E 003	G-01 RBS	00000. #PP/1J	3129	H,M	B 180 DYS

REPORT NO. P23-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 38  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. P23-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
MAKE / MANUFACTURER	MODEL / CATALOG NO	NU-CAT BLDG	ELEV	QUAL STAT			
*****		*****		*****		*****	
*****		*****		*****		*****	
.1E91-PT004 E91-N013		MPCI 5TH TO TURBINE GENERAL ELEC #BAILEY #MG556110EAA1MEN	1E # 003	G-01 RBS 310010	.#3129 00008.#RR/IJ	L	.#B .100 DYS #N/A
.1E91-PT005 E91-N016		TURBINE DISCH GENERAL ELEC #BAILEY #MG556110EAA1MEN	1E # 003	G-01 RBS 310010	.#3129 00008.#RR/IJ	L	.#B .100 DYS #N/A
.1E51-PT001 E51-N005		RCIC PUMP SUCTION GENERAL ELEC #BAILEY 556110EAA1MEN	1E # 003	G-01 RBS 310010	.3099 00008.#IJ	#H,H	.#B .100 DYS #
.1E51-PT002 E51-N009		RCIC PUMP DISCHARGE GENERAL ELEC #BAILEY 556110EAA1MEN	1E # 003	G-01 RBS 310010	.3099 00008.#IJ	#L	.#B .100 DYS #

1E51PT004

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 39  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC SPEC	ZONE BLDG ELEV PO NUMBER	EQ SHEET QUAL STAT	ENG COND SUBNG	OPER CODE
.1E51PT004 E51-M007	RCIC STM TO TURBINE GENERAL ELEC BAILEY 556110EAAA1MEN	1E 003	. G-01 RBS 310010	. 3099 W1J	. . . .	.#B #180 DYS . . .
					#L	.#B #180 DYS . . .
.1E51PT005 E51-M008	TURBINE DISCHARGE GENERAL ELEC BAILEY 556110EAAA1MEN	1E 003	. G-01 RBS 310010	. 3099 W1J	. . . .	.#B #180 DYS . . .
					#L	.#B #180 DYS . . .

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 40  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / HOD / SPEC

1P91#F5151A

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID

VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 QAC ZONE EQ SHEET  
 MU-CAT BLDG ELEV QVAL STAT  
 SPEC PO NUMBER  
 SUBING

REPORT GROUP MAK

.1P91#F5151A

MFR SERV MTR-RAD MON SAMPLE  
 BAILEY METER  
 #795210AAAHZ

M,H  
 .#A  
 .#180 DYS

.1P91#F5151B

MFR SERV MTR-RAD MON SAMPLE  
 BAILEY METER  
 #795210AAAHZ

M,H  
 .#A  
 .#180 DYS

M,L  
 .#A  
 .#180 DYS

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 2  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 01  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

ENGINEERING CODE  
 OPER CODE

REPORT GROUP MAK \* BARKSDALE

1021#P5022B  
 B21-N020B

\*MAIN STEAM LINE ISO  
 GENERAL ELEC  
 BARKSDALE  
 BIT-M1255

1E . 6-10 . 3016  
 . RBS 00078.#FT/IJ  
 003 . 310010

\*H,M  
 .#B  
 .#100 DYS

1021#P5022B  
 B21-N020D

MAIN STEAM LINE ISO  
 GENERAL ELEC  
 BARKSDALE  
 BIT-M1255

1E . 6-12 . 3016  
 . RBS 00078.#FT/IJ  
 003 . 310010

\*H,M  
 .#B  
 .#100 DYS

1021#P5022A  
 B21-N020A

MAIN STEAM LINE ISO  
 GENERAL ELEC  
 BARKSDALE  
 BIT-M1255-GE

1E . 6-10 . 3016  
 . RBS 00078.#FT/IJ  
 003 . 310010

\*H,M  
 .#B  
 .#100 DYS

1021#P5022C  
 B21-N020C

MAIN STEAM LINE ISO  
 GENERAL ELEC  
 BARKSDALE  
 BIT-M1255-GE

1E . 6-12 . 3016  
 . RBS 00078.#FT/IJ  
 003 . 310010

\*H,M  
 .#B  
 .#100 DYS

OP CODE B FOR HELD & HELD

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 42  
 PESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / MOD / SPEC

REPORT NO.	JOB NO.	REPORT DATE	PAGE				
1E11P5134A	1160002	07/07/82	42				
REPORT NO. PES-001	1160002	07/07/82	42				
JOB NUMBER 1160002	1160002	07/07/82	42				
JOB NAME SHOREHAM - UNIT 1	1160002	07/07/82	42				
JOB CLIENT LILCO	1160002	07/07/82	42				
REPORT NO. PES-001	1160002	07/07/82	42				
JOB NUMBER 1160002	1160002	07/07/82	42				
JOB NAME SHOREHAM - UNIT 1	1160002	07/07/82	42				
JOB CLIENT LILCO	1160002	07/07/82	42				
EQUIPMENT ID	DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	COND	OPER CODE
1E11P5134A	RHR PUMP DISCHARGE	1E	G-01	3016	3016	.A	.002 DYS
E11-N016A	GENERAL ELEC		RBS	6. EQ			0.6X
	BAPHSDALE	003	310010				
	#011-M1255-GE						
1E11P5134D	RHR PUMP DISCHARGE	1E	G-01	3016	3016	.A	.002 DYS
E11-N016B	GENERAL ELEC		RBS	6. EQ			0.6X
	BAPHSDALE	003	310010				
	#011-M1255-GE						
1E11P5134C	RHR PUMP DISCHARGE	1E	G-01	3016	3016	.A	.002 DYS
E11-N016C	GENERAL ELEC		RBS	6. EQ			0.6X
	BAPHSDALE	003	310010				
	#011-M1255-GE						
1E11P5134D	RHR PUMP DISCHARGE	1E	G-01	3016	3016	.A	.002 DYS
E11-N016D	GENERAL ELEC		RBS	6. EQ			0.6X
	BAPHSDALE	003	310010				
	#011-M1255-GE						
1E11P5134A	RHR PUMP DISCHARGE	1E	G-01	3016	3016	.A	.002 DYS
E11-N020A	GENERAL ELEC		RBS	6. EQ			0.6X
	BAPHSDALE	003	310010				
	#011-M1255-GE						

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 43  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG ELEV PO NUMBER	EQ SHEET QUAL STAT	EHG COND SUBING	OPER CODE
					L	.WA .002 DYS 0.8%
.1E11*P9135B E11-N020B	RWR PUMP DISCHARGE GENERAL ELEC BARNSDALE #B17-H1255-GE	1E 003	G-01 RBS 310010	3010 0. EQ	H,H	.WA .002 DYS 0.8%
					L	.WA .002 DYS 0.8%
.1E11*P9135C E11-N020C	RWR PUMP DISCHARGE GENERAL ELEC BARNSDALE #B17-H1255-GE	1E 003	G-01 RBS 340030	3010 0. EQ	H,H	.WA .002 DYS 0.8%
					L	.WA .002 DYS 0.8%
.1E11*P9135D E11-N020D	RWR PUMP DISCHARGE GENERAL ELEC BARNSDALE #B17-H1255-GE	1E 003	G-01 RBS 310010	3010 0. EQ	H,H	.WA .002 DYS 0.8%
					L	.WA .002 DYS 0.8%
.1E51*P9002 E51-N020	RCIC PUMP DISCHARGE GENERAL ELEC BARNSDALE #B17-H1255-GE	1E 003	G-01 RBS 310010	3010 00008. #FT/IJ	H,H	.WB .180 DYS
					L	.WB .180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 44  
 REPORT NO. PES-001 PROJECT EQUIPMENT SYSTEM - (115-129) RESET NO. 009  
 JOB NUMBER 1160002 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB NAME SHOREHAM - UNIT 1 SORTED BY - MAK / MOD / SPEC  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
		MAKE / MANUFACTURER	MU-CAT BLDG	ELEV	QUAL STAT		
		MODEL / CATALOG NO	SPEC	PO NUMBER			
.1E01P3002	E01-M027	MPCI PUMP DISCHARGE GENERAL ELEC BARKSDALE	1E 003	G-01 RBS 310010	3018 00000.FT/IJ	M,H	A 012 HRS 1.0 Z
.1E01P3026A	E01-M017A	HIGH EXHAUST LINE PRESS G.E. BARKSDALE	1E 003	G-01 RBS 310010	3018 00000.EQ	M,H	A 012 HRS 10Z
.1E01P3026B	E01-M017B	HIGH EXHAUST LINE PRESS G.E. BARKSDALE	1E 003	G-01 RBS 310010	3018 00000.EQ	M,H	A 012 HRS 10Z
.1E51P3025A	E51-M012A	DRAIN POT VENT GENERAL ELEC BARKSDALE	1E 001	G-01 RBS 310010	3021 00000.FT/IJ	M,H	B 180 DYS
.1E51P3025B	E51-M012B	DRAIN POT VENT GENERAL ELEC BARKSDALE	1E 003	G-01 RBS 310010	3021 00000.FT/IJ	M,H	B 180 DYS

REPORT NO. PES-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 05  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
MAKE / MANUFACTURER	MJ-CAT BLDG	ELEV	QUAL STAT					
MODEL / CATALOG NO	SPEC	PO NUMBER						
.1E51P5025C E51-N012C		DRAIN POT VENT GENERAL ELEC BARKSDALE D2H-A15055		1E	G-01	3021	WL	.WB *180 DYS
					RDS	00008.#FT/IJ		
				003	310010			
.1E51P5025D E51-N012D		DRAIN POT VENT GENERAL ELEC BARKSDALE D2H-A15055		1E	G-01	3021	WL	.WB *180 DYS
					RDS	00008.#FT/IJ		
				003	310010			
.1E01P5025A E01-N012A		DRAIN POT VENT G.E. BARKSDALE #D2H-M15055		1E	G-01	3021	H,M	.A *012 HPS
					RDS	00008.#FT/IJ		
				003	310010			*2.0 Z
.1E01P5025B E01-N012B		DRAIN POT VENT G.E. BARKSDALE #D2H-M15055		1E	G-01	3021	L	.A *012 HPS
					RDS	00008.#FT/IJ		
				003	310010			*2.0 Z

REPORT NO. PES-801 JOB 116-002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT NO. PES-801 STORE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (15-129)  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - HAH / MOD / SPEC REPORT DATE 07/07/82 PAGE 46  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	EQ CODE	OPER CODE
VENDOR ID	MAKE / MANUFACTURER	MU-CAT BLDG	PO NUMBER	ELEV	QUAL STAT		
	MODEL / CATALOG NO	SPEC					
.1E91P9025C	DRAIN POT VENT	1E	G-01	3021		A	
E91-N012C	G.E.	RBS					012 HRS
	BARKSDALE	003	310010	00009	.#FT/IJ		#2.0 X
	#02H-H15055						
.1E91P9025D	DRAIN POT VENT	1E	G-01	3021		A	
E91-N012D	G.E.	RBS					012 HRS
	BARKSDALE	003	310010	00006	.#FT/IJ		#2.0 X
	#02H-H15055						
.1E11P9130A	PRIMARY CONTAINMENT HP	1E	G-10	3021		A	
E11-N010A	GENERAL ELEC	RBS					002 DYS
	BARKSDALE	003	310010	00078	.#FT/IJ		0.7X
	D2H-H1055						
.1E11P9130B	PRIMARY CONTAINMENT HP	1E	G-10	3021		A	
E11-N010B	GENERAL ELEC	RBS					002 DYS
	BARKSDALE	003	310010	00078	.#FT/IJ		0.7X
	D2H-H1055						
.1E11P9130C	PRIMARY CONTAINMENT HP	1E	G-10	3021		A	
E11-N010C	GENERAL ELEC	RBS					002 DYS
	BARKSDALE	003	310010	00078	.#FT/IJ		0.7X
	D2H-H1055						

REPORT NO. PES-301 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 07  
 PRESET NO. 000  
 PRESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
NAME / MANUFACTURER	MODEL / CATALOG NO	MU-CAT BLDG	ELEV	EQ QUAL	STAT			
*****		SPEC	PO NUMBER	*****		SUBING	*****	
.1E11P031300 E11-N0100		PRIMARY CONTAINMENT HP GENERAL ELEC BARHSDALE DZH-H1055		1E	G-12 RBS	3021 00070.FT/IJ	L	.WA .002 DYS
				003	310010			0.7Z
.1E31P03026A E31-N009A		HIGH EXHAUST LINE PRESS GENERAL ELEC BARHSDALE DZH-H0055		1E	G-01 RBS	3021 00008.FT/IJ	L	.WA .002 DYS
				003	310010			0.7Z
.1E51P03026B E51-N009B		HIGH EXHAUST LINE PRESS GENERAL ELEC BARHSDALE DZH-H0055		1E	G-01 RBS	3021 00008.FT/IJ	H,M	.WB .100 DYS
				003	310010			
.1E21P03012A E21-N000A		CORE SPRAY PUMP DISCH GENERAL ELEC BARHSDALE PIH-H1455		1E	G-01 RBS	3025 0.EQ	L	.WB .100 DYS
				003	310010			

\*\*\*\*\*



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 116002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 49  
RESET NO. 009  
RESET DATE 05/12/82

ENG COMD OPER CODE  
SURHG

EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET  
VENDOR NAME MU-CAT BLDG ELEV QUAL STAT  
MAKE / MANUFACTURER SPEC PO NUMBER  
MODEL / CATALOG NO

REPORT GROUP MAK \* BARTON

1821\*P0302A1  
821-N006A  
MAIN 5TH LINE A FLOW DET  
GENERAL ELEC  
BARTON  
286A  
1E  
003  
WL-02  
RBS 00090. EQ  
310010  
3027

H,H  
A  
070 MIN  
2X

L  
B  
180 DYS

H,H  
A  
070 MIN  
2X

L  
B  
180 DYS

H,H  
A  
070 MIN  
2X

L  
B  
180 DYS

H,H  
A  
070 MIN  
2X

L  
B  
180 DYS

L  
B  
180 DYS

L  
B  
180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 50  
 RESET NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

1821eP030261  
 REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	MAKE / MANUFACTURER	MJ-CAT	BLDG	ELEV	QUAL STAT		
	MODEL / CATALOG NO	SPEC	PD NUMBER			SUBING	
1821eP030261 B21-N007A	MAIN STM LINE B FLOW DET GENERAL ELEC BARTON 288A	1E 003	.L-02 RBS 310010	3027 00040	EQ EQ	H,M	A .070 MIN Z
1821eP030262 B21-N007B	MAIN STM LINE B FLOW DET GENERAL ELEC BARTON 288A	1E 003	.L-02 RBS 310010	3027 00040	EQ EQ	H,M	A .070 MIN Z
1821eP030263 B21-N007C	MAIN STM LINE B FLOW DET GENERAL ELEC BARTON 288A	1E 003	.L-02 RBS 310010	3027 00040	EQ EQ	H,M	A .070 MIN Z
1821eP030264 B21-N007D	MAIN STM LINE B FLOW DET GENERAL ELEC BARTON 288A	1E 003	.L-02 RBS 310010	3027 00040	EQ EQ	H,M	A .070 MIN Z
1821eP030265 B21-N008A	MAIN STM LINE C FLOW DET GENERAL ELEC BARTON 288A	1E 003	.L-02 RBS 310010	3027 00040	EQ EQ	H,M	A .070 MIN Z

REPORT NO. P23-801 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P23-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / HOD / SPEC

REPORT DATE 07/07/82 PAGE 51  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	MAKE / MANUFACTURER MODEL / CATALOG NO	NO-CAT	BLOG	ELEV	QUAL STAT	SUBMG	
.1821-P0302C2 B21-N0088	MAIN 5TH LINE C FLOM DET GENERAL ELEC BARTON 288A	1E	W-L-02 RBS	00040. EQ	3027	H,M	A 070 MIN 2X
.1821-P0302C3 B21-N008C	MAIN 5TH LINE C FLOM DET GENERAL ELEC BARTON 288A	1E	W-L-02 RBS	00040. EQ	3027	H,M	A 070 MIN 2X
.1821-P0302C4 B21-N008D	MAIN 5TH LINE C FLOM DET GENERAL ELEC BARTON 288A	1E	W-L-02 RBS	00040. EQ	3027	H,M	A 070 MIN 2X
.1821-P0302D1 B21-N009A	MAIN 5TH LINE D FLOM DET GENERAL ELEC BARTON 288A	1E	W-L-02 RBS	00040. EQ	3027	H,M	A 070 MIN 2X

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 52  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

1821#P03020Z  
 REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
1821#P03020Z	021-M0099	MAIN 5TH LINE D FLOW DET GENERAL ELEC BARTON 280A	MAKE / MANUFACTURER MODEL / CATALOG / D	SPEC	PO NUMBER	ELEV	SUBING	
1821#P03020Z	021-M0099	MAIN 5TH LINE D FLOW DET GENERAL ELEC BARTON 280A	1E .#L-02 . 3027 RBS 00090. EQ	003 . 310010			H,M	A . 070 MIN B . 180 DYS
1821#P03020Z	021-M0099	MAIN 5TH LINE D FLOW DET GENERAL ELEC BARTON 280A	1E .#L-02 . 3027 RBS 00090. EQ	003 . 310010			H,M	A . 070 MIN B . 180 DYS
1821#P03020Z	021-M0099	MAIN 5TH LINE D FLOW DET GENERAL ELEC BARTON 280A	1E .#L-02 . 3027 RBS 00090. EQ	003 . 310010			H,M	A . 070 MIN B . 180 DYS
1821#P03020Z	021-M0099	PRIMARY CONTAINMENT HP GENERAL ELEC BARTON 280A	1E G-10 . 3027 RBS 00078.#FT/IJ	003 . 310010			H,M	B . #180 DYS
1821#P03020Z	021-M0099	COPE SPRAY PUMP DISCH GENERAL ELEC BARTON 280A	1E G-01 . 3027 RBS 00008.#FT/IJ	003 . 310010			H,M	B . 180 DYS

REPORT NO. P23-801 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / 100 / SPEC

REPORT DATE 07/07/82 PAGE 53  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO.	JOB NUMBER	JOB NAME	JOB CLIENT	EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	MAKE / MANUFACTURER	MODEL / CATALOG NO	GAC SPEC	ZONE	NU-CAT BLDG	ELEV	EQ SHEET	QUAL STAT	EMG COND	OPER CODE
.1E21#P030338	E21-M005D	GENERAL ELEC	BARTON	Z00A	1E	0-01	RBS	00000.#FT/IJ	3027	003	310010				L	A	100 DYS
CORE SPRAY PUMP DISCH																	
.1E41#P03022A	E41-M009	GENERAL ELEC	BARTON	Z00A	1E	6-01	RBS	00000.#FT/IJ	3027	003	310010				H,M	A	012 HRS
MPCI AUTO ISOLATION																	
.1E41#P03022B	E41-M005	GENERAL ELEC	BARTON	Z00A	1E	6-01	RBS	00000.#FT/IJ	3027	003	310010				L	A	012 HRS
MPCI AUTO ISOLATION																	
.1E41#P03023A	E41-M001A	GENERAL ELEC	BARTON	Z00A	1E	6-01	RBS	00000.#FT/IJ	3027	003	310010				H,M	A	012 HRS
MPCI AUTO ISOLATION																	

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

1E91P50230

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STORE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 54  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
		VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	MU-CAT BLDG SPEC	PO NUMBER		QUAL STAT	SUBMG	
.1E91P50230	E91-M001B	MPCI AUTO ISOLATION GENERAL ELEC BARTON 200A	1E 003	G-01 RBS 310010	00000	3027 MFT/IJ	H,M	A 012 HRS #2.0 X
.1E91P5023C	E91-M001C	MPCI AUTO ISOLATION GENERAL ELEC BARTON 200A	1E 003	G-01 RBS 310010	00000	3027 MFT/IJ	H,M	A 012 HRS #2.0 X
.1E91P5023D	E91-M001D	MPCI AUTO ISOLATION GENERAL ELEC BARTON 200A	1E 003	G-01 RBS 310010	00000	3027 MFT/IJ	H,M	A 012 HRS #2.0 X
.1E51P5003	F51-M002	PCIC PUMP DISCHARGE GENERAL ELEC BARTON 200A	1E 003	G-01 RBS 310010	00000	3027 MFT/IJ	H,M	B 180 DYS #160 DYS
.1E51P5022A	E51-M017	PCIC AUTO ISOLATION GENERAL ELEC BARTON 200A	1E 003	L-02 RBS 310010	00040	3027 MFT/IJ	H,M	A 070 MIN

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 53  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	EMG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLOG	ELEV	QUAL STAT		
	MAKE / MANUFACTURER	SPEC	PO NUMBER				
	MODEL / CATALOG NO						
.1E51#P05022B E51-N018	RCIC AUTO ISOLATION GENERAL ELEC BARTON 209A	1E	L-02	3027		.#L	.#B .100 DYS
		003	RBS	00000.#FT/IJ			
			310010				
.1E11#P05001A E11-N021A	VALVE INTERLOCK GENERAL ELEC BARTON 209A	1E	G-01	3027		.#L	.#B .100 DYS
		003	RBS	00000.#FT/IJ			
			310010				
.1E11#P05001B E11-N021B	VALVE INTERLOCK GENERAL ELEC BARTON 209A	1E	G-01	3027		L	A .100 DYS
		003	RBS	00000.#FT/IJ			
			310010				
.1E21#F15002A E21-N006A	CORE SPRAY PUMP DISCH GENERAL ELEC BARTON 209A	1E	G-01	3027		.#L	.#B .100 DYS
		003	RBS	00000.#FT/IJ			
			310010				

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1E21#F13002B REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 54  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COMD	OPER CODE
		MAKE / MANUFACTURER MODEL / CATALOG NO	MU-CAT BLDG SPEC	PO NUMBER	ELEV	QUAL STAT	SUBMG	
.1E21#F13002B	E21-N006B	CORE SPRAY PUMP DISCH GENERAL ELEC BARTON 289A	1E 003	G-01 RBS 310010	00000	3027 WFT/IJ	H,H	.#B .#180 DYS
.1E21#F3003	E21-N006	MPCI PUMP DISCHARGE GENERAL ELEC BARTON 289A	1E 003	G-01 RBS 310010	00000	3027 WFT/IJ	H,H	A .012 HRS #3.75 Z
.1E11#L7002A	E11-N008A	RHR HX SHELL GENERAL ELEC BARTON 368	1E 003	G-01 RBS 310010	00000	3199 WFT/IJ	H,H	B .180 DYS #
.1E11#L7002B	E11-N008B	RHR HX SHELL GENERAL ELEC BARTON 368	1E 003	G-01 RBS 310010	00000	3199 WFT/IJ	H,H	B .180 DYS #
.1B21#L17009A	B21-N026A	MIDE PARGE GENERAL ELEC BARTON 760	1E 003	G-10 RBS 310010	00078	3129 WFT/IJ	H,H	.#B .#180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PE3-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 57  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PE3-001  
 JOB NUMBER 1160002  
 JOB NAME SHOEHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO.	REPORT ID	EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
JOB NUMBER	VENDOR NAME	MAKE / MANUFACTURER	MODEL / CATALOG NO	MJ-CAT BLDG	ELEV	QUAL STAT		
JOB NAME	MODEL / CATALOG NO	SPEC	PO NUMBER					
.1021-11T000B	B21-N0260	WIDE RANGE GENERAL ELEC BARTON 760	1E . G-10 . 3129 RBS 00078 . PR/IJ				L	B . 100 DYS
.1021-11T007A	B21-N037A	FUEL ZONE GENERAL ELEC BARTON 760	1E . G-09 . 3129 PG . RBS 00078 . PR/IJ 003 . 310010				H,M	A . 100 DYS
.1021-11T007B	B21-N037B	FUEL ZONE GENERAL ELEC BARTON 760	1E . G-11 . 3129 PG . RBS 00078 . PR/IJ 003 . 310010				L	A . 100 DYS
.1C61-11T107		BACK-UP PCTR LEVEL INDICATION GENERAL ELECTRIC BARTON 760	1 . G-13 RBS 00078 . PR/IJ 003 . 310010				H,M	B . 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/02  
 REPORT DATE 07/07/02 PAGE 50  
 REPORT NO. 004  
 RESET DATE 05/12/02

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (113-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID: .1291-PCV102  
 VENDOR ID: 291-F035  
 EQUIPMENT DESCRIPTION: TO LUBE OIL COOLER  
 VENDOR NAME: FISHER CONTROL  
 MAKE / MANUFACTURER: BECH  
 MODEL / CATALOG NO: 10-101-023605(ES)  
 QAC: 1E  
 ZONE: G-01  
 BLDG: RBS  
 ELEV: 310  
 EQ SHEET: 310-01  
 QUAL STAT: 16. #FT/IJ

EQUIPMENT ID: .1291-PCV102  
 VENDOR ID: 291-F035  
 EQUIPMENT DESCRIPTION: TO LUBE OIL COOLER  
 VENDOR NAME: FISHER CONTROL  
 MAKE / MANUFACTURER: BECH  
 MODEL / CATALOG NO: 10-101-023605(ES)  
 QAC: 1E  
 ZONE: G-01  
 BLDG: RBS  
 ELEV: 310  
 EQ SHEET: 310-01  
 QUAL STAT: 16. #FT/IJ

EQUIPMENT ID: .1291-PCV102  
 VENDOR ID: 291-F035  
 EQUIPMENT DESCRIPTION: TO LUBE OIL COOLER  
 VENDOR NAME: FISHER CONTROL  
 MAKE / MANUFACTURER: BECH  
 MODEL / CATALOG NO: 10-101-023605(ES)  
 QAC: 1E  
 ZONE: G-01  
 BLDG: RBS  
 ELEV: 310  
 EQ SHEET: 310-01  
 QUAL STAT: 16. #FT/IJ

EQUIPMENT ID: .1796-TCV022A  
 VENDOR ID: 291-F035  
 EQUIPMENT DESCRIPTION: PB STANDBY VENT UC 2A  
 VENDOR NAME: FISHER CONTROL  
 MAKE / MANUFACTURER: BECH  
 MODEL / CATALOG NO: 10-101-023605(ES)  
 QAC: 1E  
 ZONE: G-01  
 BLDG: RBS  
 ELEV: 310  
 EQ SHEET: 310-01  
 QUAL STAT: 16. #FT/IJ

EQUIPMENT ID: .1796-TCV022B  
 VENDOR ID: 291-F035  
 EQUIPMENT DESCRIPTION: PB STANDBY VENT UC 2B  
 VENDOR NAME: FISHER CONTROL  
 MAKE / MANUFACTURER: BECH  
 MODEL / CATALOG NO: 10-101-023605(ES)  
 QAC: 1E  
 ZONE: G-02  
 BLDG: RBS  
 ELEV: 310  
 EQ SHEET: 310-01  
 QUAL STAT: 16. #FT/IJ

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	MAKE / MANUFACTURER	MODEL / CATALOG NO	QAC	ZONE	BLDG	ELEV	EQ SHEET	QUAL STAT	ENG COND	OPER CODE
.1291-PCV102	291-F035	TO LUBE OIL COOLER	FISHER CONTROL	BECH	10-101-023605(ES)	1E	G-01	RBS	310	310-01	16. #FT/IJ	H,M	A .012 HRS
.1291-PCV102	291-F035	TO LUBE OIL COOLER	FISHER CONTROL	BECH	10-101-023605(ES)	1E	G-01	RBS	310	310-01	16. #FT/IJ	L	A .012 HRS
.1291-PCV102	291-F035	TO LUBE OIL COOLER	FISHER CONTROL	BECH	10-101-023605(ES)	1E	G-01	RBS	310	310-01	16. #FT/IJ	H,M	B .100 DYS
.1796-TCV022A	291-F035	PB STANDBY VENT UC 2A	FISHER CONTROL	BECH	10-101-023605(ES)	1E	G-01	RBS	310	310-01	16. #FT/IJ	L	B .100 DYS
.1796-TCV022B	291-F035	PB STANDBY VENT UC 2B	FISHER CONTROL	BECH	10-101-023605(ES)	1E	G-02	RBS	310	310-01	16. #FT/IJ	H,M	A .100 DYS

1746\*TCV023A REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 59  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBJG	OPER CODE
.1746*TCV023A	RB STANDBY VENT UC 3A FISHER CONTRL BECK 14-101-023645(ES)	1E 310	G-01 RBS 310736	310-01 00008. #FT/IJ	#H,H	.#A #180 DYS
					#L	.#A #180 DYS
.1746*TCV023B	RB STANDBY VENT UC 3B FISHER CONTRL BECK 14-101-023645(ES)	1E 310	G-02 RBS 310736	310-01 00040. #FT/IJ	#H,H	.#A #180 DYS
					#L	.#A #180 DYS
.1746*TCV024A	RB STANDBY VENT UC-4A FISHER CONTRL BECK 14-101-023645(ES)	1E 310	H-20 RBS 310736	310-01 175. #FT/IJ	#H,H	.#A #180 DYS
					#L	.#A #180 DYS
.1746*TCV024B	RB STANDBY VENT UC-4B FISHER CONTRL BECK 14-101-023645(ES)	1E 310	H-20 RBS 310736	310-01 175. #FT/IJ	#H,H	.#A #180 DYS
					#L	.#A #180 DYS
.1746*TCV025A	RB STANDBY VENT UC-5A FISHER CONTRL BECK 14-101-023645(ES)	1E 310	H-20 RBS 310736	310-01 175. #FT/IJ	#H,H	.#A #180 DYS

REPORT NO. PES-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 60  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	VENDOR NAME	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	MAKE / MANUFACTURER	MODEL / CATALOG NO	MU-CAT	BLOG	ELEV	QUAL	STAT
*****	*****	*****	SPEC	PO NUMBER	*****	*****	*****
.1706#TCV0250	RB STANDBY VENT UC-50 FISHER CONTROL BECK 14-101-023695(ES)		1E	M-20	310-01		
			310	PBS	175.#FT/IJ		
				310736			
						.#L	.#A .#100 DYS
.1706#TCV026A	RB STANDBY VENT UC-6A FISHER CONTROL BECK 14-101-023695(ES)		1E	M-15	310-01		
			310	PBS	00112.#FT/IJ		
				310736			
						.#L	.#A .#100 DYS
.1706#TCV026B	RB STANDBY VENT UC-6B FISHER CONTROL BECK 14-101-023695(ES)		1E	M-15	310-01		
			310	PBS	00112.#FT/IJ		
				310736			
						.#L	.#A .#100 DYS
.1706#TCV028A	MCC RH UNIT COOLER FISHER CONTROL BECK 14-101-023695(ES)		1E	M-16	310-01		
			310	PBS	00112.#FT/IJ		
				310736			
						.#L	.#A .#100 DYS

1T46\*TCV0208 REPORT NO. PES-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 61  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC NU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	EMG COND SUBING	OPER CODE
.1T46*TCV0208	MCC RM UNIT COOLER FISHER CONTRL BECK 14-101-023645(ES)	1E 310	H-15 RBS 310736	310-01 00112. wFT/IJ	wH,H wL	.wA .w180 DYS
.1T46*TCV059A	UC-21A UNIT CLEAR FISHER CONTRL BECK 14-101-023645(ES)	1E 310	H-18 RBS 310736	310-01 00150. wFT/IJ	wH,H wL	.wA .w180 DYS
.1T46*TCV059B	UC-21B UNIT CLEAR FISHER CONT. BECK 14-101-023645(ES)	1E 310	H-18 RBS 310736	310-01 00150. wFT/IJ	wH,H wL	.wA .w180 DYS
.1T46*TCV060A	UC-22A UNIT CLEAR FISHER CONT. BECK 14-101-023645(ES)	1E 310	H-18 RBS 310736	310-01 00150. wFT/IJ	wH,H wL	.wA .w180 DYS
.1T46*TCV060B	UC-22B UNIT CLEAR FISHER CONT. BECK 14-101-023645(ES)	1E 310	H-18 RBS 310736	310-01 00150. wFT/IJ	wH,H	.wA .w180 DYS



1E51#015      REPORT NO. PES-001 JOB 1160002 07/07/82      ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001      STONE AND WEBSTER ENGINEERING CORPORATION      REPORT DATE 07/07/82      PAGE 43  
JOB NUMBER 1160002      PROJECT EQUIPMENT SYSTEM - (15-129)      RESET NO. 009  
JOB NAME SHOREHAM - UNIT 1      ENVIRONMENTAL QUALIFICATION STATUS REPORT      RESET DATE 05/12/82  
JOB CLIENT LILCO      SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID      EQUIPMENT DESCRIPTION      ENG COND      OPER CODE  
VENDOR ID      VENDOR NAME      MAKE / MANUFACTURER      QAC      ZONE      MU-CAT      BLDG      ELEV      EQ SHEET      UJAL      STAT  
MODEL / CATALOG NO      SPEC      PO NUMBER      SURNG

\*\*\*\*\*  
REPORT GROUP MAK      BINGHAM PUMP      \*\*\*\*\*  
\*\*\*\*\*

.1E51#015      RC19 TURB TU-005 PUMP      #H,M      .#B  
#GENERAL ELECT      #E      .#G-01      .#100 DYS  
#BINGHAM PUMP      .#S      .#DR/IJ      .  
003      .#110010      .      .      .      .  
#L      .#B  
#100 DYS

1R32WHP-63 REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 64  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	ELEV	QUAL STAT	SUBNG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****	*****	*****	*****	*****	*****	*****
REPORT GROUP MAK	* BRAND REX					

1R32WHP-63	INST CABLE				ALL	. A
	BRAND REX	1E	. ALL	. 455-01		. 180 DYS
	BRAND REX		. RB	. EQ		
	LOW CAP INST CABLE	455	. 310965		SPR	. N/A

REPRESENTS ALL CABLE PURCHASED UNDER SH1-455

1633\*TE071A

REPORT NO. PES-001 JOB 1160002 07/07/82

## ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 65  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBHG	OPER CODE
***** REPORT GROUP MAK	***** * CALIF. ALLOY					
.1633*TE071A G33-N016A	RX MTR CLN UP AHB GENERAL ELEC CALIF. ALLOY 145C3224P2	1E 003	P-14 RBS 310010	. 3110 112.*TA/IJ	H,H L	A . 070 MIN B . 180 DYS
.1633*TE071B G33-N016B	RX MTR CLN UP AHB GENERAL ELEC CALIF. ALLOY 145C3224P2	1E 003	P-13 RBS 310010	. 3110 112.*TA/IJ	H,H L	A . 070 MIN B . 180 DYS
.1633*TE071C G33-N016C	RX MTR CLN UP AHB GENERAL ELEC CALIF. ALLOY 145C3224P2	1E 003	H-15 RBS 310010	. 3110 140.*TA/IJ	H,H L	A . 070 MIN B . 180 DYS
.1633*TE071D G33-N016D	RX MTR CLN UP AHB GENERAL ELEC CALIF. ALLOY 145C3224P2	1E 003	H-16 RBS 310010	. 3110 140.*TA/IJ	H,H L	A . 070 MIN B . 180 DYS

1633=TE071E

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 66  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EHG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLOG	ELEV	QUAL STAT	SUBING
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
.1633=TE071E 633-N016E	RX MTR CLN UP AMB GENERAL ELEC CALIF. ALLOY 145C3224P2	1E 003	M-18 RBS 310010	. 3110 173.=TA/IJ	H,M	. A . 070 MIN . 180 DYS
.1633=TE071F 633-N016F	RX MTR CLN UP AMB GENERAL ELEC CALIF. ALLOY 145C3224P2	1E 003	M-19 RBS 310010	. 3110 173.=TA/IJ	H,M L	. A . 070 MIN . 180 DYS

1821\*TE93AX REPORT NO. P23-801 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P23-801 STONE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 47  
JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (15-129) RESET NO. 004  
JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID EQUIPMENT DESCRIPTION OAC ZONE ELEV EQ SHEET ENG COND OPER CODE  
VENDOR ID VENDOR NAME MU-CAT BLDG ELEV QUAL STAT SURNG  
\*\*\*\*\*  
REPORT GROUP MAK \* CALIFORNIA ALLOY \*\*\*\*\*

.1821\*TE93AX MAIN 5TH TUNNEL INLET  
B21-N016A GENERAL ELEC 1E ST 3110  
CALIFORNIA ALLOY .#TB 00078.#TA/IJ  
195C322qP001 003 310010  
#A  
#070 MIN  
#ANSI C96.1

.1821\*TE93BX MAIN 5TH TUNNEL INLET  
B21-N016B GENERAL ELEC 1E ST 3110  
CALIFORNIA ALLOY .#TB 00078.#TA/IJ  
195C322qP001 003 310010  
#B  
#180 DYS

.1821\*TE93CX MAIN 5TH TUNNEL INLET  
B21-N016C GENERAL ELEC 1E ST 3110  
CALIFORNIA ALLOY .#TB 00078.#TA/IJ  
195C322qP001 003 310010  
#A  
#070 MIN  
#ANSI C96.1

.1821\*TE93DX MAIN 5TH TUNNEL INLET  
B21-N016D GENERAL ELEC 1E ST 3110  
CALIFORNIA ALLOY .#TB 00078.#TA/IJ  
195C322qP001 003 310010  
#B  
#180 DYS

.1821\*TE93EX MAIN 5TH TUNNEL INLET  
B21-N016E GENERAL ELEC 1E ST 3110  
CALIFORNIA ALLOY .#TB 00078.#TA/IJ  
195C322qP001 003 310010  
#A  
#070 MIN  
#ANSI C96.1

.1821\*TE93FX MAIN 5TH TUNNEL INLET  
B21-N016F GENERAL ELEC 1E ST 3110  
CALIFORNIA ALLOY .#TB 00078.#TA/IJ  
195C322qP001 003 310010  
#B  
#180 DYS

1E51\*TE052A

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 48  
RESEY NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBING	OPER CODE
.1E51*TE052A E51-N011A	RCIC EQUIP AREA A/B *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	*G-01 310610	*3110 *RBS *00020.*TA/IJ	*H,H	*A *070 MIN *ANSI C96.1
					*L	*B *180 DYS
.1E51*TE052B E51-N011B	RCIC EQUIP AREA A/B *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	*G-01 310010	*3110 *RBS *00020.*TA/IJ	*H,H	*A *070 MIN *ANSI C96.1
					*L	*B *180 DYS
.1E51*TE053A E51-N022A	RCIC EQUIP AREA A/B *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	*G-01 310010	*3110 *RBS *00020.*TA/IJ	*H,H	*A *070 MIN *ANSI C96.1
					*L	*B *180 DYS
.1E51*TE053B E51-N022B	RCIC EQUIP AREA A/B *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	*G-01 310010	*3110 *RBS *00020.*TA/IJ	*H,H	*A *070 MIN *ANSI C96.1
					*L	*B *180 DYS
.1E51*TE054A E51-N023A	RCIC EQUIP AREA A/B *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	*G-01 310010	*3110 *RBS *00020.*TA/IJ	*H,H	*A *070 MIN *ANSI C96.1

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 69  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC NU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET QUAL STAT	ENG COND SUBNG	OPER CODE
					wL	.wB .w180 DYS
.1E51wTE054B E51-N023B	RCIC EQUIP AREA A/B wGENERAL ELECT wCALIFORNIA ALLOY w145C3224P1	w1E 003	.wG-01 RBS 310010	.w3110 63.wTA/IJ	wH,H	.wA .w070 HIN wANSI C96.1
					wL	.wB .w180 DYS
.1E51wTE055A E51-N025A	RCIC EQUIP AREA A/B wGENERAL ELECT wCALIFORNIA ALLOY w145C3224P1	1E 003	.wG-01 RBS 370969	.w3110 00017.wTA/IJ	wH,H	.wA .w070 HIN wANSI C96.1
					wL	.wB .w180 DYS
.1E51wTE055B E51-N025B	RCIC EQUIP AREA A/B wGENERAL ELECT wCALIFORNIA ALLOY w145C3224P1	1E 003	.wG-01 RBS 310010	.w3110 00022.wTA/IJ	wH,H	.wA .w070 HIN wANSI C96.1
					wL	.wB .w180 DYS
.1E51wTE055C E51-N025C	RCIC EQUIP AREA A/B wGENERAL ELECT wCALIFORNIA ALLOY w145C3224P1	1E 003	.wG-01 RBS 310010	.w3110 00031.wTA/IJ	wH,H	.wA .w070 HIN wANSI C96.1
					wL	.wB .w180 DYS

1E51\*TE0550

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 70  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBRG	OPER CODE
.1E51*TE0550 E51-N0250	RCIC EQUIP AREA AMB *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	1E 003	.G-01 RBS 310010	.3110 *TA/IJ 00031	*H,H *L	*A *070 MIN *ANSI C96.1 *B *180 DYS
.1E51*TE054A E51-N026A	RCIC EQUIP AREA AMB *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	.G-05 RBS 310010	*3110 *TA/IJ *00063	*H,H *L	*A *070 MIN *ANSI C96.1 *B *180 DYS
.1E51*TE054B E51-N026B	RCIC EQUIP AREA AMB *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	.G-05 RBS 310010	*3110 *TA/IJ *00063	*H,H *L	*A *070 MIN *ANSI C96.1 *B *180 DYS
.1E51*TE054C E51-N026C	RCIC EQUIP AREA AMB *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	.G-05 RBS 310010	*3110 *TA/IJ *00063	*H,H *L	*A *070 MIN *ANSI C96.1 *B *180 DYS
.1E51*TE054D E51-N026D	RCIC EQUIP AREA AMB *GENERAL ELECT *CALIFORNIA ALLOY *145C3224P1	*1E 003	.G-05 RBS 310010	*3110 *TA/IJ *00063	*H,H *L	*A *070 MIN *ANSI C96.1 *B *180 DYS

REPORT NO. PES-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 71  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME					
	MAKE / MANUFACTURER	MJ-CAT	BLOG	ELEV	QUAL STAT	
	MODEL / CATALOG NO	SPEC	PO NUMBER		SUBMG	

\*\*\*\*\*

.L .B  
.180 DYS

REPORT NO. PE3-001 STORE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 72  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (15-129) RESET NO. 009  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB CLIENT LILCO SORTED BY - MAK / HOO / SPEC

EQUIPMENT ID EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET ENG COND OPEN CODE  
 VENDOR ID VENDOR NAME MAKE / MANUFACTURER NJ-CAT BLDG ELEV QUAL STAT SURNG  
 MODEL / CATALOG NO SPEC PD NUMBER  
 REPORT GROUP MAK \* CONSIP INC

.1190M22115A DRYWELL HYDROGEN ANALYZER  
 #AE-1A/HZ 1E J-15 300-01 H,M .#B  
 #CONSIP INC RBS 00112. EQ . #100 DYS  
 B 300 310737 L A 100 DYS  
 27FS

.1190M22115B DRYWELL HYDROGEN ANALYZER  
 #AE-1B/HZ 1E J-16 300-01 H,M .#B  
 #CONSIP INC RBS 00112. EQ . #100 DYS  
 B 300 310737 L A 100 DYS  
 27FS

.1190M22116A SUPP CHBR/RECOM DISCH ANALYZER.  
 #AE-2A/HZ 1E J-15 300-01 H,M .#B  
 #CONSIP INC RBS 00112. EQ . #100 DYS  
 B 300 310737 L A 100 DYS  
 27FS

.1190M22116B SUPP CHBR/RECOM DISCH ANALYZER.  
 #AE-2B/HZ 1E J-16 300-01 H,M .#B  
 #CONSIP INC RBS 00112. EQ . #100 DYS  
 B 300 310737 L A 100 DYS  
 27FS

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 73  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	MAKE / MANUFACTURER	MU-CAT	BLDG	ELEV	QUAL STAT		
	MODEL / CATALOG NO	SPEC	PO NUMBER				
.1740-022123A MAE-1A/02	WORTHMELL OXYGEN ANALYZER DELPHI INDUST. CONSIP INC J	1E 399	J-15 RBS 310737	399-01 00112. EQ		M, H L	B A 100 DYS 100 DYS 27FS
.1740-022123B MAE-1B/02	WORTHMELL OXYGEN ANALYZER DELPHI INDUST. CONSIP INC J	1E 399	J-15 RBS 310737	399-01 00112. EQ		M, H L	B A 100 DYS 100 DYS 27FS
1740-022123C MAE-1C/02	GAS ANALYZER DRYMELL DELPHI INDUST. CONSIP INC M-IV	1E PG 399	J-15 RBS 310737	399-01 112. EQ		M, H L	B A 100 DYS 100 DYS N/A
SAMPLE PUMP IS BEING RETESTED. ALL OTHER COMPONENTS APE EQ.							
1740-022123D MAE-1D/02	GAS ANALYZER DRYMELL DELPHI INDUST. CONSIP INC M-IV	1E PG 399	J-16 RBS 310737	399-01 112. EQ		M, H L	B A 100 DYS 100 DYS N/A
SAMPLE PUMP IS BEING RETESTED. ALL OTHER COMPONENTS APE EQ.							
1740-022123E MAE-1E/02	GAS ANALYZER SUPPR CHAMBER DELPHI INDUST. CONSIP INC M-IV	1E PG 399	J-15 RBS 310737	399-01 112. EQ		M, H L	B A 100 DYS 100 DYS N/A

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAH / MOD / SPEC

REPORT DATE 07/07/82 PAGE 74  
 RESET NO. J09  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	HU-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****						
					L	. A
						. 180 DYS
						. N/A
	SAMPLE PUMP IS BEING RETESTED, ALL OTHER COMPONENTS ARE EQ.					
.1798-PHL698	GAS ANALYZER SUPPR CHAMBER				H,H	. B
	DELPHI INDUST.	1E	J-16	344-01		. 180 DYS
	CONSIP INC	RG	RB5	112. EQ		.
	M-IV	344	310737			.
					L	. A
						. 180 DYS
						. N/A
	SAMPLE PUMP IS BEING RETESTED, ALL OTHER COMPONENTS ARE EQ.					

1T23-Z-EB1

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HAH / MOD / SPEC

REPORT DATE 07/07/82 PAGE 75  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC NU-CAT	ZONE BLDG	ELEV	EQ SHEET QUAL STAT	ENG COND SUBMG	OPER CODE
***** REPORT GROUP HAH	* CONAX						

.1T23-Z-EB1

REACTOR CONT ELEC PENET	1E	D-22		456-02			
GEN ELEC CO	1	RBP		00078	EQ		
CONAX							
LOW VOLT POWER CONT	456		310578				

H,H	A	180 DYS
L	A	180 DYS
HST		N/A

.1T23-Z-MC1

REACTOR CONT ELEC PENET	1E	D-22		456-01			
CONAX	1	RBP		00078	EQ		
CONAX							
LOW VOLT POWER CONT	456		310967				

H,H	A	180 DYS
L	A	180 DYS
HST		N/A

.1T23-Z-MB3

REACTOR CONT ELEC PENET	1E	D-22		456-02			
GEN ELEC CO	1	RBP		00078	EQ		
CONAX							
LOW VOLT POWER CONT.	456		310578				

H,H	A	180 DYS
L	A	180 DYS
HST		N/A

.1C41-EV010A  
C41-F004A

EXPLOSIVE VALVE	1E	J-15		3146			
GENERAL ELEC		RBS		00120	FT/IJ		
CONAX							
1832-159-01	003		344953				

H,H	B	180 DYS
L	B	180 DYS

IC41=EV010B

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHODHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 76  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	PU-CAT	BLDG	ELEV	QUAL STAT	SUBNG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
IC41=EV010B	EXPLOSIVE VALVE	.	.	.	H,H	. B
C41-F000B	GENERAL ELEC	1E	J-15	. 3194	.	. 180 DYS
	CONAX	.	RBS	00120.WFT/IJ	.	.
	1832-159-01	003	. 349953	.	.	.
	.	.	.	.	L	. B
	.	.	.	.	.	. 180 DYS
	.	.	.	.	.	.
	.	.	.	.	.	.

1746TE006      REPORT NO. PES-801 JOB 1160002 07/07/82      ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801      STONE AND WEBSTER ENGINEERING CORPORATION      REPORT DATE 07/07/82 PAGE 77  
 JOB NUMBER 1160002      PROJECT EQUIPMENT SYSTEM - (115-129)      RESET NO. 004  
 JOB NAME SHOREHAM - UNIT 1      ENVIRONMENTAL QUALIFICATION STATUS REPORT      RESET DATE 05/12/82  
 JOB CLIENT LILCO      SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
*****	*****	*****	*****	*****	*****	*****
REPORT GROUP MAK	* CONMAX CORP.					

.1746TE006      UNIT COOLER 1746UC-023 INLET

CONMAX	.#L-02	.#A
*CONMAX CORP.	*006A-01	*180 DYS
*7953-10000-01	*00000.*DR	
	406A . 10114	

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1198-022128A REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 70  
 REP NO. PES-001 PROJECT EQUIPMENT SYSTEM - (115-129) RESET NO. 009  
 JOB NUMBER 1160002 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB NAME SHOREHAM - UNIT 1 SORTED BY - HAH / MOD / SPEC  
 JOB CLIENT LILCO

EQUIPMENT ID EQUIPMENT DESCRIPTION GAC ZONE BLDG ELEV EQ SHEET  
 VENDOR ID VENDOR NAME NU-CAT BLDG ELEV QUAL STAT  
 MAKE / MANUFACTURER SPEC PO NUMBER  
 MODEL / CATALOG NO  
 \*\*\*\*\*  
 REPORT GROUP MAK \* DELPHI

REP NO.	JOB NO.	DESCRIPTION	GAC	ZONE	BLDG	ELEV	EQ SHEET	QUAL STAT	OPER CODE
1198-022128A	PES-001	DELPHI INDUST	1E	J-15			.399-01		B
MAE-2A/02		DELPHI 05-3	399	RBS	00112		.EQ		100 DYS
				310737					
									A
									100 DYS
1198-022128B	PES-001	DELPHI INDUST	1E	J-16			.399-01		B
MAE-2B/02		DELPHI 05-3	399	RBS	00112		.EQ		100 DYS
				310737					
									A
									100 DYS

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / HOO / SPEC

REPORT DATE 07/07/82 PAGE 79  
 RESET NO. 008  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID EQUIPMENT DESCRIPTION VENDOR NAME QAC ZONE MU-CAT BLDG ELEV EQ SHEET  
 MAKE / MANUFACTURER MODEL / CATALOG NO SPEC PU NUMBER QUAL STAT  
 REPORT GROUP MAK \* DMYER

STATION VENT EXHAUST  
 M.H.C.  
 #DMYER  
 #SERIES 3000  
 ZE M-20  
 # RBS 00175.#DR/IJ  
 332 310762  
 H,H .#A  
 .#180 DYS

CAT. II EQUIPMENT NOT IE POWERED  
 STATION VENT EXHAUST  
 M.H.C.  
 #DMYER  
 #SERIES 3000  
 ZE M-20  
 # RBS 00175.#DR/IJ  
 332 310762  
 L .#A  
 .#180 DYS

CAT. II EQUIPMENT NOT IE POWERED  
 FN-3B DIFF PRESSURE  
 #POMERS REGUL  
 DMYER  
 1627  
 IE K-15  
 # RBS 00112.#FT/IJ  
 319 310738  
 H,H .#B  
 .#180 DYS

CAT. II EQUIPMENT NOT IE POWERED  
 FN-3A DIFF PRESSURE  
 #POMERS REGUL  
 DMYER  
 1627  
 IE K-15  
 # RBS 00112.#FT/IJ  
 319 310738  
 H,H .#B  
 .#180 DYS

CAT. II EQUIPMENT NOT IE POWERED  
 FN-3B DIFF PRESSURE  
 #POMERS REGUL  
 DMYER  
 1627  
 IE K-15  
 # RBS 00112.#FT/IJ  
 319 310738  
 L .#B  
 .#180 DYS

CAT. II EQUIPMENT NOT IE POWERED  
 FN-3A DIFF PRESSURE  
 #POMERS REGUL  
 DMYER  
 1627  
 IE K-15  
 # RBS 00112.#FT/IJ  
 319 310738  
 L .#B  
 .#180 DYS

1796-PD3045C REPORT NO. PE3-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PE3-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/82 PAGE 00  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAH / INO / SPEC

EQUIPMENT ID VENDOR ID EQUIPMENT DESCRIPTION VENDOR NAME QAC ZONE MU-CAT BLDG ELEV EQ SHEET ENG COND OPER CODE  
 MAKE / MANUFACTURER MODEL / CATALOG NO SPEC PO NUMBER SURVIV QUAL STAT

.1796-PD3045C FM-3A DIFF PRESSURE  
 \*COPIES VULCAN 1E M-15 319-01  
 DMYER 1627 319 RBS 00112.MFT/IJ .M.H .WB  
 .180 DYS

.1796-PD3046A FM-3C DIFF PRESSURE  
 \*COPIES VULCAN 1E M-15 319-01  
 DMYER 1627 319 RBS 00112.MFT/IJ .M.H .WB  
 .180 DYS

.1796-PD3046B FM-3C DIFF PRESSURE  
 \*POMERS REGUL 1E M-15 319-01  
 DMYER 1627 319 RBS 00112.MFT/IJ .M.H .WB  
 .180 DYS

.1796-PD3046C FM-3B DIFF PRESSURE  
 \*POMERS REGUL 1E M-15 319-01  
 DMYER 1627 319 RBS 00112.MFT/IJ .M.H .WB  
 .180 DYS

.1796-PD3046D FM-3B DIFF PRESSURE  
 \*POMERS REGUL 1E M-15 319-01  
 DMYER 1627 319 RBS 00112.MFT/IJ .M.H .WB  
 .180 DYS

1T96#FLT01A REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 01  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QJAL	STAT
	MAKE / MANUFACTURER	SPEC	PO NUMBER		SUBING	
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	* FARR					

.1T96#FLT01A	*FILTER TRAIN RBSVS	1E	K-15	.w			wH,M	.wA
	FARR CO							.w180 DYS
	FARR		RBS	112.wTA/IJ				
	N-290	105	310599					

wL .wA  
.w180 DYS

.1T96#FLT01B	*FILTER TRAIN RBSVS	1E	K-15	.w			wH,M	.wA
	FARR CO							.w180 DYS
	FARR		RBS	112.wTA/IJ				
	N-290	105	310599					

wL .wA  
.w180 DYS

1E11wE/P007A REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 02  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLOG	ELEV		
	MAKE / MANUFACTURER	SPEC	PO NUMBER	QUAL STAT		
	MODEL / CATALOG NO				SUBHG	
***** REPORT GROUP MAK	* FISHER GOVERNOR					

.1E11wE/P007A E11-M001A	STM TO RHR HX SHELL GENERAL ELEC FISHER GOVERNOR 546	1E 003	. G-01 . RBS . 310010	. 3122 8.4FT/IJ .	H,M	. B . 180 DYS .
----------------------------	---	-----------	-----------------------------	-------------------------	-----	-----------------------

.	.	.	.	.	L	. B . 180 DYS .
---	---	---	---	---	---	-----------------------

.1E11wE/P007B E11-M001B	RHR HX SHELL TO RCIC GENERAL ELEC FISHER GOVERNOR 546	1E 003	. G-01 . RBS . 310010	. 3122 8.4FT/IJ .	H,M	. B . 180 DYS .
----------------------------	--	-----------	-----------------------------	-------------------------	-----	-----------------------

.	.	.	.	.	L	. B . 180 DYS .
---	---	---	---	---	---	-----------------------

16114LE692C REPORT NO. PES-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (119-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 03  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID EQUIPMENT DESCRIPTION VENDOR NAME QAC ZONE MU-CAT BLOG ELEV EQ SHEET EQ SHEET

MODEL / CATALOG NO SPEC PO NUMBER SUBING

\*\*\*\*\*

REPORT GROUP MAK = GEMS

.16114LE692C REACT BLDG FLOOR DRN SUP 056C.  
 DELEVAL 1E 6-01  
 GEMS - PBS 00006.0TA/IJ  
 XH-59859 973 10091

OP CODE B FOR MELB & MELB

.16114LE695A REACT BLD FLOOD LEVEL  
 DELEVAL 1E 6-01  
 GEMS - PBS 00006.0TA/IJ  
 XH-59859 973 10091

.16114LE695B REACT BLD FLOOD LEVEL  
 DELEVAL 1E 6-01  
 GEMS - PBS 00006.0TA/IJ  
 XH-59859 973 10091

EMG COND	OPER CODE
H,M	B
.	100 DYS
.	.
.	ZX
L	AB
.	100 DYS
.	.
.	ZX
H,M	A
.	100 DYS
.	.
.	ZX
L	A
.	100 DYS
.	.
.	ZX
H,M	A
.	100 DYS
.	.
.	ZX
L	A
.	100 DYS
.	.
.	ZX



1H21-PH.26

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 85  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBMG	OPER CODE
.1H21-PH.26 H21-P026	RV LEVEL & PRESS INST #GENERAL ELECT #GENERAL ELECT	1E 003	H-12 RBS 310010	.3912 78.#FT/IJ	H,H L	.#A .007 DYS .007 DYS
.1H21-PH.30	SRH IRM PREAMP RH RPS CH-A1 #GENERAL ELECT #GENERAL ELECT	#1E 003	G-10 RBS 310010	.#3912 78.#FT/IJ	H,H L	.A .180 DYS .180 DYS
.1H21-PH.31	SRH IRM PREAMP RH RPS CH-B1 #GENERAL ELECT #GENERAL ELECT	#1E 003	G-10 RBS 310010	.#3912 78.#FT/IJ	H,H L	.A .180 DYS .180 DYS
.1H21-PH.32	SRH IRM PREAMP RH RPS CH-A2 #GENERAL ELECT #GENERAL ELECT	#1E 003	G-10 RBS 310010	.#3912 78.#FT/IJ	H,H L	.A .180 DYS .180 DYS
.1H21-PH.33	SRH IRM PREAMP RH RPS CH-B2 #GENERAL ELECT #GENERAL ELECT	#1E 003	G-10 RBS 310010	.#3912 78.#FT/IJ	H,H	.A .180 DYS

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 04  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT	BLOG	ELEV	SUBNG	
	MAKE / MANUFACTURER	SPEC	PO NUMBER	QUAL STAT		
	MODEL / CATALOG NO					
					L	. A . 180 DYS
.1N21=PM.34	HPCI LEAK DET RH A #GENERAL ELECT #GENERAL ELECT	#1E 003	G-10 RBS 310010	. 3912 8.#FT/IJ	H,M	. A . 180 DYS
					L	. A . 180 DYS
.1N21=PM.35 H21-P035	CS/RVIC LEAK DET RH B #GENERAL ELECT #GENERAL ELECT	1E 003	L-02 RBS 310010	. 3912 #0.#FT/IJ	H,M	.#A #070 MIN
					L	.#B #180 DYS
.1N21=PM.36 H21-P036	HPCI LEAK DET RH B #GENERAL ELECT #GENERAL ELECT	1E 003	G-01 RBS 310010	. 3912 8.#FT/IJ	H,M	.#A #012 HRS
					L	.#A #012 HRS
.1N21=PM.37 H21-P037	RVIC LEAK DET RH A #GENERAL ELECT #GENERAL ELECT	1E 003	G-01 RBS 310010	. 3912 8.#FT/IJ	H,M	. A . 180 DYS
					L	. A . 180 DYS



REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-1201)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - NAM / MOD / SPEC

REPORT DATE 07/07/82 PAGE 88  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	GAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NJ-CAT	BLDG	ELEV	QUAL STAT	SUBMG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
.....	.....	.....	.....	.....	.....	.....
					L	A
						. 070 MIN
						.

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 89  
 RESET NO. 009  
 RESET DATE 05/12/82

IN21=PM.01 REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / 100 / SPEC

ENG COND OPER CODE

EQUIPMENT ID	EQUIPMENT DESCRIPTION	OAC	ZONE	ELEV	EQ SHEET	SUBNO
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					

\*\*\*\*\*  
 REPORT GROUP MAK \* GENERAL ELECTRIC

.IN21=PM.01 H21-P001	CORE SPRAY RACK CH 4 GENERAL ELEC GENERAL ELECTRIC	1E 003	G-01 R05 310010	3912 8. FT/IJ		H.M L	.WB =180 DYS . .WA =180 DYS
.IN21=PM.02 H21-P002	RMCU SYSTEM INST RACK *GENERAL ELEC GENERAL ELECTRIC	1E 003	H-16 R05 310010	3912 112. FT/IJ		H.M L	.WA =070 MIN . .WB =180 DYS
.IN21=PM.04 H21-P004	RX VES L&P RACK A *GENERAL ELEC GENERAL ELECTRIC	1E 003	G-10 R05 310010	3912 78. FT/IJ		H.M L	.A 180 DYS . .A 180 DYS
.IN21=PM.05 H21-P005	RX VES L&P RACK B *GENERAL ELEC GENERAL ELECTRIC	1E 003	G-12 R05 310010	3912 78. FT/IJ		H.M L	.A 180 DYS . .A 180 DYS

1H21=PHL06

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 90  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EPG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG ELEV PO NUMBER	EQ SHEET QUAL STAT	SUBHD	EPG COND	OPER CODE
.1H21=PHL06 H21-P006	RECTRC PLWP A RACK *GENERAL ELECT GENERAL ELECTRIC	1E 003	.wL-02 .RBS 310010	. 3912 40.wFT/IJ	H,M L	.wA .w007 DYS	
.1H21=PHL09 H21-P009	JET PLWP INST RACK A *GENERAL ELECT GENERAL ELECTRIC	1E 003	G-09 .RBS 310010	. 3912 79.wFT/IJ	H,M L	A .180 DYS	
.1H21=PHL10 H21-P010	JET PLWP INST RACK B *GENERAL ELECT GENERAL ELECTRIC	1E 003	G-11 .RBS 310010	. 3912 79.wFT/IJ	H,M L	A .180 DYS	
.1H21=PHL10 H21-P014	MPCI INST RACK *GENERAL ELECT GENERAL ELECTRIC	1E 003	G-01 .RBS 310010	. 3912 8.wFT/IJ	H,M L	.wA .w012 HRS	
.1H21=PHL15 H21-P015	MAIN STEAM FLOW RACK A *GENERAL ELECT GENERAL ELECTRIC	1E 003	.wL-02 .RBS 310010	. 3912 40.wFT/IJ	H,M	.wA .w070 MIN	

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MKO / SPEC

REPORT DATE 07/07/82 PAGE 91  
 RESET NO. 004  
 RESET DATE 05/12/82

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG ELEV PD NUMBER	EQ SHEET QUAL STAT	SUBING	ENG COND	OPER CODE
.IN21=PM.16 M21-P016	CS/MPCI LEAK DET I RH GENERAL ELECT GENERAL ELECTRIC	1E 003	G-01 R05 310010	. 3912 8.0FT/IJ	.	L	.#B .180 DYS
.IN21=PM.17 M21-P017	RCIC INST RACH GENERAL ELECT GENERAL ELECTRIC	1E 003	G-01 R05 310010	. 3912 8.0FT/IJ	.	H,M	.#A .012 HRS
.IN21=PM.18 M21-P018	RHR INST RH CH A GENERAL ELECT GENERAL ELECTRIC	1E 003	G-01 R05 310010	. 3912 8.0FT/IJ	.	L	.#A .012 HRS
.IN21=PM.19 M21-P019	CORE SPRAY RH CH B GENERAL ELECT GENERAL ELECTRIC	1E 003	G-01 R05 310010	. 3912 8.0FT/IJ	.	H,M	.#A .180 DYS

1N21-P021

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001 JOB 1160002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 92  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SURFNG	OPER CODE
.1N21-P021 H21-P021	BYR INST RM CH B GENERAL ELECT GENERAL ELECTRIC	1E 003	G-01 RBS 310010		3912 8. FT/IJ	H.M L	A 100 DYS A 100 DYS
.1N21-P022 H21-P022	RECIRC PUMP B RACK GENERAL ELECT GENERAL ELECTRIC	1E 003	L-02 RBS 310010		3912 40. FT/IJ	H.M L	A 007 DYS A 007 DYS
.1N21-P073 H21-P073	MSIV LEAHAGE INST RACK GENERAL ELEC GENERAL ELECTRIC	1E 003	G-05 RBS		3912 63. FT/IJ	H.M L	B 100 DYS A 100 DYS
.1N21-P074 H21-P074	MSIV LEAHAGE INST RACK GENERAL ELEC GENERAL ELECTRIC	1E 003	G-05 RBS 310010		3912 63. FT/IJ	H.M L	B 100 DYS A 100 DYS
.1E41-P127 E-036	MPCI TURB HYD & BER OIL AUX PP. GE-TERRY TURB GENERAL ELECTRIC CD 259A7	1E 003	G-01 RBS 310010		8. TA/IJ	H.M	A 012 HRS N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 93  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG ELEV PO NUMBER	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.1R92WCC0A1	125VDC MOTOR CONT CENTER GEN ELEC GENERAL ELECTRIC DC MTR CONT CENTER	1E 160	L-02 RBS 310562	40. IJ	L H,M	.A .012 HRS N/A .B .100 DYS
.1R92WCC0A2	125VDC MOTOR CONT CENTER GEN ELEC GENERAL ELECTRIC DC MTR CONT CENTER	1E 160	M-21 RBS 310562	112. IJ	L H,M	.A .070 MIN .A .070 MIN
.1R92WCC0B1	125VDC MOTOR CONT CENTER GEN ELEC GENERAL ELECTRIC DC MTR CONT CENTER	1E 160	M-21 RBS 310562	40. IJ	L H,M	.A .012 HRS .A .012 HRS
.1R92WCC0B2	125VDC MOTOR CONT CENTER GEN ELEC GENERAL ELECTRIC DC MTR CONT CENTER	1E 160	M-21 RBS 310562	112. IJ	L H,M	.A .012 HRS .A .012 HRS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1E51=P076

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 94  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / 100 / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

ENG COND OVER CODE

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	SRING	OVER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	MJ-CAT SPEC	BLDG PO NUMBER	QUAL STAT		
.1E51=P076	RCIRC CONDENSER VAC PP GE-TERRY TURB GENERAL ELECTRIC M106AY	1E 003	B-01 RBS 310010	B. IJ	H,M L	B 100 DYS B 100 DYS
.1B31=BHR01A	REAC RECIRC PP TRIP BHR (RED) GENERAL ELEC GENERAL ELECTRIC M26	1E 039	L-02 RBS 310057	00040.WIJ	H,M L	B 100 DYS B 100 DYS
.1B31=BHR01B	REAC RECIRC PP TRIP BHR (RED) GENERAL ELEC GENERAL ELECTRIC M26	1E 039	L-02 RBS 310057	00040.WIJ	H,M L	B 100 DYS B 100 DYS
.1B31=BHR02A	REAC RECIRC PP TRIP BHR (BLUE) GENERAL ELEC GENERAL ELECTRIC M26	1E 039	L-02 RBS 310057	00040.WIJ	H,M L	B 100 DYS B 100 DYS
.1B31=BHR02B	REAC RECIRC PP TRIP BHR (BLUE) GENERAL ELEC GENERAL ELECTRIC M26	1E 039	L-02 RBS 310057	00040.WIJ	H,M	B 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-1291)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 95  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EG SHEET QUAL STAT	SUMMS	ENG COND	OPER CODE
						L	B	100 DYS
.1723-Z-2A2	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 100 MED VOLT	1E 134	0-22 RBP 310578		134-02 00078.0EQ		H,M	A 100 DYS
						L	A	100 DYS
							HST	N/A.
	REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F						H,M	A 100 DYS
.1723-Z-2A2	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 100 MED VOLT	1E 134	0-22 RBP 310578		134-02 00078.0EQ		L	A 100 DYS
							HST	N/A
	REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F						H,M	A 100 DYS
.1723-Z-2A3	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 100 MED VOLT	1E 134	0-22 RBP 310578		134-02 00078.0EQ		L	A 100 DYS
							HST	N/A
	REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F						H,M	A 100 DYS
.1723-Z-2A3	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	0-22 RBP 310578		134-01 00078.0EQ			A 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 94  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAH / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SURNO	ENG COND	OPER CODE
.1723-Z-EB3	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	D-22 310578		134-01 00078.=EQ	L		A 100 DYS
REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F								
						HST		N/A
						H,M		.A 100 DYS
.1723-Z-EB5	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	D-22 310578		134-01 00078.=EQ	L		A 100 DYS
REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F								
						HST		N/A
						H,M		.A 100 DYS
.1723-Z-EB6	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	D-22 310578		134-01 00078.=EQ	L		A 100 DYS
REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F								
						HST		N/A
						H,M		.A 100 DYS
.1723-Z-EC5	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	D-22 310578		134-01 00078.=EQ	L		A 100 DYS
REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F								
						HST		N/A
						H,M		.A 100 DYS

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL

REPORT DATE 07/07/82 PAGE  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND MASTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE ELEV EQ SHEET  
 MJ-CAT BLOC ELEV QUAL STAT  
 SPEC PD NUMBER

SUBMG

.....

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

.1723-Z-EC6

REACTOR CONT ELEC PENET  
 GEN ELEC CO  
 GENERAL ELECTRIC  
 SERIES 200 LOW VOLT

1E .0-22 134-01  
 PDP 00078.#EQ  
 134 .310578

L  
 HST  
 H.M

A  
 100 DYS  
 N/A  
 A  
 100 DYS

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

.1723-Z-M01

REACTOR CONT ELEC PENET  
 GEN ELEC CO  
 GENERAL ELECTRIC  
 SERIES 200 LOW VOLT

1E .0-22 134-01  
 PDP 00078.#EQ  
 134 .310578

L  
 HST  
 H.M

A  
 100 DYS  
 N/A  
 A  
 100 DYS

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

.1723-Z-M02

REACTOR CONT ELEC PENET  
 GEN ELEC CO  
 GENERAL ELECTRIC  
 SERIES 200 LOW VOLT

1E .0-22 134-01  
 PDP 00078.#EQ  
 134 .310578

L  
 HST  
 H.M

A  
 100 DYS  
 N/A  
 A  
 100 DYS

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

.1723-Z-M05

REACTOR CONT ELEC PENET  
 GEN ELEC CO  
 GENERAL ELECTRIC  
 SERIES 200 LOW VOLT

1E .0-22 134-01  
 PDP 00078.#EQ  
 134 .310578

L  
 HST  
 H.M

A  
 100 DYS  
 N/A  
 A  
 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 98  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MOD# / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBSG	ENG COND	OPER CODE
						L	A	100 DYS
						HST		N/A
						H.M	A	100 DYS
.1723-Z-MB6	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	.WD-22 RDP 310578		134-01 00078.0EQ	L	A	100 DYS
						HST		N/A
						H.M	A	100 DYS
.1723-Z-MC5	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	.WD-22 RDP 310578		134-01 00078.0EQ	L	A	100 DYS
						HST		N/A
						H.M	A	100 DYS
.1723-Z-MC6	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200 LOW VOLT	1E 134	.WD-22 RDP 310578		134-01 00078.0EQ	L	A	100 DYS
						HST		N/A
						H.M	A	100 DYS
.1723-Z-EA1	REACTOR CONT ELEC PENET GEN ELEC CO GENERAL ELECTRIC SERIES 200, LOW VOLT	1E 134	.D-22 RDP 310578		134-01 00078.0EQ	L	A	100 DYS
						HST		N/A
						H.M	A	100 DYS

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION SHPS-1-UR-22-F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 99  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAM / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	SLDNG	COND	OPER CODE
		VENDOR NAME	MJ-CAT	BLOG	PO NUMBER	QUAL STAT			
		MAKE / MANUFACTURER	SPEC						
		MODEL / CATALOG NO							

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F

.1723-Z-ED2		REACTOR CONT ELEC PENET	1E	D-22		134-01	L	A	100 DYS
		GEN ELEC CO		RBP	00078.wEQ				N/A
		GENERAL ELECTRIC	134	310578					
		SERIES 200, LOW VOLT							

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F


.1723-Z-ED5		REACTOR CONT ELEC PENET	1E	D-22		134-01	L	A	100 DYS
		GEN ELEC CO		RBP	00078.wEQ				N/A
		GENERAL ELECTRIC	134	310578					
		SERIES 200, LOW VOLT							

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F

.1723-Z-ED6		REACTOR CONT ELEC PENET	1E	D-22		134-01	L	A	100 DYS
		GEN ELEC CO		RBP	00078.wEQ				N/A
		GENERAL ELECTRIC	134	310578					
		SERIES 200, LOW VOLT							

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F

.1723-Z-ED8		REACTOR CONT ELEC PENET	1E	D-22		134-01	L	A	100 DYS
		GEN ELEC CO		RBP	00078.wEQ				N/A
		GENERAL ELECTRIC	134	310578					
		SERIES 200, LOW VOLT							



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 100  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE ELEV EQ SHEET  
 NU-CAT BLDG ELEV QVAL STAT  
 SPEC PD NUMBER

SUBMG

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F

.1E23=Z-ND1

REACTOR CONT ELEC PENET  
 GEN ELEC CO  
 GENERAL ELECTRIC  
 SERIES 200, LOW VOLT

1E D-22 134-01  
 PDP 00078.WEQ

L A  
 180 DYS  
 HST N/A  
 H.M A  
 180 DYS

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F

.1E23=Z-ND2

REACTOR CONT ELEC PENET  
 GEN ELEC CO  
 GENERAL ELECTRIC  
 SERIES 200, LOW VOLT

1E D-22 134-01  
 PDP 00078.WEQ

L A  
 180 DYS  
 HST N/A  
 H.M A  
 180 DYS

REQUIRED RADIATION DOSE REDUCED TO 1.0E8 BY CALCULATION SHPS-1-UR-22-F

.1E32=BL00013

OUTBD HVIV BLOWER  
 GE  
 GENERAL ELECTRIC  
 ZCH6 041-1U

1E B-06 3903  
 RDS 76.WIJ

L A  
 180 DYS  
 HST N/A  
 H.M B  
 180 DYS

.1E32=BL0019A

OUTBD HVIV BLOWER  
 GENERAL ELEC  
 GENERAL ELECTRIC  
 ZCH6 041-1U

1E W-05 3903  
 PDS 00063.1J

L A  
 180 DYS  
 HST N/A  
 H.M B  
 180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 101  
 RESET NO. 009  
 RESET DATE 05/12/82


REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EMG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMS	EMG COND	OPER CODE
.1E32=BL00148	OUTDO MSTR BLOWER GENERAL ELEC GENERAL ELECTRIC ZCH6 041-1U	1E 003	.08-05 RBS 310010	3903 00063. IJ		L	A 100 DYS	N/A
.1E33=Z-MC9	REACTOR CONT ELEC PENET GEN. ELEC. CO. GENERAL ELECTRIC 200 SERIES LOW VOLT	1E 134	D-22 RBP 310578	134-01 00078. =EQ		L	A 100 DYS	N/A
.1D11=RE011A D11-M006A	RADIATION MONITORING DETECTOR GENERAL ELEC GENERAL ELECTRIC 237X731G001	1E 003	ST ST 310010	3914 63. =FT/IJ		L	A 100 DYS	N/A
.1D11=RE011B D11-M006B	RADIATION MONITORING DETECTOR GENERAL ELEC GENERAL ELECTRIC 237X731G001	1E 003	ST ST 310010	3914 63. =FT/IJ		L	A 100 DYS	N/A

REQUIRED RADIATION DOSE REDUCED TO 1.0EB BY CALCULATION: SHPS-1-UR-22-F



ENVIRONMENTAL QUALIFICATION STATUS REPORT

1011-02011C

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 102  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MJ-CAT SPEC	ZONE BLOG ELEV PO NUMBER	EQ SHEET QUAL STAT	SURNG	OPER CODE
.1011-02011C 011-M006C	RADIATION MONITORING DETECTOR GENERAL ELEC GENERAL ELECTRIC 237X731G001	1E 003	. ST . ST 310010	. 3910 63.0FT/IJ	H,M L	. B .100 DYS .0B .100 DYS
.1011-02011D 011-M004D	RADIATION MONITORING DETECTOR GENERAL ELEC GENERAL ELECTRIC 237X731G001	1E 003	. ST . ST 310010	. 3910 63.0FT/IJ	H,M L	. B .100 DYS .0B .100 DYS
.1P01-05107A	SAMPLE TO PAD MONITOR POWERS REGUL GENERAL ELECTRIC 2940	.1E 319	.0B-01 R05 310738	00030.0FT/IJ	H,M L	.0B .100 DYS .0B .100 DYS
.1P01-05107B	SAMPLE TO PAD MONITOR POWERS REGUL GENERAL ELECTRIC 2940	.1E 319	.0G-01 R05 310738	00030.0FT/IJ	H,M L	.0B .100 DYS .0B .100 DYS
.1E51-0077	RCIC COND PMP GE-TERPY TURB GENERAL ELECTRIC 3HP,1900PPH,120VDC	1E 003	. G-01 R05 310010	0. IJ	H,M	.0B .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 103  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PG NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMS	ENG COND	OPER CODE
.1E32*HC053A B-001B	LCS INBOARD HEATER GE GENERAL ELECTRIC 470510673	1E 003	G-07 RBS 310010		3902 00063. EQ	H,M L	B 100 DYS A 100 DYS	N/A
.1E32*HC053B B-001P	LCS INBOARD HEATER GE GENERAL ELECTRIC 470510673	1E 003	G-07 RBS 310010		3902 00063. EQ	H,M L	B 100 DYS A 100 DYS	N/A
.1E32*HC053C B-001K	LCS INBOARD HEATER GE GENERAL ELECTRIC 470510673	1E 003	G-07 RBS 310010		3902 00063. EQ	H,M L	B 100 DYS A 100 DYS	N/A
.1E32*HC053D	LCS INBOARD HEATER GE GENERAL ELECTRIC 470510673	1E 003	G-07 RBS 310010		3902 00063. EQ	H,M	B 100 DYS A 100 DYS	N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1E41P075

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 109  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EMG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG FO NUMBER	ELEV	EQ SHEET QUAL STAT	SURNG	OPER CODE
.1E41P075 E-036	MPCI COND PP NEAR COLUMN C-9 GE-TERRY TURB GENERAL ELECTRIC #SCD18C02A9401	1E 003	G-01 R05 310010		0. TA/IJ	H,M L	A 012 HRS #N/A A 012 HRS #N/A
.1E41P076 E-036	MPCI VACUUM PUMP NEAR COL C-9 GE-TERRY TURB GENERAL ELECTRIC #SCD18D03A900007	1E 003	G-01 R05 310010		0. TA/IJ	H,M L	A 012 HRS #N/A A 012 HRS #N/A
.1E11P010A	RHR PUMP NEAR COLUMN C-11 GE-BYRON JACKSON GENERAL ELECTRIC #SH6339XC157A	1E 003	G-01 R05 310010		0. EQ 3111	H,M L	A 180 DYS A 180 DYS
.1E11P010B	SIX MONTH ACCIDENT DOSE REDUCED TO 0.566 BY CALCULATION SHPS-1-UR-ZZ-L1 RHR PUMP NEAR COLUMN GE-BYRON JACKSON GENERAL ELECTRIC #SH6339XC157A	1E 003	G-01 R05 310010		0. EQ 3111	H,M L	A 180 DYS A 180 DYS
.1E11P010C	SIX MONTH ACCIDENT DOSE REDUCED TO 0.566 BY CALCULATION SHPS-1-UR-ZZ-L1 RHR PUMP NEAR COLUMN C-11 GE-BYRON JACKSON GENERAL ELECTRIC #SH6339XC157A	1E 003	G-01 R05 310010		0. EQ 3111	H,M	A 180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 105  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001 JOB 1140002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

ENG COND OPER CODE

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE ELEV EQ SHEET  
 MJ-CAT BLDG QVAL STAT  
 SPEC PO NUMBER

SURMG

1E211P0140

SIX MONTH ACCIDENT DOSE REDUCED TO 0.5E6 BY CALCULATION SHPS-1-UR-ZZ-L1  
 RHM PUMP NEAR COLUMN C-5  
 GE-BYRON JACKSON  
 GENERAL ELECTRIC  
 SH6339XC157A

1E 0-01 3111  
 RBS 0. EQ  
 003 310010

L A  
 180 DYS  
 N,M A  
 180 DYS

1E211P013A

SIX MONTH ACCIDENT DOSE REDUCED TO 0.5E6 BY CALCULATION SHPS-1-UR-ZZ-L1  
 CORE SPRAY PP NEAR COLUMN C-11  
 GE-BYRON JACK  
 GENERAL ELECTRIC  
 SH6339XC94A

1E 0-01 3111  
 RBS 0. EQ  
 003 310010

N,M B  
 180 DYS  
 L A  
 180 DYS

1E211P013B

SIX MONTH ACCIDENT DOSE REDUCED TO 0.5E6 BY CALCULATION SHPS-1-UR-ZZ-L1  
 CORE SPRAY PP NEAR COLUMN C-5  
 GE-BYRON JACK  
 GENERAL ELECTRIC  
 SH6339XC94A

1E 0-01 3111  
 RBS 0. EQ  
 003 310010

N,M B  
 180 DYS  
 L A  
 180 DYS

SIX MONTH ACCIDENT DOSE REDUCED TO 0.5E6 BY CALCULATION SHPS-1-UR-ZZ-L1

N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82


REPORT DATE 07/07/82 PAGE 104  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MJ-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBING	OPER CODE
REPORT GROUP MAK	= GOLD						
.1R29-PH.1111	M-8 SET CONTROL CABINET 111 LOUIS ALLIS GOLD 5400 SERIES	1E 439	M-21 RBS 310950		439-02 00150.wFT/IJ	wH,H	.wA =180 DYS
.1R29-PH.1112	M-8 SET CONTROL CABINET 112 LOUIS ALLIS GOLD 5400 SERIES	1E 439	M-21 RBS 310950		439-02 00150.wFT/IJ	wL	.wA =180 DYS
.1R29-PH.1113A	M-8 SET CONTROL CABINET 113A LOUIS ALLIS GOLD 5400 SERIES	1E 439	M-21 RBS 310950		439-02 00150.wFT/IJ	wH,H	.wA =180 DYS
.1R29-PH.1113B	M-8 SET CONTROL CABINET 113B LOUIS ALLIS GOLD 5400 SERIES	1E 439	M-21 RBS 310950		439-02 00150.wFT/IJ	wL	.wA =180 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 107  
 RESET NO. 004  
 RESET DATE 05/12/82

1706W00039A REPORT NO. PES-001 JOB 1140002 07/07/82

STORIE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MKO / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 2  
 JOB CLIENT LILCO

ENG COND OPER CODE

EQUIPMENT ID  
 VENDOR ID  
 REPORT GROUP MAK

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EQ SHEET  
 MU-CAT BLDG ELEV QUAL STAT  
 SPEC PO NUMBER

SUBMG

M,M .NA  
 .100 DYS

M,L .NA  
 .100 DYS

M,M .NA  
 .100 DYS

M,L .NA  
 .100 DYS

.1706W00039A

WWSVS FILTER TRAIN DISCH  
 WPOHRS REGUL  
 ITT  
 10191

1E M-20 319-02  
 RBS 102.4FT/1J  
 319 310730

.1706W00039B

WWSVS FILTER TRAIN DISCH  
 WPOHRS REGUL  
 ITT  
 10191

1E M-20 319-02  
 RBS 102.4FT/1J  
 319 310730

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PE3-001 JOB 116002 07/07/82 PAGE 100

STORE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82  
 RESET NO. 000  
 RESET DATE 05/12/82

1021-PHL005A  
 REPORT NO. PE3-001  
 JOB NUMBER 116002  
 JOB NAME SHREINAM - UNIT 1  
 JOB CLIENT LILCO

ENG COND OPER CODE

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 BNC ZONE  
 NU-CAT BLDG  
 SPEC  
 EQ SHEET  
 QUAL STAT  
 SLRNG

REPORT GROUP MAK

CONTAIN. HIGH RANGE RAD. DET.  
 IE .WD-ZZ #00070. TA  
 #KAIEN SCI CORP .#R00 #00070. TA  
 #KAIEN #75 . 310905  
 #KDA-HR

M.M  
 : A  
 : 100 DYS

L  
 : A  
 : 100 DYS

M.M  
 : A  
 : 100 DYS

1021-PHL005B

CONTAIN. HIGH RANGE RAD. DET.  
 IE .WD-ZZ #00070. TA  
 #KAIEN SCI CORP .#R00 #00070. TA  
 #KAIEN #75 . 310905  
 #KDA-HR

L  
 : A  
 : 100 DYS

ALL  
 : A  
 : 100 DYS

1021-PHL005A

CONTAIN. HIGH RANGE AREA MON.  
 ZE .M-09  
 #KAIEN SCI CORP .#R03 00070. TA  
 #KAIEN #75 . 310905  
 #KHL

ALL  
 : A  
 : 100 DYS

1021-PHL005B

CONTAIN. HIGH RANGE AREA MON.  
 ZE .M-09  
 #KAIEN SCI CORP .#R03 00070. TA  
 #KAIEN #75 . 310905  
 #KHL

ENVIRONMENTAL QUALIFICATION STATUS REPORT

IR31-HPH03

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 109  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / HOO / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EMG COND OPER CODE

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE ELEV EQ SHEET  
 MJ-CAT BLDG PO NUMBER QUAL STAT

SUBMG

REPORT GROUP MAK

= MERITE CO


ALL : A  
 : 180 DYS  
 :  
 SPR : NA

IR31-HPH03

POWER CABLES  
 MERITE CO  
 MERITE CO  
 5 KV POWER CABLE

1E : ALL : 127-01  
 : RB :  
 127 : 310541 : EQ

REPRESENTS ALL CABLE PURCHASED UNDER SH1-127



ENVIRONMENTAL QUALIFICATION STATUS REPORT

IP#1#NOV129A REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 110  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	SUBNO
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	PO NUMBER	QUAL STAT	
	MAKE / MANUFACTURER	SPEC				
	MODEL / CATALOG NO					

REPORT GROUP MAK = LIMITORQUE

.IP#1#NOV129A	DRYWELL BSTR WX DISCH VV	1E	B-01		.08V-03	wH,M	.wB .100 DYS
	CONTRONATICS		R05	00008	EQ		
	LIMITORQUE	261	310546			wL	.wA .070 MIN
	HIBC-SIB-000-02						

.IP#1#NOV129B	DRYWELL BSTR WX DISCH VV	1E	B-01		.08V-03	wH,M	.wB .100 DYS
	CONTRONATICS		R05	00008	EQ		
	LIMITORQUE	261	310744			wL	.wA .070 MIN
	HIBC-SIB-000-02						

.IP#1#NOV042A	EMER SM TO FUEL POOL	1E	B-01		.08V-03	wH,M	.wB .100 DYS
03160004	HENRY PRATT		R05	31	EQ		
	LIMITORQUE	197	310546			L	.wA .100 DYS
	H0BC-SIB-00-02						N/A

.IP#1#NOV042B	EMER SM TO FUEL POOL	1E	B-01		.08V-03	wH,M	.wB .100 DYS
03160004	HENRY PRATT		R05	31	FT/IJ		
	LIMITORQUE	197	310546			L	.wA .100 DYS
	H0BC-SIB-00-02						N/A

MOT:RELIANCE /IMS CL: /460VAC

ENVIRONMENTAL QUALIFICATION STATUS REPORT

IP91#NOV033A REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 111  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.IP91#NOV033A 02940003	TO RWR SYSTEM HENRY PRATT LIMITORQUE HIBC-SIB-000-02	1E	0-01		.08V-03 28. EQ	H,M	.0B .100 DYS
		197	310546			L	.0A .100 DYS N/A
NOT:RELIANCE /IMS CL:B /460VAC							
.IP91#NOV033B 02940003	TO RWR SYSTEM HENRY PRATT LIMITORQUE HIBC-SIB-000-02	1E	0-01		.08V-03 28. EQ	H,M	.0B .100 DYS
		197	310546			L	.0A .100 DYS N/A
NOT:RELIANCE /IMS CL:B /460VAC							
.IP91#NOV034A E11-F002A	RWR WX E-34A DISCH HENRY PRATT LIMITORQUE HIBC-SIB-000-02	1E	0-01		.08V-03 32. EQ	H,M	.0A .100 DYS
		197	310546			L	.0A .100 DYS
NOT:RELIANCE /IMS CL:B /460VAC							
.IP91#NOV034B E11-F002B	RWR WX E-34B DISCH HENRY PRATT LIMITORQUE HIBC-SIB-000-02	1E	0-01		.08V-03 27. EQ	H,M	.0A .100 DYS
		197	310546			L	.0A .100 DYS
NOT:RELIANCE /IMS CL:B /460VAC							



1E11#MOV837A

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 113  
RESET NO. 009  
RESET DATE 05/12/82

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SURHS	OPER CODE
1E11#MOV837A E11-F015A	RWR OUTBOARD VV NR COLUMN C-5 ANCHOR DARLIM LIMITORQUE SB-4-200	1E 88AD	G-03 RBS 310501	72. FT/IJ		H,M L	A 100 DYS A 100 DYS
1E11#MOV837B E11-F015B	RWR OUTBOARD VV NR COLUMN C-5 ANCHOR DARLIM LIMITORQUE SB-4-200	1E 88AD	G-07 RBS 310501	72. FT/IJ		H,M L	A 100 DYS A 100 DYS
1E51#MOV000	TURBINE STOP VALVE GENERAL ELEC LIMITORQUE SIB-0	1E 003	G-01 RBS 310010	12. FT/IJ		H,M L	B 100 DYS B 100 DYS
1E41#MOV000 E41-F021	TURB EXH TO SUPP POOL C-8 VELAN LIMITORQUE SIB-0-15	1E 88V	G-01 RBS 310502	30. FT/IJ		H,M L	A 012 HRS A 012 HRS
	MOT:PORT PEER / INS CL:B / 125VDC						





ENVIRONMENTAL QUALIFICATION STATUS REPORT

IPR2#NOV001A REPORT NO. PES-001 JOB 1160002 07/07/82


REPORT DATE 07/07/82 PAGE 115  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG ELEV PD NUMBER	EQ SHEET QUAL STAT	SUBHG	OPER CODE
.IPR2#NOV001A	WDCLCH MK CROSSOVER INLET VV VELAN LIMITORQUE SMB-0-25	1E 88V	0-01 RBS 310512	.088V-03 20. EQ	H.M L	.0B .100 DYS . . .0A .070 MIN . N/A
NOT:RELIANCE /IMS CL:B /460VAC						
.IPR2#NOV001B	WDCLCH MK CROSSOVER INLET VV VELAN LIMITORQUE SMB-0-25	1E 88V	0-01 RBS 310502	.088V-03 20. EQ	H.M L	.0B .100 DYS . . .0A .070 MIN . N/A
NOT:RELIANCE /IMS CL:B /460VAC						
.IPR2#NOV002A	WDCLCH MK EXC INLET VV VELAN LIMITORQUE SMB-0-25	1E 88V	0-01 RBS 310502	.088V-03 30. EQ	H.M L	.0A .070 MIN . . .0A .070 MIN . .
NOT:RELIANCE /IMS CL:B /460VAC						
.IPR2#NOV002B	WDCLCH MK EXC INLET VV VELAN LIMITORQUE SMB-0-25	1E 88V	0-01 RBS 310502	.088V-03 30. EQ	H.M L	.0A .070 MIN . . .0A .070 MIN . .
NOT:RELIANCE /IMS CL:B /460VAC						



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 116002 87/07/82 REPORT DATE 07/07/82 PAGE 116

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. 116002  
 JOB NUMBER 008  
 JOB NAME SHORHAM - UNIT 1  
 JOB CLIENT LILCO

RESET NO. 008  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 116002  
 JOB NAME SHORHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE  
 MU-CAT BLDG  
 SPEC PO NUMBER  
 MAKE / CATALOG NO

EQ SHEET  
 QVAL STAT  
 M.M  
 A  
 L

PP SUCTION NR COLUMN C-11  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-5  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-12  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-8  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-11  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-5  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-12  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-8  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-11  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-5  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-12  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-8  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-11  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-5  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-12  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

PP SUCTION NR COLUMN C-8  
 ANCHOR DARLIN  
 LIMITORQUE  
 510-0-00

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

116002

ENVIRONMENTAL QUALIFICATION STATUS REPORT

117

REPORT NO. PES-001 JOB 1140002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / 1000 / SPEC

REPORT DATE 07/07/82  
 RESET MO. 000  
 RESET DATE 05/12/82

1E11#MOV032A  
 REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME STONEHAM - UNIT 1  
 JOB CLIENT LILCO

END COND OVER CODE

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	STATUS	END COND
VENDOR ID	MAKE / MANUFACTURER	MU-CAT BLDG	PO NUMBER	QVAL STAT			
	MODEL / CATALOG NO	SPEC					
1E11#MOV032A E11-F004A	WWR PUMP SUCTION C-11 ANCHOR DARLIN LIMITORQUE SIB-0-40	1E	0-01 PMS 00AD : 310501	15. 10 PMS	000V-03	M,M	A .100 DYS
1E11#MOV032B E11-F004B	WWR PUMP SUCTION C-5 ANCHOR DARLIN LIMITORQUE SIB-0-40	1E	0-01 PMS 00AD : 310501	10. 10 PMS	000V-03	L	A .100 DYS M,M L .070 MIN
1E11#MOV032C E11-F004C	WWR PUMP SUCTION C-12 ANCHOR DARLIN LIMITORQUE SIB-0-40	1E	0-01 PMS 00AD : 310501	20. 10 PMS	000V-03	M,M	A .100 DYS M,M L .070 MIN
1E11#MOV032D E11-F004D	WWR PUMP SUCTION C-8 ANCHOR DARLIN LIMITORQUE SIB-0-40	1E	0-01 PMS 00AD : 310501	19. 10 PMS	000V-03	M,M	A .100 DYS M,M L .070 MIN

NOT:RELIANCE/INS CL:B /#60VAC

1833=NOV031

REPORT NO. PES-001 JOB 1160002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

ENVIRONMENTAL QUALIFICATION STATUS REPORT  
REPORT DATE 07/07/82 PAGE 118  
RESET NO. 008  
RESET DATE 05/12/82

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

EQUIPMENT ID  
VENDOR ID

EQUIPMENT DESCRIPTION  
VENDOR NAME  
MAKE / MANUFACTURER  
MODEL / CATALOG NO

QAC ZONE ELEV EQ SHEET  
MU-CAT BLDG ELEV QVAL STAT  
SPEC PD NUMBER

ENG COND OPER CODE

SURNG

.1833=NOV031  
033-F102

REAC RECIRC SUCT EAST DRYWELL  
VELAN  
LIMITORQUE  
SMB-0-40

1E . B-22  
. RRD  
08V . 310502

.08V-04  
99. EQ

H,M

. B  
. 100 DYS

L

. B  
. 100 DYS

H,M

. B  
. 100 DYS

L

. A  
. 070 MIN

N/A

H,M

. B  
. 100 DYS

L

. A  
. 070 MIN

N/A

H,M

. B  
. 100 DYS

L

. A  
. 070 MIN

MOT:RELIANCE /INS CL:RH/460VAC

P-211 SUCTION  
VELAN  
LIMITORQUE  
SMB-0-7.5

1E . B-01  
. RRS  
08V . 310502

.08V-01  
30. EQ

MOT:RELIANCE /INS CL:RH/460VAC

P-211 SUCTION  
VELAN  
LIMITORQUE  
SMB-0-7.5

1E . B-01  
. RRS  
08V . 310502

.08V-03  
30. EQ

MOT:RELIANCE /INS CL:B /460VAC


1E11=NOV081A BYPASS SM DRYWELL  
VELAN  
LIMITORQUE  
SMB-00-05

1E . D-22  
. RRD  
253 . 310512

.08V-01  
81. EQ

MOT:RELIANCE /INS CL:RH/460VAC

.1E11=NOV081A  
E11-F122A





ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 116002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION

REPORT DATE 07/07/82

PROJECT EQUIPMENT SYSTEM - (115-129)

RESET NO. 004

ENVIRONMENTAL QUALIFICATION STATUS REPORT

RESET DATE 05/12/82

REPORT NO. PES-001

OPER CODE

JOB NAME SHOSHANI - UNIT 1

JOB CLIENT LILCO

EQ SHEET

QUAL STAT

EQ CAT BLOC

ELEV

PO NUMBER

MODEL / CATALOG NO

TO HOT PENETRATION COOL

VELAN

ALIMITORQUE

SHB-00-05

SERVICE WATER INLET VALVE

ITT GRINHELL

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:B /460VAC

SERVICE WATER INLET VALVE

ITT GRINHELL

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:B /460VAC

MAIN 5TH LINE DRAIN VV

VELAN

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:M /460VAC

MAIN 5TH LINE DRAIN VALVE

VELAN

LIMITORQUE

SHB-00-10

1042-000037

1042-000037

1041-000032A

1041-000032B

1021-000062

021-0067A

1021-000062

021-0067B

REPORT DATE 07/07/82

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

JOB NAME SHOSHANI - UNIT 1

JOB CLIENT LILCO

EQ SHEET

QUAL STAT

EQ CAT BLOC

ELEV

PO NUMBER

MODEL / CATALOG NO

TO HOT PENETRATION COOL

VELAN

ALIMITORQUE

SHB-00-05

SERVICE WATER INLET VALVE

ITT GRINHELL

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:B /460VAC

SERVICE WATER INLET VALVE

ITT GRINHELL

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:B /460VAC

MAIN 5TH LINE DRAIN VV

VELAN

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:M /460VAC

MAIN 5TH LINE DRAIN VALVE

VELAN

LIMITORQUE

SHB-00-10

REPORT DATE 07/07/82

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

JOB NAME SHOSHANI - UNIT 1

JOB CLIENT LILCO

EQ SHEET

QUAL STAT

EQ CAT BLOC

ELEV

PO NUMBER

MODEL / CATALOG NO

TO HOT PENETRATION COOL

VELAN

ALIMITORQUE

SHB-00-05

SERVICE WATER INLET VALVE

ITT GRINHELL

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:B /460VAC

SERVICE WATER INLET VALVE

ITT GRINHELL

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:B /460VAC

MAIN 5TH LINE DRAIN VV

VELAN

LIMITORQUE

SHB-00-10

MOT:RELIANCE /IMS CL:M /460VAC

MAIN 5TH LINE DRAIN VALVE

VELAN

LIMITORQUE

SHB-00-10

ENVIRONMENTAL QUALIFICATION SUMMARY

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 121  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC M/J-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	EMG COND	OPER CODE
---------------------------	---	------------------------	---------------------------	------	-----------------------	----------	-----------

.1B21#NOV043 B21-F047C	MOT:RELIANCE /IMS CL:RH/460VAC MAIN STM LINE DRAIN VALVE VELAN LIMITORQUE SMB-00-10	1E 253	T-08 RBS	00078	.08V-03 EQ	L	A 070 MIN
---------------------------	---	-----------	-------------	-------	---------------	---	--------------

.1B21#NOV044 B21-F047D	MOT:RELIANCE /IMS CL:M/460VAC MAIN STM LINE DRAIN VALVE VELAN LIMITORQUE SMB-00-10	1E 253	T-08 RBS	00078	.08V-03 EQ	L	A 070 MIN
---------------------------	--	-----------	-------------	-------	---------------	---	--------------

.1B21#NOV051 B21-F014	MOT:RELIANCE /IMS CL:M/460VAC DRAIN TO CONDENS NORTH DRYWELL VELAN LIMITORQUE SMB-00-10	1E 88V	D-22 RBD	310502	.08V-01 EQ	L	A 070 MIN
--------------------------	---	-----------	-------------	--------	---------------	---	--------------

.1E11#NOV052 E11-F040	MOT:RELIANCE /IMS CL:RH/460VAC TO RADWASTE SURGE TH NEAR C-4 VELAN LIMITORQUE SMB-00-10	1E 88V	G-07 RBS	310502	.08V-03 EQ	H.M	B 100 DYS
--------------------------	---	-----------	-------------	--------	---------------	-----	--------------

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82


REPORT DATE 07/07/82 PAGE 122  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.1E11#MOV053 E11-F023	MOT:RELINACE /IMS CL:B /480VAC VWR HEAD SPRAY NR COLUMN C-5 VELAN LIMITORQUE SMB-00-10	1E 88V	8-12 RHS 310502	103. FT/IJ		L	.B 100 DYS N/A
.1E11#MOV056 E11-F012	MOT:PORT PEER /IMS CL:B /125VDC MPCI P MIN FLOW BYPASS NR C-7 VELAN LIMITORQUE SMB-00-10	1E 88V	8-01 RHS 310502	20. FT/IJ		L	.A 070 MTH N/A
.1E51#MOV059 E51-F012	MOT:PORT PEER /IMS CL:B /125VDC MPC DISCH VELAN LIMITORQUE SMB-00-10	1E 88V	8-01 RHS 310502	19. FT/IJ		L	.B 100 DYS N/A
.1E51#MOV055 E51-F013	MOT:PORT PEER /IMS CL:B /125VDC MPC DISCH VELAN LIMITORQUE SMB-00-10	1E 88V	8-12 RHS 310502	80. FT		L	.B 100 DYS N/A



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 123  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.1E51#MOV037 E51-F022	MOT:PORT PEER /IMS CL:RH/125VDC RCIC DISCH TO COND STG VELAM LIMITORQUE SMB-00-10	1E 88V	B-01 R03 310502		20. FT/1J	nL nH,M L	.nA .n070 MIN .nB .n100 DYS .nB .n100 DYS N/A
.1E51#MOV041 E51-F007	MOT:PORT PEER /IMS CL: /125VDC RCIC STEAM TO TURB MPT DRYWELL. VELAM LIMITORQUE SMB-00-10	1E 88V	B-22 R00 310502		.n88V-01 88. EQ	nL nH,M	.nA .n070 MIN .nA .n070 MIN
.1E53#MOV032 G33-F101	MOT:RELIANCE /IMS CL:RH/460VAC REAC VESSEL DRAIN EAST DRYWELL. VELAM LIMITORQUE SMB-00-10	1E 88V	B-22 R00 310502		.n88V-01 99. EQ	nL nH,M	.nB .n100 DYS .nB .n100 DYS
.1E11#MOV041A E11-F027A	MOT:RELIANCE /IMS CL:RH/460VAC RHR SUPP POOL SPRAY HD NR C-10. VELAM LIMITORQUE SMB-00-15	1E 88V	G-02 R03 310502		.n88V-03 51. EQ	nH,M	.nB .n100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 124  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAH / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	SUBHG	OPER CODE
		VENDOR NAME	MJ-CAT	BLDG	ELEV		
		MAKE / MANUFACTURER	SPEC	PO NUMBER	QUAL STAT		
		MODEL / CATALOG NO					
		MOT:RELIANCE /IMS CL:B /460VAC				L	A 180 DYS
							NA
.1E11#NOV001B E11-F027B		RHR SUPP POOL SPRAY NO NR C-4 VELAM LIMITORQUE SMB-00-15	1E 08V	B-02 R05 399772	40. FT/1J	H.M L	B 180 DYS A 180 DYS
							NA
		MOT:RELIANCE /IMS CL: /460VAC				H.M	B 180 DYS
.1E11#NOV003A E11-F026A		RHR HX TO RCIC P SUCT NR C-11 VELAM LIMITORQUE SMB-00-15	1E 08V	B-01 R05 310502	17. EQ	L	B 180 DYS
							NA
		MOT:RELIANCE /IMS CL:B /460VAC				H.M	B 180 DYS
.1E11#NOV003B E11-F026B		RHR HX TO RCIC P SUCT NR C-5 VELAM LIMITORQUE SMB-00-15	1E 08V	B-01 R05 310502	17. EQ	L	B 180 DYS
							N/A
		MOT:RELIANCE /IMS CL:B /460VAC				H.M	B 180 DYS
.1E11#NOV004A E11-F011A		RHR HX DR TO SUPP POOL C-11 VELAM LIMITORQUE SMB-00-15	1E 08V	G-01 R05 310502	17. EQ		

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 125  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MJ-CAT SPEC	ZONE BLDG PO NUMBER	ELEV PO NUMBER	EQ SHEET QUAL STAT	SUBMG	ENG COND	OPER CODE
.1E11#NOV000B E11-F011B	NOT:RELIANCE /INS CL:B /#40VAC RHR NR DR TO SUPP POOL C-5 VELAN LIMITORQUE SMB-00-15	1E	B-01	17. EQ	.#88V-03	L	B 100 DYS	N/A
.1E11#NOV005A E11-F022	NOT:RELIANCE /INS CL:B /#40VAC RHR HEAD SPRAY NR COLUMN C-5 VELAN LIMITORQUE SMB-00-15	1E	B-22	104. EQ	.#88V-04	L	B 100 DYS	N/A
.1G33#NOV030A G33-F106	NOT:RELIANCE /INS CL:RH/#40VAC REAC RECIRC SUCT EAST DRYWELL VELAN LIMITORQUE SMB-00-15	1E	B-22	98. EQ	.#88V-04	L	B 100 DYS	N/A
.1G33#NOV030B G33-F100	NOT:RELIANCE /INS CL:RH/#40VAC REAC RECIRC SUCT EAST DRYWELL VELAN LIMITORQUE SMB-00-15	1E	B-22	99. EQ	.#88V-04	L	B 100 DYS	N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-031 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 126  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SPORHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / 100 / SPEC

ENG COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	BLDG	ELEV	EQ SHEET	QUAL STAT	SUBNO	COND	OPER CODE
		VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	HJ-CAY SPEC								
.1833#NOV038	833-F008	REACTOR VESSEL DISCH VELAM LIMITORQUE SMB-00-15	1E 88V	P-14 R05		121. FT/IJ			L	B	100 DYS
									H.M	A	070 MIN
									L	A	070 MIN
.1833#NOV091	833-F108	RMCV SYS REAC RETURN VELAM LIMITORQUE SMB-00-15	1E 88V	T-08 R05		70. EQ			L	B	100 DYS
									H.M	A	070 MIN
.1811#NOV038		MISC STN FROM DMR 150L VELAM LIMITORQUE SMB-00-15	1E 88V	TB ST		53. EQ			L	B	100 DYS
									H.M	A	070 MIN
											N/A
.1811#NOV091		AUX STEAM SUPPLY VELAM LIMITORQUE SMB-00-15	1E 88V	ST ST		50. EQ			L	B	100 DYS
									H.M	A	070 MIN

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 127  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SIOWHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MKO / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBNO	OPER CODE
.1033#MOV033 033-F001	MOT:RELIANCE /INS CL:B /460VAC PEAC VESSEL DISCH EAST DRYWELL. VELAN LIMITORQUE SIB-00-25	1E 88V	B-22 R00 310502	121. EQ	88V-01	L	A 070 MIN N/A
.1051#MOV031 051-F010	MOT:RELIANCE /INS CL:RW/460VAC RCIC PUMP SUCT COND STD VELAN LIMITORQUE SIB-00-5	1E 88V	B-01 R05 310502	24. FT/IJ		H,M L	A 070 MIN N/A B 100 DYS
.1051#MOV032 051-F031	MOT:PORT PEER /INS CL:B /125VDC RCIC PUMP SUCT SUPP POOL VELAN LIMITORQUE SIB-00-5	1E 88V	B-01 R05 310502	24. FT/IJ		H,M L	B 100 DYS B 100 DYS
1748#MOV031A	MOT:PORT PEER /INS CL:B /125VDC ATHOS IMBD CONT 150 MM DRYWELL. VELAN LIMITORQUE SIB-00-5	1E 88V	B-22 R00 310502	67. EQ	88V-01	H,M	B 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-120  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - IMA / HQD / SPEC

REPORT DATE 07/07/82 PAGE 108

RESET NO. 004  
RESET DATE 05/12/82

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

EQUIPMENT DESCRIPTION OAC ZONE ELEV EQ SHEET  
VEHICLE MAKE / MANUFACTURER MODEL / CATALOG NO  
MOTOR RELIANCE / INS CL:PH/460VAC

1748-00V0310 ATHOS 1M00 CONT 150 SE DRYWELL. 0-22 08V-01  
VELAM 1E . R05 73. EQ  
LIMITORQUE 08V . 310502  
SMB-00-5

1748-00V0311A MOT:RELIANCE /INS CL:PH/460VAC  
ATHOS 1M00 CONT 150 M SUP CHM. L-02 08V-01  
VELAM 1E . R05 51. EQ  
LIMITORQUE 08V . 310502  
SMB-00-5

1748-00V0312B MOT:RELIANCE /INS CL:PH/460VAC  
ATHOS 1M00 CONT 150 ME SUP CHM. L-02 08V-01  
VELAM 1E . R05 51. EQ  
LIMITORQUE 08V . 310502  
SMB-00-5

1821-00V031A MOT:RELIANCE /INS CL:PH/460VAC  
DRAIN TO CONDENSER 1E . M-08 08V-03  
VELAM 1E . R05 76. EQ  
LIMITORQUE 08V . 310502  
SMB-00-7.5

ENGINEER NAME  
ENGINEER NO  
ENGINEER PHONE

DATE OF TEST  
TEST LOCATION

TEST RESULTS

TEST COMMENTS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

TEST RECOMMENDATIONS

TEST APPROVALS

TEST SIGNATURE

TEST DATE

TEST TIME

TEST DURATION

TEST ENVIRONMENT

TEST EQUIPMENT

TEST PROCEDURES

TEST OBSERVATIONS

TEST CONCLUSIONS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 129  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EQ SHEET  
 MU-CAT BLDG ELEV QUAL STAT  
 SPEC PD NUMBER

EMG COND OPER CODE

SUMMG

NOT:RELIANCE /INS CL:B /460VAC  
 RWR TO RADN SURGE TANK  
 VELAN  
 LIMITORQUE  
 SIM-00-7.5

1211#KVD051  
 E11-7049

1E . G-07 43. FT/IJ  
 . RBS  
 88V . 310502

L . B  
 . 100 DYS

N,M . B  
 . 100 DYS

L . B  
 . 100 DYS

N/A

NOT:PORT PEER /INS CL:B /125VDC  
 RCIC STEAM TO TURBINE  
 VELAN  
 LIMITORQUE  
 SIM-00-7.5

1251#KVD042  
 E51-7008

1E . T-00 88. OG  
 . RBS  
 88V . 310502

W,N,M . NA  
 . 070 MIN

W,L . NA  
 . 070 MIN

NOT:PORT PEER /INS CL:H /125VDC  
 RCIC STM TO TURBINE  
 WCOPE'S VULCAN  
 LIMITORQUE  
 SIM-00-7.5

1251#KVD043  
 E51-7045

1E . G-01 12. OG  
 . RBS  
 88V . 310502

W,N,M . NB  
 . 100 DYS


W,L . NB  
 . 100 DYS

NOT:PORT PEER /INS CL:H /125VDC  
 ATHOS INBD CONT ISO SM DRYWELL  
 VELAN  
 LIMITORQUE  
 SIM-00-7.5

1748#KVD032A

1E . D-22 71. EQ  
 . RBS  
 88V . 310502

N,M . B  
 . 100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82


REPORT DATE 07/07/82 PAGE 130  
 RESET NO. 000  
 RESEV DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENR COND OPER CODE

EQUIPMENT ID VEIDOR ID	EQUIPMENT DESCRIPTION VEIDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAY SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SURNG	OPER CODE
1T98#MOV032B	MOT:RELIANCE /IMS CL:RH/460VAC ATHOS INBD CONT 150 ME DRYWELL. VELAN LIMITORQUE SMB-00-7.5	1E 88V	D-22 R80 310502		88V-01 71. EQ	L	A 180 DYS
1T98#MOV033A	MOT:RELIANCE /IMS CL:RH/460VAC ATHOS INBD CONT 150 SM SUP CHM. VELAN LIMITORQUE SMB-00-7.5	1E 88V	L-02 R85 310502		88V-01 51. EQ	L	B 180 DYS A 180 DYS
1T98#MOV034B	MOT:RELIANCE /IMS CL:RH/460VAC ATHOS INBD CONT 150 S SUP CHM. VELAN LIMITORQUE SMB-00-7.5	1E 88V	L-02 R85 310502		88V-01 51. EQ	L	B 180 DYS A 180 DYS
1T98#MOV037A	MOT:RELIANCE /IMS CL:RH/460VAC ATHOS OTBD CONT 150 VELAN LIMITORQUE SMB-00-7.5	1E 88V	G-03 R85 310502		88V-03 73. EQ	L	B 180 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 131  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENH COND	OPER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	MJ-CAT SPEC	BLDG PO NUMBER		QUAL STAT		
.ITR0#H0V037B	NOT:RELIANCE /INS CL:W/460VAC ATHOS DTBD CONT ISO VELAN LIMITORQUE SIB-00-7.5	1E 08V	B-03 R05 310502		72. EQ #08V-03	L	A 100 DYS
.ITR0#H0V040A	NOT:RELIANCE /INS CL:B /460VAC ATHOS DTBD CONT ISO VELAN LIMITORQUE SIB-00-7.5	1E 08V	L-02 R05 310502		51. EQ #08V-03	H,M L	B 100 DYS A 100 DYS
.ITR0#H0V040B	NOT:RELIANCE /INS CL:B /460VAC ATHOS DTBD CONT ISO VELAN LIMITORQUE SIB-00-7.5	1E 08V	L-02 R05 310502		51. EQ #08V-03	H,M L	B 100 DYS A 100 DYS N/A
.ITR0#H0V006A	NOT:RELIANCE /INS CL: /460VAC GAS INLET VALVE ATONICS INST LIMITORQUE SIB-000	1E 289	J-15 R05 310620		00112. EQ #08V-01	H,M	B 100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 132  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STORE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COMD OPER CODE

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE ELEV EQ SHEET  
 NU-CAT BLDG ELEV QUAL STAT  
 SPEC PD NUMBER

SUBMS

L A  
 .180 DYS

W.H.M .WB  
 .180 DYS

L A  
 .180 DYS

W.H.M .WB  
 .180 DYS

L A  
 .180 DYS

W.H.M .WB  
 .180 DYS

W.L .WA  
 .180 DYS

W.H.M .WB  
 .180 DYS

.1TR08H0V0048  
 FV-1

MOT:RELIANCE /INS CL:RH/460VAC

GAS INLET VALVE  
 ATOMICS INST  
 LIMITORQUE  
 SIB-000

1E .J-16 .WBV-01  
 .R95 00112. EQ  
 #289 .310624

.1TR08H0V007A  
 FV-2

MOT:RELIANCE /INS CL:RH/460VAC

RECTIRC GAS  
 ATOMICS INST  
 LIMITORQUE  
 SIB-000

1E .J-15 .WBV-01  
 .R95 00112. EQ  
 #289 .310624

.1TR08H0V007B  
 ADDED

MOT:RELIANCE /INS CL:RH/460VAC


RECTIRC GAS  
 ATOMICS INST  
 LIMITORQUE  
 SIB-000

1E .J-16 .WBV-01  
 .R95 00112. EQ  
 #289 .310624

.1TR08H0V016A  
 IV-10

WATER VALVE  
 ATOMICS INST  
 LIMITORQUE  
 SIB-000

1E .J-15 .WBV-01  
 .R95 00112. EQ  
 #289 .310624



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-1293  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 008  
RESET NO. 05/12/82  
OPER CODE

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SMOKEHAM - UNIT 1  
JOB CLIENT LILCO

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SMOKEHAM - UNIT 1  
JOB CLIENT LILCO

EQUIPMENT ID  
VENDOR ID  
EQUIPMENT DESCRIPTION  
VENDOR NAME  
MAKE / MANUFACTURER  
MODEL / CATALOG NO

QAC ZONE  
MUL-CAT BLDG ELEV  
PO NUMBER  
SPEC  
MAKE / MANUFACTURER  
MODEL / CATALOG NO

FB SHEET  
QUAL STAT

FB SHEET  
QUAL STAT

NOT:PARTNOURT /INS CL:8 /460VAC

NOT:PARTNOURT /INS CL:8 /460VAC

WATER VALVE  
ATOMICS INST  
LIMITORQUE  
SMB-000

WATER VALVE  
ATOMICS INST  
LIMITORQUE  
SMB-000

NOT:PARTNOURT /INS CL:8 /460VAC

NOT:PARTNOURT /INS CL:8 /460VAC

DRAIN TO RWP SYSTEM  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

DRAIN TO RWP SYSTEM  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

NOT:RELIANCE /INS CL:8 /460VAC

NOT:RELIANCE /INS CL:8 /460VAC

DRAIN TO RWP SYSTEM  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

DRAIN TO RWP SYSTEM  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

NOT:RELIANCE /INS CL:8 /460VAC

NOT:RELIANCE /INS CL:8 /460VAC

SPENT FUEL POOL LINE DRAIN VV  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

SPENT FUEL POOL LINE DRAIN VV  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

NOT:RELIANCE /INS CL:8 /460VAC

NOT:RELIANCE /INS CL:8 /460VAC

SPENT FUEL POOL LINE DRAIN VV  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

SPENT FUEL POOL LINE DRAIN VV  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

NOT:RELIANCE /INS CL:8 /460VAC

NOT:RELIANCE /INS CL:8 /460VAC

SPENT FUEL POOL LINE DRAIN VV  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

SPENT FUEL POOL LINE DRAIN VV  
ITT GRINHELL  
LIMITORQUE  
SMB-000-02

NOT:RELIANCE /INS CL:8 /460VAC

NOT:RELIANCE /INS CL:8 /460VAC

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001

JOB NUMBER 1140002

JOB NAME SHOREHAM - UNIT 1

JOB CLIENT LILCO

REPORT DATE 07/07/02

REPORT NO. 009

RESET DATE 05/12/02

PAGE 136

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / 100 / SPEC

REPORT NO.	EQUIPMENT ID	EQUIPMENT DESCRIPTION	MANUFACTURER	MODEL / CATALOG NO	QAC	ZONE	BLDG	ELEV	EQ SHEET	QUAL STAT	ENG COND	OPER CODE
.1P41#NOV102A		SAMPLE TO RAD MONITOR	ITT GRINWELL	203	1E	B-01			0. EQ		M,M	.B .100 DYS
		LIMITORQUE		203	203	B03					L	.A .100 DYS
		SIB-000-02										N/A
		MOT:RELIANCE / INS CL:B /460VAC										
.1P41#NOV102B		SAMPLE TO RAD MONITOR	ITT GRINWELL	203	1E	B-01			0. EQ		M,M	.B .100 DYS
		LIMITORQUE		203	203	B03					L	.A .100 DYS
		SIB-000-02										N/A
		MOT:RELIANCE / INS CL:B /460VAC										
.1P50#NOV104		INST AIR TO SUPP CHAMBER VV	VELAN	310512	1E	B-01			00020. EQ		M,M	.B .100 DYS
		LIMITORQUE		214	214	B03					L	.A .070 MIN
		SIB-000-02										NA
		MOT:RELIANCE / INS CL:B /460VAC										
.1P50#NOV106		INST AIR TO SUPP CHAMBER BB	VELAN	310512	1E	B-01			00020. EQ		M,M	.B .100 DYS
		LIMITORQUE		214	214	B03					L	.A .070 MIN
		SIB-000-02										NA



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 135  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBMG	EMG COND	OPER CODE
.....	.....	.....	MU-CAT	BLOG	PO NUMBER	.....	.....	.....	.....	.....
.....	.....	.....	SPEC	.....	.....	.....	.....	.....	.....	.....
.1723#H0V031A		MOT:RELIANCE /INS CL:B /460VAC INLET PRESS TO ACC-A VELAM LIMITORQUE SIB-000-02	1E 214	L-02 R05 310512		.08V-03 40. EQ		L H,M	A B	070 MTM 100 DYS
.1723#H0V031B		MOT:RELIANCE /INS CL:B /460VAC INLET PRESS TO ACC-B VELAM LIMITORQUE SIB-000-02	1E 214	L-02 R05 310512		.08V-03 40. EQ		L H,M	A B	001 DYS 100 DYS
.1011#H0V032A		MOT:RELIANCE /INS CL:B /460VAC RADIATION MONITORING XS-12 VELAM LIMITORQUE SIB-000-02	1E 253	D-22 R00 310512		.08V-01 75. EQ		L HST	A B	070 MTM N/A
.1011#H0V032B		MOT:RELIANCE /INS CL:RH/460VAC RADIATION MONITORING XS-12 VELAM LIMITORQUE SIB-000-02	1E 253	B-06 R05 310512		.08V-03 00065. EQ		L H,M	A B	070 MTM 100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 134  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MJ-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.1011#NOV033A	MOT:RELIANCE /IMS CL:B /460VAC RADIATION MONITORING XS-13 VELAM LIMITORQUE SMB-000-02	1E 253	D-22 RBD 310512		.080V-01 75. EQ	L H.M	A 070 MIN N/A B 100 DYS
.1011#NOV033B	MOT:RELIANCE /IMS CL:RH/460VAC RADIATION MONITORING XS-13 VELAM LIMITORQUE SMB-000-02	1E 253	B-06 RBS 310512		.080V-03 00063. EQ	L H.M	A 070 MIN N/A B 100 DYS
.1E11#NOV055A E11-F104A	MOT:RELIANCE /IMS CL:B /460VAC RHR WX SHELL VENT MR C-11 VELAM LIMITORQUE SMB-000-02	1E 253	B-02 RBS 310512		.05.0FT/IJ	L H.M	B 100 DYS N/A B 100 DYS
.1E11#NOV055B E11-F104B	MOT:RELIANCE /IMS CL: /460VAC RHR WX SHELL VENT MR C-5 VELAM LIMITORQUE SMB-000-02	1E 253	B-02 RBS 310512		.05.0FT/IJ	H.M	B 100 DYS N/A



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 137  
 DESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT L.L.CO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - IAH / HQD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MJ-CAT SPEC	ZONE BLOS ELEV PO NUMBER	EQ SHEET QUAL STAT	SUBNO	ENG CO:ID	OPER CODE
					L		B 100 DYS N/A
					N,M		B 100 DYS N/A
.1E11#NOV056A E11-F103A	MWR MX SHELL VENT NR C-11 VELAN LIMITORQUE SMB-000-02	1E 253	G-02 R05 310512	.B 45.#FT/IJ	L		B 100 DYS N/A
					N,M		B 100 DYS N/A
.1E11#NOV056B E11-F103B	MWR MX SHELL VENT NR C-5 VELAN LIMITORQUE SMB-000-02	1E 253	G-02 R05 310512	.B 45.#FT/IJ	L		B 100 DYS N/A
					N,M		B 100 DYS N/A
.1E11#NOV057A	70 HYDROGEN RECOMBINER WEST VELAN LIMITORQUE SMB-000-02	1E 253	G-01 R05 310512	.B06V-03 B.#EQ	L		A 100 DYS N/A
					N,M		B 100 DYS N/A
.1E11#NOV057B	70 HYDROGEN RECOMBINER EAST VELAN LIMITORQUE SMB-000-02	1E 253	G-01 R05 310512	.B06V-03 B.#EQ	L		B 100 DYS N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 138  
 RESET NO. 000  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQS COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBMG	COND	OPER CODE
		VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	NU-CAT SPEC	BLOG PO NUMBER						
.1E41#MOV047 E41-F097		NOT:RELIANCE /INS CL:B /460VAC MOV041 BYPASS NRTH DRYWELL VELAN LIMITORQUE SMB-000-02	1E 253	D-22 R00 310512	66. #EQ			L	A 100 DYS	M/A
.1E41#MOV048 E41-F088		NOT:RELIANCE /INS CL:RH/460VAC MOV042 BYPASS NR C-7 VELAN LIMITORQUE SMB-000-02	1E 253	B-03 R03 310512	64. #FT/IJ			L	A 012 HRS	
.1E41#MOV049 E41-F079		NOT:RELIANCE /INS CL: /125VDC MPCI TURB EXH VAC BHR C-8 VELAN LIMITORQUE SMB-000-02	1E 253	B-P1 R05 310512	39. FT/IJ			L	A 012 HRS	
.1E51#MOV046 E51-F002		NOT:PORT PEER /INS CL:B /125VDC VAC PLRP DISCH TO POOL VELAN LIMITORQUE SMB-000-02	1E 253	G-01 R05 310512	29. FT/IJ			M,M	B 100 DYS	

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 139  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBNO	OPER CODE
		VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	MJ-CAT SPEC	BLOG PO NUMBER					
		NOT:PORT PEER /IMS CL:B /125VDC						L	.0A .070 MIN N/A
.1E51#NOV007	ESI-F065	1E51#NOV001 BYPASS WPT DRYWELL. VELAN LIMITORQUE SIB-000-02	1E 253	B-22 R80 310512		.00V-01 00. EQ		wH,M wL	.0A .070 MIN .0A .070 MIN
		NOT:RELIANCE /IMS CL:RH/460VAC						wH,M wL	.0A .070 MIN .0A .070 MIN
.1E51#NOV008	ESI-F075	1E51#NOV002 BYPASS VELAN LIMITORQUE SIB-000-02	1E 253	T-08 R85 310512		.00V-02 00. 00		wH,M wL	.0A .070 MIN .0A .070 MIN
		NOT:PORT PEER /IMS CL:RH/125VDC						wH,M L	.0B .100 DYS .0A .070 MIN N/A
.1E51#NOV009	ESI-F009	WCIC TURB EXH VAC BWR VELAN LIMITORQUE SIB-000-02	1E 253	B-01 R85 310512		39. FT/IJ		wH,M L	.0B .100 DYS .0A .070 MIN N/A
		NOT:PORT PEER /IMS CL:B /125VDC						wH,M	.0B .100 DYS
.1TR8#NOV000		SUPPRESSION POOL INLET VELAN LIMITORQUE SIB-000-02	1E 253	L-02 R85 310512		.00V-03 00. EQ		wH,M	.0B .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

PAGE 100

REPORT NO. PES-001 JOB 1160002 87/07/82  
 REPORT DATE 87/07/82  
 REPORT NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 119-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QMC ZONE  
 HU-CAT BLDG  
 SPEC PO NUMBER

EQ SHEET  
 QUAL STAT  
 SCHED

\*\*\*\*\*  
 SORTED BY - HOK / HOD / SPEC  
 \*\*\*\*\*

NOT:RELIANCE /IMS CL:IB /460VAC  
 COPPA SVCE OUTBO 130LV 1E : B-09 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:IB /460VAC  
 COPPA SVCE OUTBO 130LV 1E : B-12 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 COPPA SVCE INBOARD 130LV 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

NOT:RELIANCE /IMS CL:PH/460VAC  
 SERVICE AIR HDR A PRESS 1E : B-22 00078. EQ  
 VELAM : P03  
 LIMITORQUE : 310512  
 SHB-000-05

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 141  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC


EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBNO	ENB COND	OPER CODE
---------------------------	---	-----------------------	---------------------------	------	-----------------------	-------	----------	-----------

.1P50#MOV113A 04370000	MOT:RELIANCE /INS CL:RM/460VAC CORPA SVCE NORM SUPPLY VV VELAM LIMITORQUE SMB-000-05	1E 214	G-09 R05 310512		.08V-03 00078. EQ	L	A	070 MIN
---------------------------	--	-----------	-----------------------	--	----------------------	---	---	---------

.1P50#MOV117B 04390000	MOT:RELIANCE /INS CL:B/460VAC CORPA SVCE NORM. SPLY VV VELAM LIMITORQUE SMB-000-05	1E 214	G-12 R05 310512		.08V-03 00078. EQ	L	A	070 MIN
---------------------------	--	-----------	-----------------------	--	----------------------	---	---	---------

.1P50#MOV119A 04410000	MOT:RELIANCE /INS CL:B/460VAC CORPA SVCE EMERG SPLY VV VELAM LIMITORQUE SMB-000-05	1E 214	G-09 R05 310512		.08V-03 00078. EQ	L	A	070 MIN
---------------------------	--	-----------	-----------------------	--	----------------------	---	---	---------

.1P50#MOV119B 04430000	MOT:RELIANCE /INS CL:B/460VAC CORPA SVCE EMER SPLY VV VELAM LIMITORQUE SMB-000-05	1E 214	G-12 R05 310512		.08V-03 00078. EQ	L	A	070 MIN
---------------------------	---	-----------	-----------------------	--	----------------------	---	---	---------



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 142  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	GAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBNO	OPER CODE
.....	.....	.....	MU-CAT	BLOG	PD NUMBER	.....	.....	.....	.....
		MOT:RELIANCE /INS CL:R /460VAC						L	A 070 MIN
.1B21#MOV068A		MH 5TH LINE OUTBD DRN VVS VELAN LIMITORQUE SMB-000-05	1E 253	T-08 RBS	00078	.000V-01 EQ		H,M	.WB .100 DYS
		MOT:RELIANCE /INS CL:RH/460VAC						L	A 070 MIN
.1B21#MOV068B		MH 5TH LINE OUTBD DRN VVS VELAN LIMITORQUE SMB-000-05	1E 253	T-08 RBS	00078	.000V-01 EQ		H,M	.WB .100 DYS
		MOT:RELIANCE /INS CL:RH/460VAC						L	A 070 MIN
.1B21#MOV068C		MH 5TH LINE OUTBD DRN VVS VELAN LIMITORQUE SMB-000-05	1E 253	T-08 RBS	00078	.000V-01 EQ		H,M	.WB .100 DYS
		MOT:RELIANCE /INS CL:RH/460VAC						L	A 070 MIN
.1B21#MOV068D		MH 5TH LINE OUTBD DRN VVS VELAN LIMITORQUE SMB-000-05	1E 253	T-08 RBS	00078	.000V-01 EQ		H,M	.WB .100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 103  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EQ SHEET  
 NU-CAT BLOC ELEV QUAL STAT  
 SPEC PD NUMBER

ENG COND OPER CODE

SURNO

.1021#K0V003  
 B21-F001

NOT:RELIANCE /INS CL:RH/460VAC  
 REAC VESSEL HEAD VENT  
 VELAM  
 LIMITORQUE  
 SIM-000-05

1E A-22 .00V-01  
 RBP 00191. EQ  
 253 310512

L A  
 .070 MIN  
 N/A  
 H.M A  
 .070 MIN

.1021#K0V004  
 B21-F002

NOT:RELIANCE /INS CL:RH/460VAC  
 REAC VESSEL HEAD VENT  
 VELAM  
 LIMITORQUE  
 SIM-000-05

1E A-22 .00V-01  
 RBP 00191. EQ  
 253 310512

H.M A  
 .070 MIN  
 L A  
 .100 DYS

.1021#K0V005  
 B21-F005

NOT:RELIANCE /INS CL:RH/460VAC  
 REAC VESSEL HEAD VENT  
 VELAM  
 LIMITORQUE  
 SIM-000-05

1E A-22 .00V-01  
 RBP 00191. EQ  
 253 310512


H.M B  
 .100 DYS  
 L B  
 .100 DYS

.1032#K0V024  
 E32-F006

NOT:RELIANCE /INS CL:RH/460VAC  
 LCS OUTBOARD PROCESS VLV  
 VELAM  
 LIMITORQUE  
 SIM-000-05

1E T-08 .00V-03  
 RBS 00070. EQ  
 253 310512

H.M B  
 .100 DYS





ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1160002 07/07/02

REPORT DATE 07/07/02 PAGE 145  
 RESET NO. 000  
 RESET DATE 05/12/02

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBHG	END COND	OPER CODE
.1E91#MOV030 E51-F046	TO LUBE OIL COOLER VELAN LIMITORQUE SMB-000-05	1E 253	B-01 RBS 310512	15. FT/IJ		W,L	.WB .100 DYS	
	NOT:RELIANCE /INS CL:B /125VDC					W,H,M	.WB .100 DYS	
.1011#MOV039C	SUPP POOL PMP BACK ISOL VV VELAN LIMITORQUE SMB-000-05	1E 08V	B-01 RBS 310502	00020. EQ	.WBV-03	L	.A .100 DYS	N/A
	NOT:RELIANCE /INS CL:B /125VDC					H,M	.B .100 DYS	
.1P42#MOV233	IN.VV TO DRYWELL COOLER 17A VELAN LIMITORQUE SMB-000-05	1E 08V	B-03 RBS 310502	48. FT/IJ		L	.WB .070 MIN	N/A
	NOT:RELIANCE /INS CL:B /460VAC					W,H,M	.WB .100 DYS	
.1P42#MOV230	IN.VV TO DRYWELL COOLER 17A VELAN LIMITORQUE SMB-000-05	1E 08V	B-03 RBS 310502	49. FT/IJ		W,H,M	.WB .100 DYS	
	NOT:PARAHOUNT /INS CL:B /460VAC							



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 116002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION

REPORT DATE 07/07/82  
 RESET NO. 009  
 RESET DATE 05/12/82

PROJECT EQUIPMENT SYSTEM - 115-1291

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 116002  
 JOB NAME SHOSHINAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

EQ SHEET  
 QUAL STAT

QAC ZONE  
 MU-CAT BLDG ELEV  
 SPEC PO NUMBER

SIMMS

END COND OPER CODE

.....  
 .....

NOTIPARAMOUNT / INS CL:B / 860VAC

IN.VV TO DRYWELL COOLER 17A  
 VELAN  
 LIMITORQUE  
 SIM-000-05

.1Pq2eH0V233

NOTIPARAMOUNT / INS CL:B / 860VAC

OUT.VV TO DRYWELL COOLER 17B  
 VELAN  
 LIMITORQUE  
 SIM-000-05

.1Pq2eH0V236

NOTIPARAMOUNT / INS CL:B / 860VAC

IN.VV TO DRYWELL COOLER 17C  
 VELAN  
 LIMITORQUE  
 SIM-000-05

.1Pq2eH0V237

NOTIPARAMOUNT / INS CL:B / 860VAC

IN.VV TO DRYWELL COOLER 17D  
 VELAN  
 LIMITORQUE  
 SIM-000-05

.1Pq2eH0V238

END COND	OPER CODE	SIMMS	EQ SHEET	QUAL STAT	QAC ZONE	MU-CAT BLDG	ELEV	SPEC	PO NUMBER
.NA	.070 MIN	L							
.NA	N/A								
.NB	.100 DYS	WH.M							
.NA	.070 MIN	L							
.NA	N/A								
.NB	.100 DYS	WH.M							
.NA	.070 MIN	WL							
.NB	.100 DYS	WH.M							
.NA	.070 MIN	WL							
.NB	.100 DYS	WH.M							
.NA	.070 MIN	WL							
.NB	.100 DYS	WH.M							
.NA	.070 MIN	WL							
.NB	.100 DYS	WH.M							

ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 147  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

SYDNE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBNO	OPER CODE
.IPRE#NOV239	MOT:PARAMOUNT /IMS CL:B /460VAC IN.VV TO DRYWELL COOLER 178 VELAM LIMITORQUE SIB-000-05	1E 88V	8-03 RBS 310502	69. FT/IJ		WL	.WA .070 MIN
.IPRE#NOV240	MOT:PARAMOUNT /IMS CL:B /460VAC IN.VV TO DRYWELL COOLER 178 VELAM LIMITORQUE SIB-000-05	1E 88V	8-03 RBS 310502	70. FT/IJ		WL	.WB .180 DYS .WA .070 MIN
.IT90#NOV035A	MOT:PARAMOUNT /IMS CL:B /460VAC ATHOS OTBD CONT 150 VELAM LIMITORQUE SIB-000-05	1E 88V	8-03 RBS 310502	68. EQ	.88V-03	H.M	.B .180 DYS .A .180 DYS
.IT90#NOV035J	MOT:RELIANCE /IMS CL:B /460VAC ATHOS OTBD CONT 150 VELAM LIMITORQUE SIB-000-05	1E 88V	8-03 RBS 310502	73. EQ	.88V-03	H.M	.B .180 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1293  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAX / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHORLEMAN - UNIT 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/82  
 RESET NO. 001  
 RESET DATE 05/12/82

EQ SHEET  
 QUAL STAT

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	ENG COND	OPER CODE
.1E21#00031A E21-F001A		CORE SPRAY PP SUCT NR COL C-10. ANCHOR DAPLIM LITHITORQUE SMB-000-5	1E	G-01		.00020, EQ		L	A : 100 DYS
.1E21#00031B E21-F001B		CORE SPRAY PP SUCT NR COL C-6 ANCHOR DAPLIM LITHITORQUE SMB-000-5	1E	G-01		24, EQ		L	A : 100 DYS
.1E21#00032 E21-F019		DRAIN TO CONDENSER VELAM LITHITORQUE SMB-000-5	1E	T-08		79, OG		L	A : 070 MIN
.1E11#0003A E11-F037A		MOT: PUMP PEER / IMS CL: RH/125VDC PWR PP MHM FLOW BYPASS MP C-11. VELAM LITHITORQUE SMB-000-5	1E	G-01		17, EQ		L	A : 100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 149  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / ICD / SPEC

ENB COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	SUBNO	ENB COND	OPER CODE
		VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	NO-CAT SPEC	BLDG	PO NUMBER	QUAL STAT			
.1E11#NOV045B E11-F007B		NOT RELIANCE / INS CL:B / 460VAC RHR PP MIM FLOW BYPASS NR C-5 VELAN LIMITORQUE SMB-000-5	1E	6-01	17. EQ	.088V-03	L	A	100 DYS
.1E21#NOV034A E21-F031A		NOT RELIANCE / INS CL:B / 460VAC CORE SPRAY P MI FL NR COL C-11 VELAN LIMITORQUE SMB-000-5	1E	6-01	15. EQ	.088V-03	L	A	100 DYS
.1E21#NOV034B E21-F031B		NOT RELIANCE / INS CL:B / 460VAC CORE SPRAY P MI FL NR COL C-5 VELAN LIMITORQUE SMB-000-5	1E	6-01	15. EQ	.088V-03	L	A	100 DYS
.1E51#NOV045 E51-F001		NOT RELIANCE / INS CL:B / 460VAC TURB EXH TO SUPP POOL VELAN LIMITORQUE SMB-000-5	1E	6-01	31. FT/IJ	.088V-03	L	A	100 DYS

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 150  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOWEHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PD NUMBER	ELEV	EQ SHEET QUAL STAT	SURNG	OPER CODE
						L	.A .070 MIN N/A
.1611#MOV296	NOT:PORT PEER /INS CL:B /125VDC DRYWELL EQUIP DR VV VELAN LIMITORQUE SIB-000-5	1E 88V	G-02 RBS 310502		.08V-01 40. EQ	H.M	.B 100 DYS N/A
.1611#MOV297	NOT:RELIANCE /INS CL:RW/460VAC DRYWELL EQUIP DR VV VELAN LIMITORQUE SIB-000-5	1E 88V	G-02 RBS 310502		.08V-03 40. EQ	L	.A 070 MIN N/A
.1611#MOV298	NOT:RELIANCE /INS CL:B /460VAC DRYWELL FLOOR DRAINS VELAN LIMITORQUE SIB-000-5	1E 88V	L-02 RBS 310502		.08V-01 40. EQ	H.M	.B 100 DYS N/A
.1611#MOV299	NOT:RELIANCE /INS CL:RW/460VAC DRYWELL FLOOR DRAINS VELAN LIMITORQUE SIB-000-5	1E 88V	L-02 RBS 310502		.08V-03 40. EQ	L	.A 070 MIN N/A
						H.M	.B 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82


REPORT DATE 07/07/82 PAGE 151  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MP-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.1041#NOV033A	SUPPRESSION POOL INLET VELAN LIMITORQUE SMB-000-5	1E 88V	B-02 RBS 310502	94. FT/IJ		L	A 070 MIN N/A
	MOT:RELIANCE /INS CL:1 /460VAC					N,M	B 100 DYS
.1041#NOV033B	SUPPRESSION POOL INLET VELAN LIMITORQUE SMB-000-5	1E 88V	B-02 RBS 310502	94. FT/IJ		L	A 070 MIN N/A
	MOT:RELIANCE /INS CL:1 /460VAC					N,M	B 100 DYS
.1P42#NOV031A	ROCLCH MX DISCH ROVER VELAN LIMITORQUE SMB-000-5	1E 88V	L-02 RBS 310502	56. EQ	88V-03	L	A 070 MIN N/A
	MOT:RELIANCE /INS CL:1 /460VAC					N,M	B 100 DYS
.1P42#NOV031B	ROCLCH MX DISCH ROVER VELAN LIMITORQUE SMB-000-5	1E 88V	L-02 RBS 310502	59. EQ	88V-03	L	A 070 MIN N/A
	MOT:RELIANCE /INS CL:1 /460VAC					N,M	B 100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 152  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBMG	EMG COND	OPER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	MU-CAT SPEC	BLDG	PO NUMBER					
	MOT:RELIANCE /INS CL1 /460VAC						L	.WA	.070 MIN
									N/A
.1P42#MOV032A	RBCLM PP DISCH KOVER VV VELAN LIMITORQUE SMB-000-5	1E 08V	N-18 R05 310502		.08V-03 150. EQ		WH,M	.WB	.180 DYS
							L	.WA	.070 MIN
									N/A
	MOT:RELIANCE /INS CL:B /460VAC						WH,M	.WB	.180 DYS
.1P42#MOV032B	RBCLM PP DISCH KOVER VV VELAN LIMITORQUE SMB-000-5	1E 08V	N-18 R05 310502		.08V-03 150. EQ		L	.WA	.070 MIN
									N/A
	MOT:RELIANCE /INS CL:B /460VAC						WH,M	.WB	.180 DYS
.1P42#MOV033A	RBCLM ISOL VALVE VELAN LIMITORQUE SMB-000-5	1E 08V	N-18 R05 310502		.08V-03 150. EQ		L	.WA	.070 MIN
									N/A
	MOT:RELIANCE /INS CL:B /460VAC						WH,M	.WB	.180 DYS
.1P42#MOV033B	RBCLM ISOL VALVE VELAN LIMITORQUE SMB-000-5	1E 08V	N-18 R05 310502		.08V-03 150. EQ				



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION PROJECT EQUIPMENT SYSTEM - (IS-129) RESET NO. 004

ENVIRONMENTAL QUALIFICATION STATUS REPORT SORTED BY - MAK / MOD / SPEC / OPER CODE RESET DATE 05/12/82

REPORT NO. PES-001 REPORT DATE 07/07/82  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 JOB NAME SHREVEHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC / OPER CODE

EQUIPMENT ID EQUIPMENT DESCRIPTION OAC ZONE EQ SHEET  
 VENDOR NAME MANUFACTURER NAME / MANUFACTURER SPEC PO NUMBER MU-CAT BLDG ELEV QUAL STAT

VENDOR ID MODEL / CATALOG NO SPEC PO NUMBER MU-CAT BLDG ELEV QUAL STAT

11602-010V034 MOT:RELIANCE /IMS CL:B /460VAC 1E P-1A .00V-03

11602-010V035 MOT:RELIANCE /IMS CL:B /460VAC 1E P-1A 126. EQ .00V-03

11602-010V036 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 .00V-03

11602-010V037 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V038 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V039 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V040 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V041 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V042 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V043 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V044 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V045 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V046 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V047 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V048 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V049 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V050 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V051 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V052 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V053 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V054 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V055 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V056 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V057 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

11602-010V058 MOT:RELIANCE /IMS CL:B /460VAC 1E B-03 67. EQ .00V-03

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 199  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	GAC M/J-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMG	OPER CODE
.1PR2W0V093A	NOT:RELIANCE /INS CL:B /460VAC HG SET FL CPLG INLET VV VELAN LIMITORQUE SMB-000-5	1E 08V	L-02 RBS 310502		.08V-03 54. EQ	wL	.0A .070 MTH
.1PR2W0V093B	NOT:RELIANCE /INS CL:B /460VAC HG SET FL CPLG INLET VV VELAN LIMITORQUE SMB-000-5	1E 08V	L-02 RBS 310502		.08V-03 54. EQ	wH,M	.0B .100 DYS
.1PR2W0V093C	NOT:RELIANCE /INS CL:B /460VAC HG SET FL CPLG INLET VV VELAN LIMITORQUE SMB-000-5	1E 08V	L-02 RBS 310502		.08V-03 54. EQ	L	.0A .070 MTH N/A
.1PR2W0V094A	NOT:RELIANCE /INS CL:B /460VAC HG SET FL CPLG INLET VV VELAN LIMITORQUE SMB-000-5	1E 08V	L-02 RBS 310502		.08V-03 54. EQ	wH,M	.0B .100 DYS
.1PR2W0V094B	NOT:RELIANCE /INS CL:B /460VAC HG SET FL CPLG INLET VV VELAN LIMITORQUE SMB-000-5	1E 08V	L-02 RBS 310502		.08V-03 54. EQ	L	.0A .070 MTH N/A
.1PR2W0V094C	NOT:RELIANCE /INS CL:B /460VAC HG SET FL CPLG INLET VV VELAN LIMITORQUE SMB-000-5	1E 08V	L-02 RBS 310502		.08V-03 54. EQ	wH,M	.0B .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

PROJECT EQUIPMENT SYSTEM - (115-129)

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 004

RESET DATE 05/12/82

PROJECT AND WEBSTER ENGINEERING CORPORATION

REPORT NO. PES-001

JOB NUMBER 1160002

JOB NAME SHOREHAM - UNIT 1

JOB CLIENT LILCO

EQUIPMENT ID

VENDOR NAME

NAME / MANUFACTURER

MODEL / CATALOG NO

\*\*\*\*\*

EQ SHEET

QUAL STAT

QAC

ZONE

ELEV

CU-CAT

BLDG

PO NUMBER

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

NOT:RELIANCE /INS CL:1B /460VAC

RELOC INLET TO P-18 COOLERS

1E

0-03

R03

06V

310502

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

NOT:RELIANCE /INS CL:1B /460VAC

DRYWELL COOLER OUTLET W

1E

0-27

R00

00074

EQ

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

NOT:RELIANCE /INS CL:1B /460VAC

DRYWELL COOLER OUTLET W

1E

0-22

R00

00074

EQ

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

NOT:RELIANCE /INS CL:1B /460VAC

DRYWELL COOLER OUTLET W

1E

0-22

R00

00074

EQ

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 154  
 RESET NO. 003  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	GWC HU-CAT SPEC	ZONE BLDG PO NUMBER	ELEV ELEV	NO SHEET LOCAL STAY	SUBNO	EMR COND	OPER CODE
.1P42#MOVES1	MOT:RELIANCE /IMS CL:RM/460VAC OUT.VV TO DRYWELL COOLER 17B VELAM LIMITORQUE SIB-000-5	1E 88V	G-07 R03	66. FT/IJ		L HST H.M L	.WA .070 MIN N/A .WB .180 DYS .WA .070 MIN	
.1P42#MOVES2	MOT:PARAMOUNT /IMS CL:B /460VAC IN.VV TO DRYWELL COOLER 17A VELAM LIMITORQUE SIB-000-5	1E 88V	G-03 R03	67. FT/IJ		L H.M	.WA .070 MIN .WB .180 DYS	
.1748#MOV038A	MOT:PARAMOUNT /IMS CL:B /460VAC ATHOS OTBD CONT 150 VELAM LIMITORQUE SIB-000-5	1E 88V	L-02 R03	51. FT/IJ		L H.M	.WA .070 MIN N/A .B .180 DYS	
.1748#MOV038B	MOT:PEERLESS /IMS CL:B /460VAC ATHOS OTBD CONT 150 VELAM LIMITORQUE SIB-000-5	1E 88V	L-02 R03	51. FT/IJ		L H.M	.WA .070 MIN N/A .B .180 DYS	

REPORT DATE 07/07/82  
RESET NO. 004  
RESET DATE 05/12/82

REPORT NO. PES-001 JOB 116002 07/07/82  
STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT STATUS REPORT  
ENVIRONMENTAL QUALIFICATION / 1000 / SPEC  
SORTED BY - MAX / 1000 / SPEC

REPORT NO. PES-001  
JOB NUMBER SHOREHAM - UNIT 1  
JOB NAME LILCO  
JOB CLIENT LILCO

EQUIPMENT ID  
EQUIPMENT DESCRIPTION  
VENDOR NAME  
MAKE / CATALOG NO  
MODEL / CATALOG NO

ENVIRONMENTAL QUALIFICATION / 1000 / SPEC  
SORTED BY - MAX / 1000 / SPEC

EQ SHEET  
QUAL STAT  
ZONE ELEV  
M/J-CAT NO  
SPEC

NOTIFIERLESS / 100 DTS / 100 DTS  
RELEASE TO ATHOS  
VELAN  
LIMITORQUE  
SIB-000-5

NOTIFIERLESS / 100 DTS / 100 DTS  
RELEASE TO ATHOS  
VELAN  
LIMITORQUE  
SIB-000-5

NOTIFIERLESS / 100 DTS / 100 DTS  
RELEASE TO ATHOS  
VELAN  
LIMITORQUE  
SIB-000-5

NOTIFIERLESS / 100 DTS / 100 DTS  
RELEASE TO ATHOS  
VELAN  
LIMITORQUE  
SIB-000-5

NOTIFIERLESS / 100 DTS / 100 DTS  
RELEASE TO ATHOS  
VELAN  
LIMITORQUE  
SIB-000-5

NOTIFIERLESS / 100 DTS / 100 DTS  
RELEASE TO ATHOS  
VELAN  
LIMITORQUE  
SIB-000-5



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 150  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	TO SHEET ELEV QUAL STAT	SRING	OPER CODE
.....	.....	.....	.....	.....	L	A 180 DYS
.....	.....	.....	.....	.....	.....	N/A
.....	.....	.....	.....	.....	H,M	B 180 DYS
.1TR0#NOV0004	NOT:RELIANCE / INS CL:B / 460VAC ATHOS OTBD CONT ISO VELAN LHITORQUE SIB-000-5	1E 88V	L-02 R05 310502	51. FT/IJ	L	A 180 DYS N/A
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	H,M	B 180 DYS
.1TR0#NOV0008	NOT:PARAMOUNT / INS CL:B / 460VAC ATHOS OTBD CONT ISO VELAN LHITORQUE SIB-000-5	1E 88V	L-02 R05 310502	51. FT/IJ	L	A 180 DYS N/A
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	H,M	A 012 HRS
.1E41#NOV0093 E41-F001	NOT:PARAMOUNT / INS CL:B / 460VAC MPCI ST1 TO TURB NEAR COL C-8 VELAN LHITORQUE SIB-1-15	1E 88V	G-01 R05 310502	00019.0G	L	A 012 HRS
.....	.....	.....	.....	.....	.....	.....
.....	.....	.....	.....	.....	H,M	A 070 MIN
.1E41#NOV017 E41-F008	NOT:PORT PEER / INS CL:H / 125VDC MPCI P DIS TO COND STOR C-7 VELAN LHITORQUE SIB-1-25	1E 88V	G-01 R05 310502	18. FT/IJ	.....	.....

ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 159  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SIRMG	OPER CODE
.1B21#NOV035A B21-F032A	MOT:PORT PEER /INS CL: /125VDC REAC FEEDTR INLET PIPE TUNNEL. ANCHOR DARLIN LIMITORQUE SMB-1-90	1E	T-08 RBS 310501		.08V-03 78. EQ	L	.0A .070 MIN
.1B21#NOV035B B21-F032B	MOT:RELIANCE/INS CL:B /460VAC REAC FEEDTR INLET PIPE TUNNEL. ANCHOR DARLIN LIMITORQUE SMB-1-90	1E	T-08 RBS 310501		.08V-03 78. EQ	N,H	.B 100 DYS
.1B21#NOV035B B21-F032B	MOT:RELIANCE/INS CL:B /460VAC REAC FEEDTR INLET PIPE TUNNEL. ANCHOR DARLIN LIMITORQUE SMB-1-90	1E	T-08 RBS 310501		.08V-03 78. EQ	L	.B 100 DYS
.1B21#NOV035B B21-F015B	MOT:RELIANCE/INS CL:B /460VAC CORE SPRAY P RECTRC NEAR C-4 ANCHOR DARLIN LIMITORQUE SMB-1-90	1E	B-02 RBS 310501		.08V-03 53. EQ	N,H	.B 100 DYS
.1B21#NOV035B B21-F015B	MOT:RELIANCE /INS CL:B /125VDC MPCI P DIS TO COND STOR C-7 VELAN LIMITORQUE SMB-1-90	1E	B-01 RBS 310502		18. FT/IJ	L	.A 070 MIN



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P23-001 JOB 1160002 07/07/82 PAGE 160

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-1291)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / 100 / SPEC

REPORT NO. P23-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/82  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QMC	ZONE	FLEV	EQ SHEET	QUAL STAT	ENG COND	OPER CODE
1E11#MOV033A E11-F074		CORE SPRAY P RECIRC NEAR C-10 ANCHOR DARLIN LIMITORQUE SIB-1-60	1E	08-02	P05	53. EQ	.08V-03	M,M	B : 100 DYS
1E11#MOV033A E11-F074		MOT:RELIANCE /IMS CL:B /460VAC						M,M	B : 100 DYS
1E11#MOV033B E11-F070		MOT:RELIANCE /IMS CL:B /460VAC						M,M	B : 100 DYS
1E11#MOV033A E11-F074		MOT:RELIANCE /IMS CL:B /125VDC						M,M	B : 100 DYS
1E11#MOV033A E11-F074		MOT:RELIANCE /IMS CL:B /125VDC						M,M	B : 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 141  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SURMG	OPER CODE
		VENDOR NAME	MJ-CAT	BLDG	PO NUMBER				
		NAME / MANUFACTURER	SPEC						
		MODEL / CATALOG NO							
.1E11#MOV358	E11-F003B	MOT:RELIANCE /IMS CL:B /460VAC RHR RX SHELL OUTLET NEAR C-5 VELAN LIMITORQUE SIB-1-60	1E	8-01	30. EQ	.88V-03		L	.A 180 DYS NA
.1E11#MOV000A	E11-F028A	MOT:RELIANCE /IMS CL:B /460VAC RHR FLOW TO SUPP POOL NR C-11 VELAN LIMITORQUE SIB-1-60	1E	8-03	72. #FT/IJ	.B		H.M	.B 180 DYS NA
.1E11#MOV000B	E11-F028B	MOT:PORT PEER /IMS CL:B /125VDC RHR FLOW TO SUPP POOL NR C-5 VELAN LIMITORQUE SIB-1-60	1E	8-07	72. #FT/IJ	.B		L	.A 180 DYS NA
.1E41#MOV042	E41-F003	MOT:PORT PEER /IMS CL:B /460VAC MPCI 5TH TO TURB NEAR COL C-8 VELAN LIMITORQUE SIB-1-60	1E	8-05	63. OG	.88V-02		H.M	.A 012 HRS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 162  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EMG COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL	STAT	SURNG	OPER CODE
		VENDOR NAME	MU-CAT	BLOG	PO NUMBER					
		MAKE / MANUFACTURER	SPEC							
		MODEL / CATALOG NO								
		NOT:PORT PEER /IMS CL:RH/125VDC							L	A 012 HRS
.1M11#NOV031A	NOV-R55V-1	END STAGE REHEAT STM VELAM LIMITORQUE SIB-1-60	1E	ST		.08V-03	50.	EQ	H,M	B 180 DYS
			08V	ST	310502				L	A 070 MIN
										N/A
		NOT:RELIANCE /IMS CL:B /460VAC							H,M	B 180 DYS
.1M11#NOV031B	NOV-R55V-2	END STAGE REHEAT STM VELAM LIMITORQUE SIB-1-60	1E	ST		.08V-03	50.	EQ	L	A 070 MIN
			08V	ST	310502					N/A
									H,M	B 180 DYS
		NOT:RELIANCE /IMS CL:B /460VAC							L	B 180 DYS
.1B31#NOV031A	B31-F023A	RECIRC PUMP SUCTION IN DRYWELL. GENERAL ELEC LIMITORQUE SIB-2	1E	D-22		.66.	66.	IJ	HST	
			003	RBD	310010				H,M	B 180 DYS
		NOT:RELIANCE/IMS CL:RH/460VAC							H,M	B 180 DYS
.1B31#NOV031B	B31-F023B	RECIRC PUMP SUCTION SE DRYWELL. GENERAL ELEC LIMITORQUE SIB-2	1E	D-22		.66.	66.	IJ		
			003	RBD	310010					



REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 144  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQS COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SUBMS	OPER CODE
1E201#W0V034 E01-F007	MOT:PORT PEER /INS CL1B /125VOC MPCI PP DISCH NR C-9 VELAM LIMITORQUE SMB-2-60	1E 08V	B-05 R05 310502	63. FT/IJ		L	A 070 MIN
1E211#W0V049 E11-F052	MOT:PORT PEER /INS CL1B /125VOC MPCI TURB INLET LINE C-8 VELAM LIMITORQUE SMB-2-80	1E 08V	B-05 R05 310502	66. EQ		L	A 012 HRS
1E221#W0V033A E21-F005A	MOT:RELIANCE /INS CL:RH/460VAC CORE SPRAY P DISCH NR COL C-10 VELAM LIMITORQUE SMB-2-80	1E 08V	B-09 R05 310502	104. FT/IJ		L	B 100 DYS N/A
1E221#W0V033B E21-F005B	MOT:PORT PEER /INS CL:B /460VAC CORE SPRAY P DISCH NR COL C-6 VELAM LIMITORQUE SMB-2-80	1E 08V	B-12 R05 310502	104. FT/IJ		L	B 100 DYS N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 165  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / KOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	RAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBHS	OPER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	MI-CAT	BLOG	PO NUMBER				
	NOT:PORT PEER /INS CL:B /460VAC						L	A 100 DYS
								N/A
.1B31#MOV032A B31-F031A	RECIRC PUMP DISCHRG NW DRYWELL. GENERAL ELEC LIMITORQUE SMB-3	1E 003	D-22 R80	70.4 IJ	003-01		H.M	B 100 DYS
							L	A 070 MIN
							HST	
							H.M	B 100 DYS
.1B31#MOV032B B31-F031B	RECIRC PUMP DISCHRG SE DRYWELL. GENERAL ELEC LIMITORQUE SMB-3	1E 003	D-22 R80	70. RR	003-01		L	A 070 MIN
							HST	
							H.M	A 012 MWS
.1E91#MOV035 E91-F006	WPCI PP DISCH NR C-9 ANCHOR DARLIN LIMITORQUE SMB-3-100	1E 00AD	G-02 R85	63. FT/IJ			L	A 012 MWS
							H.M	A 100 DYS
.1E11#MOV034A E11-F006A	PHW MX SHELL BYPASS NEAR C-12 ANCHOR DARLIN LIMITORQUE SMB-3-150	1E 00AD	G-01 R85	27. FT/IJ				



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82


REPORT DATE 07/07/82 PAGE 144  
 RESET NO. 004  
 RESEV DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / NOO / SPEC

EMG COND OPER CODE

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME NAME / MANUFACTURER MODEL / CATALOG NO	QAC MAJ-CAT SPEC	ZONE BLDG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SURMG	EMG COND	OPER CODE
.1E11#MOV034B E11-F040B	NOT/ELECT APP / IHS CL1B / 460VAC RWR NR SHELL BYPASS NEAR C-8 ANCHOR DARLIN LIMITORQUE SIB-3-150	1E	8-01 R05 08AD	22. FT/1J		L	A	100 DYS
.1E11#MOV042A E11-F029A	NOT/ELECT APP / IHS CL1B / 460VAC RWR FL TO SUP POOL NR COL C-11. ANCHOR DARLIN LIMITORQUE SIB-3-00	1E	8-01 R05 08AD	29. EQ	.088V-03	L	A	100 DYS
.1E11#MOV042B E11-F029B	NOT/RELIANCE / IHS CL1B / 460VAC RWR FL TO SUP POOL NR COL C-5 ANCHOR DARLIN LIMITORQUE SIB-3-00	1E	8-01 R05 08AD	29. EQ	.088V-03	L	A	100 DYS
.1E41#MOV001 E41-F002	NOT/RELIANCE / IHS CL1B / 460VAC MPCI 5TH TO TURB WITH DRYWELL VELAM LIMITORQUE SIB-3-00	1E	0-22 R00 08V	46. EQ	.088V-01	L	A	012 HRS



ENVIRONMENTAL QUALIFICATION STATUS REPORT


REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 167  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAH / MOD / SPEC

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT	SUBMS	ENG COND	OPER CODE
		VENDOR NAME	NU-CAT	BLDG	PO NUMBER					
		MAKE / MANUFACTURER	SPEC							
		MODEL / CATALOG NO								
		NOT:RELIANCE /INS CL:HW/460VAC						L	A	012 HRS
.1E11#NOV034A	E11-F017A	WWR OUTBOARD VV NR COLUMN C-11.	1E	B-03	72. FT/IJ			H.M	A	100 DYS
		ANCHOR DARLIN		RBS				L	A	100 DYS
		LIMITORQUE	00AD	310501						
		SIC-4-200								
		NOT:SELECT APP /INS CL:B /460VAC						H.M	A	100 DYS
.1E11#NOV034B	E11-F017B	WWR OUTBOARD VV NR COLUMN C-5	1E	B-07	72. FT/IJ			L	A	100 DYS
		ANCHOR DARLIN		RBS						
		LIMITORQUE	00AD	310501						
		SIC-4-200								
		NOT:SELECT APP /INS CL:B /460VAC						H.H	B	100 DYS
.1E32#NOV022A	E32-F002B	LCS INBOARD PROCESS VLV	1E	T-08	0007B. FT/IJ			L	A	100 DYS
		VELAN		RBS						
		LIMITORQUE	253	310512						N/A
		SIC-04-3								
		NOT:PARAMOUNT /INS CL:B /460VAC						H.M	B	100 DYS
.1E32#NOV022B	E32-F002F	LCS INBOARD PROCESS VLV	1E	T-08	0007B. FT/IJ					
		VELAN		RBS						
		LIMITORQUE	253	310512						
		SIC-04-3								





REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 149  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	ELEV	EQ SHEET QUAL STAT	SURF	OPER CODE
						L	A 100 DYS N/A
						N.M	B 100 DYS N/A
.1E32#MOV023C E32-F003M	LCS INBOARD BYPASS VLV VELAN LIMITORQUE SIC-04-3	1E 253	8-04 R85	00044	FT/IJ	L	A 100 DYS N/A
						N.M	B 100 DYS N/A
.1E32#MOV023D E32-F003P	LCS INBOARD BYPASS VLV VELAN LIMITORQUE SIC-04-3	1E 253	8-04 R85	00044	FT/IJ	L	A 100 DYS N/A
						N.M	B 100 DYS N/A
.1E32#MOV021A E32-F001B	LCS INBOARD PROCESS VLV VELAN LIMITORQUE SIC-04-5	1E 253	T-08 R85	00078	FT/IJ	L	A 100 DYS N/A
						N.M	B 100 DYS N/A
.1E32#MOV021B E32-F001P	LCS INBOARD PROCESS VLV VELAN LIMITORQUE SIC-04-5	1E 253	T-08 R85	00078	FT/IJ	L	A 100 DYS N/A
						N.M	B 100 DYS N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/02  
 REPORT DATE 07/07/02 PAGE 170  
 RESET NO. 009  
 RESET DATE 05/12/02

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 OAC  
 INJ-CAT BLDG  
 SPEC PO NUMBER  
 ZONE  
 ELEV  
 EQ SHEET  
 QUAL STAT

\*\*\*\*\*  
 SUBNG \*\*\*\*\*  
 ENG COND OPER CODE  
 L A 100 DYS  
 N/A

HOT:PARAMOUNT /INS CL:B /#60VAC

.1E32#MOV021C  
 E32-F001K  
 LCS INBOARD PROCESS VLV  
 VELAN  
 LIMITORQUE  
 SIK-09-5  
 T-08  
 RBS  
 00078.#FT/IJ  
 253 310512

HOT:PARAMOUNT /INS CL:B /#60VAC  
 LCS INBOARD PROCESS VLV  
 VELAN  
 LIMITORQUE  
 SIK-09-5  
 T-08  
 RBS  
 00078.#FT/IJ  
 253 310512

.1P91#PMT030A  
 P91#MOV030A  
 HENRY PRATT  
 LIMITORQUE  
 50 OHM SLIDE  
 G-01  
 RBS  
 00032. DR  
 197 310596

.1P91#PMT030B  
 P91#MOV030B  
 HENRY PRATT  
 LIMITORQUE  
 50 OHM SLIDE  
 G-01  
 RBS  
 00027. DR  
 197 310596

\*\*\*\*\*  
 SUBNG \*\*\*\*\*  
 ENG COND OPER CODE  
 L A 100 DYS  
 N/A

\*\*\*\*\*  
 SUBNG \*\*\*\*\*  
 ENG COND OPER CODE  
 L A 100 DYS  
 N/A

\*\*\*\*\*  
 SUBNG \*\*\*\*\*  
 ENG COND OPER CODE  
 L A 100 DYS  
 N/A

\*\*\*\*\*  
 SUBNG \*\*\*\*\*  
 ENG COND OPER CODE  
 L A 100 DYS  
 N/A

\*\*\*\*\*  
 SUBNG \*\*\*\*\*  
 ENG COND OPER CODE  
 L A 100 DYS  
 N/A

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 171  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
					wL	.wB .w180 DYS
.IP41wPHT037A	IP41wKOV037A POS SM HENRY PRATT LIMITORQUE 50 OHM SLIDE	1E 197	G-01 R85 310546	. 00023. DR .	wH,M	.wB .w180 DYS
					wL	.wB .w180 DYS
.IP41wPHT037B	IP41wKOV037B POS SM HENRY PRATT LIMITORQUE 50 OHM SLIDE	1E 197	G-01 R85 310546	. 00023. DR .	wH,M	.wB .w180 DYS
					wL	.wB .w180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1R29HG111      REPORT NO. PES-801 JOB 1160002 07/07/82      STORE AND WEBSTER ENGINEERING CORPORATION      REPORT DATE 07/07/82 PAGE 172  
 REPORT NO. PES-801      PROJECT EQUIPMENT SYSTEM - (11S-129)      PESET NO. 009  
 JOB NUMBER 1160002      ENVIRONMENTAL QUALIFICATION STATUS REPORT      PESET DATE 05/12/82  
 JOB NAME SHOREHAM - UNIT 1      SORTED BY - MAK / H00 / SPEC

EQUIPMENT ID      EQUIPMENT DESCRIPTION      QAC      ZONE      EQ SHEET      ENG COND      OPER CODE  
 VENDOR ID      VENDOR NAME      MU-CAT BLOC      ELEV      QUAL STAT      SUBMG  
 MAKE / MANUFACTURER      SPEC      PO NUMBER  
 MODEL / CATALOG NO      \*\*\*\*\*  
 REPORT GROUP MAK      = LOUIS ALLIS

.1R29HG111      480V MOTOR GENERATOR (RED)      M-21      .      Q39-01      .H.M      .WA  
 LOUIS ALLIS      1E      .      150. EQ      .      .      .100 DYS  
 LOUIS ALLIS      Q39      310950      .      .      .      .  
 COGSF

.1R29HG112      480V MOTOR GENERATOR (BLUE)      M-21      .      Q39-01      .H.M      .WA  
 LOUIS ALLIS      1E      .      150. EQ      .      .      .100 DYS  
 LOUIS ALLIS      Q39      310950      .      .      .      .  
 COGSF

.1R29HG113A      480V MOTOR GENERATOR (ORANGE)      M-21      .      Q39-01      .H.M      .WA  
 LOUIS ALLIS      1E      .      150. EQ      .      .      .100 DYS  
 LOUIS ALLIS      Q39      310950      .      .      .      .  
 COGSF

.1R29HG113B      480V MOTOR GENERATOR (ORANGE)      M-21      .      Q39-01      .H.M      .WA  
 LOUIS ALLIS      1E      .      150. EQ      .      .      .100 DYS  
 LOUIS ALLIS      Q39      310950      .      .      .      .  
 COGSF

1R35eT-B2

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 173  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	GAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	ELEV	QUAL STAT	SUBHG
	MAKE / MANUFACTURER	SPEC	PD NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	= MAGNETICS					

1R35eT-B2

400-120/240V TRANS  
MAGNETICS  
MAGNETICS  
L-12514

1E . N-21 . 298-01 .  
. RBS 112. EQ .  
298 . 310739 .

ALL . A  
. 100 DYS

1R35eT-R2

400-120/240V TRANS  
MAGNETICS  
MAGNETICS  
L-12514

1E . N-21 . 298-01 .  
. RBS 112. EQ .  
298 . 310739 .

ALL . A  
. 100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 175  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

1798LS061A  
 REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	MAKE / MANUFACTURER	MU-CAT BLDG	PO NUMBER	QUAL STAT	SURFNG		
	MODEL / CATALOG NO	SPEC					
.1798LS061A	COND LEVEL MAGNETROL 291-HPG-X-H19DC	1E	G-03 RBS	63.0FT/IJ	407-01	H,M	B 100 DYS
		407	10042			L	B 100 DYS
.1798LS061B	COND LEVEL MAGNETROL 291-HPG-X-H19DC	1E	G-10 RBS	70.0FT/IJ	407-01	H,M	B 100 DYS
		407	10042			L	B 100 DYS
.1E91LS092A EQ1-N015A	SUPPRESSION POOL G.E. MAGNETROL 3.5-751-1X-HPG-H19HY	1E	G-01 RBS	00008. EG	3143	H,M	A 012 HPS #5Z
		003	310010			L	A 012 HPS #5Z
.1E91LS092B EQ1-N015B	SUPPRESSION POOL G.E. MAGNETROL 3.5-751-1X-HPG-H19HY	1E	G-01 RBS	00008. EG	3143	H,M	A 012 HPS #5Z
		003	310010			L	A 012 HPS #5Z
.1E91LS091 EQ1-N014	HPCI 5TH DRN POT GENERAL ELECT MAGNETROL #5.0-751-2X-HPG-H19HY	1E	G-01 RBS	00016.0FT/IJ	3143	H,M	B 100 DYS
		003	310010			L	B 100 DYS



1D11-PI041

REPORT NO. PES-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 177  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT	BLOG	ELEV	QUAL STAT	SUBMG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	= MARSH GAGE					

1D11-PI041

STATION VENT EXHAUST  
N.H.C.  
#MARSH GAGE  
#H0212

ZE : N-20  
# : RBS 00175.#IJ  
332 : 310782

H,M .#A  
.#180 DYS  
.  
.  
L .#A  
.#180 DYS  
.  
.

CAT. II EQUIPMENT NOT IE POWERED

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 178  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MARK / MOD / SPEC

1C11\*PMS061  
 REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 GAC ZONE  
 NU-CAT BLDG ELEV  
 SPEC PO NUMBER  
 EQ SHEET  
 QVAL STAT  
 SUBMG

REPORT GROUP MARK	MARK NO.	REPRESENTS	2 SWITCHES	ENG COND	OPER CODE
1C11*PMS061 C11-F010	1C11*AV0081 POSITION	GENERAL ELECT	MARK NO. REPRESENTS 2 SWITCHES	H,M	A . 070 MIN
1C11*PMS062 C11-F011	1C11*AV0082 POSITION	GENERAL ELECT	MARK NO. REPRESENTS 2 SWITCHES	L	A . 070 MIN
1E21*PMS071A	1E21*HCV071A POSITION SM	NAHCO NAHCO EA100-11302	MARK NO. REPRESENTS 2 SWITCHES	H,M	A . 070 MIN
1E21*PMS071B	1E21*HCV071B POSITION SM	NAHCO NAHCO EA100-11302	MARK NO. REPRESENTS 2 SWITCHES	L	B . 100 DYS
					N/A

MARK NO. REPRESENTS 2 SWITCHES

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1E11#PMS031C REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT NO. PES-001 REPORT DATE 07/07/82 PAGE 179  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (15-129) RESET NO. 004  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VEIDOR NAME	NU-CAT	BLDG	ELEV	QUAL	STAT	
MAKE / MANUFACTURER	MODEL / CATALOG NO	SPEC	PO NUMBER				
1E11#PMS031C	POS SM ON 1E11#MOV031C	1E	G-01	24. EQ	000-01		.WA .100 DYS
	NAVCO CONTROLS		RBS				
	EA100-11302	000	347565				
1E11#PMS032B	POS SM ON 1E11#MOV032B	1E	G-01	10. EQ	000-01		.WA .100 DYS
	NAVCO CONTROLS		RBS				
	EA100-11302	000	347565				
1E11#PMS032C	POS SM ON 1E11#MOV032C	1E	G-01	20. EQ	000-01		.WA .100 DYS
	NAVCO CONTROLS		RBS				
	EA100-11302	000	347565				
1E11#PMS047	1E11#MOV047 POSITION SM	1E	D-22		000-01		.A .100 DYS
	NAVCO CONTROLS		RBS	000000. EQ			
	EA100-11302	000	347565				N/A
							.WA .100 DYS
							.WA .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 100  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / 1000 / SPEC

1E11\*PHS071A REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
1E11*PHS071A	NAHCO	1E11-HV071A POSITION	1E	D-22	.0000-01	H,M	B
	NAHCO	NAHCO	1E	D-22	.0000-01		.100 DYS
	EA100-31302	FIELD. F-347565	FIELD.	F-347565		L	.100 DYS

MARK NO. REPRESENTS 2 SWITCHES

1E11*PHS071B	NAHCO	1E11-HV071B POSITION	1E	D-22	.0000-01	H,M	B
	NAHCO	NAHCO	1E	D-22	.0000-01		.100 DYS
	EA100-31302	FIELD. F-347565	FIELD.	F-347565		L	.100 DYS

MARK NO. REPRESENTS 2 SWITCHES

1E11*PHS031A	NAHCO	POS SH ON 1E11*HV031A	1E	G-01	.000-01	H,M	A
	NAHCO	NAHCO CONTROLS	1E	G-01	.000-01		.100 DYS
	EA100-31302	EA100-31302	000	PDS	24. EQ	L	.100 DYS

MARK NO. REPRESENTS 2 SWITCHES

1E11*PHS031B	NAHCO	POS SH ON 1E11*HV031B	1E	G-01	.000-01	H,M	A
	NAHCO	NAHCO CONTROLS	1E	G-01	.000-01		.100 DYS
	EA100-31302	EA100-31302	000	PDS	24. EQ	L	.100 DYS

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 181  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	OAC	ZONE	EQ SHEET QUAL STAT	EHG COND SUBMG	OPER CODE
		NU-CAT	BLDG	ELEV		
		SPEC	PD NUMBER			
					wL	.wA .w180 DYS
.1E11wPNS032A	POS SW ON 1E11wMOV032A NAHCO CONTROLS NAHCO EA180-31302	1E	G-01	. 088-01 15. EQ	wH,H	.wA .w180 DYS
		088	347565			
					wL	.wA .w180 DYS
.1E11wPNS032D	POS SW ON 1E11wMOV032D NAHCO CONTROLS NAHCO EA180-31302	1E	G-01	. 088-01 19. EQ	wH,H	.wA .w180 DYS
		088	347565			
					wL	.wA .w180 DYS
.1E11wPNS048	1E11wMOV048 POSITION SW NAHCO CONTROLS NAHCO EA180-31302	w1E	G-03	. 088-01 w00063. EQ	ALL	. A . 180 DYS N/A
		088	347565			
					wH,H	.wA .w180 DYS
					wL	.wA .w180 DYS
.1E11wPNS050	POS SW ON 1E11wMOV050 NAHCO CONTROLS NAHCO EA180-31302	1E	G-07	. 088-01 72. EQ	ALL	. A . 180 DYS N/A
		088	347565			

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1E11PNS037A REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 182  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME NAME / MANUFACTURER MODEL / CATALOG NO	QAC NJ-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBNG	OPER CODE
.1E11PNS037A	POS SH ON 1E11MOV037A NAHCO CONTROLS NAHCO EA180-32302	1E 088	G-03 RBS 397565	088-01 72. EQ	wH,H wL	.wA w180 DYS
.1E11PNS037B	POS SH ON 1E11MOV037B NAHCO CONTROLS NAHCO EA180-32302	1E 088	G-07 RBS 397565	088-01 72. EQ	wH,H wL	.wA w180 DYS
.1E11PNS040A	POS SH ON 1E11MOV040A VELAN NAHCO EA180-32302	1E 088	G-03 RBS 397565	088-01 72. EQ	wH,H wL	.wA w180 DYS
.1E11PNS040B	POS SH ON 1E11MOV040B VELAN NAHCO EA180-32302	1E 088	G-07 RBS 397565	088-01 72. EQ	wH,H wL	.wA w180 DYS
.1T46PNS035A	RBSVS INITIATION SIGNAL FISHER CONTROLS NAHCO EA740-20001	1E 111	G-01 RBS 310655	00112.wPR	wH,H	.wA w070 MIN

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 183  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHORHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID VENDOR ID EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET  
 VENDOR NAME MU-CAT BLOC ELEV QUAL STAT  
 MAKE / MANUFACTURER SPEC PO NUMBER  
 MODEL / CATALOG NO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	DPER CODE
.1796#PMS035B		RBSVS INITIATION SIGNAL FISHER CONTROLS NAHCO EA740-20001	1E	G-01 RBS 00112.epr		eL	.eA .e070 MIN
6 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							
.1796#PMS037A		RBSVS INITIATION SIGNAL FISHER CONTROLS NAHCO EA740-20001	1E	M-12 RBS 00095.epr		eH,M	.eA .e070 MIN
6 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							
.1796#PMS037B		RBSVS INITIATION SIGNAL FISHER CONTROLS NAHCO EA740-20001	1E	M-12 RBS 00095.epr		eL	.eA .e070 MIN
6 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							
.1796#PMS038A		PRI CONTY PURGE VA FISHER CONTROLS NAHCO EA740-20001	1E	D-22 RBS 00078.epr		eH,M	.eB .e168 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001 STORE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 100  
JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - 115-1291 RESET NO. 000  
JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
JOB CLIENT LILCO SORTED BY - MAN / MOD / SPEC

EQUIPMENT ID EQUIPMENT DESCRIPTION ENG COND OPER CODE  
VENDOR ID VENDOR NAME GAC ZONE EQ SHEET  
MAKE / MANUFACTURE~ HU-CAT BLDG ELEV QUAL STAT  
MODEL / CATALOG NO SPEC PO NUMBER  
\*\*\*\*\* SUBRG \*\*\*\*\*

\*\*\*\*\*  
mL .WA  
.070 MIN  
\*\*\*\*\*

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1796#PMS0300  
PRI CONT PURGE VA 1796#ADV0300.  
FISHER CONTROLS 1E M-10  
MAYCO RBS 00078.0RR  
EA790-20001 172 310579  
\*\*\*\*\*  
mH,M .WB  
.100 DYS  
\*\*\*\*\*

\*\*\*\*\*  
mL .WA  
.070 MIN  
\*\*\*\*\*

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1796#PMS030C  
PRI CONT PURGE VA 1796#ADV030C.  
FISHER CONTROLS 1E L-02  
MAYCO RBS 00040.0RR  
EA790-20001 172 310579  
\*\*\*\*\*  
mH,M .WB  
.100 DYS  
\*\*\*\*\*

\*\*\*\*\*  
mL .WA  
.070 MIN  
\*\*\*\*\*

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1796#PMS0390  
PRI CONT PURGE VA 1796#ADV0390.  
FISHER CONTROLS 1E L-02  
MAYCO RBS 00040.0RR  
EA790-20001 172 310579  
\*\*\*\*\*  
mH,M .WB  
.100 DYS  
\*\*\*\*\*

\*\*\*\*\*  
mL .WA  
.070 MIN  
\*\*\*\*\*

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1796#PMS039A  
PRI CONTAINMENT PURGE VALVE  
FISHER CONTROLS 1E B-22  
MAYCO RBS 00112.0RR  
EA790-20001 172 310579  
\*\*\*\*\*  
mH,M .WB  
.100 DYS  
\*\*\*\*\*

\*\*\*\*\*

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 105  
 STORE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAH / HOD / SPEC  
 RESET NO. 000  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHORCHAM - UNIT 1  
 JOB CLIENT LILCO  
 EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 QAC ZONE  
 MJ-CAT BLDG ELEV QUAL STAT  
 SPEC PO NUMBER  
 SURNG

ENG COND OPER CODE  
 .A  
 .070 MIN

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1784\*PMS0390  
 PRI CONTAINMENT PURGE VALVE  
 FISHER CONTROLS  
 MAICO  
 EA790-20001  
 K-15  
 RB5 00112\*PRR  
 172 310579  
 M,H  
 .B  
 .100 DYS  
 .A  
 .070 MIN

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1786\*PMS039C  
 PRI CONTAINMENT PURGE VALVE  
 FISHER CONTROLS  
 MAICO  
 EA790-20001  
 G-02  
 RB5 00090\*PRR  
 172 310579  
 M,H  
 .B  
 .100 DYS  
 .A  
 .070 MIN

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1786\*PMS039D  
 PRI CONTAINMENT PURGE VALVE  
 FISHER CONTROLS  
 MAICO  
 EA790-20001  
 G-02  
 RB5 00090\*PRR  
 172 310579  
 M,H  
 .B  
 .100 DYS  
 .A  
 .070 MIN

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1021\*PMS036A  
 REACTOR FM INLET ADV036A  
 VELAN  
 MAICO  
 EA790-20100  
 T-08  
 ST 00087\*PRR  
 232 310595  
 M,H  
 .B  
 .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT NO. 1160002 STORE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (115-129)  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAK / H00 / SPEC

REPORT DATE 07/07/82 PAGE 106  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET  
 VENDOR ID VENDOR NAME MU-CAT BLDG ELEV QUAL STAT  
 MODEL / CATALOG NO SPEC PO NUMBER

\*\*\*\*\*  
 1821\*PMS0348 1821\*AOV036A POSITION 1E T-06 .B  
 VELAN MAICO ST 00007. RR  
 EA790-20100 232 310595  
 L A .070 MIN  
 H,M .100 DYS  
 L A .070 MIN

EMG COND OPER CODE

\*\*\*\*\*  
 1E11\*PMS001A RHR CHECK VALVE 1E11\*AOV081A D-22 .B  
 VELAN MAICO RRP 00079. RR  
 EA790-20100 232 310595  
 H,M .B .100 DYS  
 L .B .100 DYS

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

\*\*\*\*\*  
 1E11\*PMS001B RHR CHECK VALVE 1E11\*AOV081B D-22 .B  
 VELAN MAICO RRP 00079. RR  
 EA790-20100 232 310595  
 H,M .B .100 DYS  
 L .B .100 DYS

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

\*\*\*\*\*  
 1E21\*PMS001A COME SPRAY HOR VA 1E21\*AOV081A B-22 .B  
 VELAN MAICO RRP 00126. RR  
 EA790-20100 232 310512  
 H,M .B .100 DYS

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 187  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHORHEIM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EG SHEET  
 MJ-CAT BLDG ELEV QUAL STAT

SORTED BY - MAK / MOD / SPEC

ENG COND OPER CODE

SUBMG

L B  
 . 100 DYS

HST NA

H,M .WB  
 . 100 DYS

L B  
 . 100 DYS

HST NA

H,M .WB  
 . 100 DYS

L .WA  
 . 070 MIN

H,M .WB  
 . 100 DYS

L .WA  
 . 070 MIN

H,M .WB  
 . 100 DYS

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

1E21PMS0818  
 CORE SPRAY MOR VA 1E21-MOV0818.  
 VELAN 1E B-22 .B  
 HAIKO RRP 00126. RR  
 EA790-20100 232 310512 .

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

1P02PMS202  
 PRLCM RETURN CHECK VLV 1E G-01 .B  
 VELAN RPS 00016. RR  
 HAIKO EA790-20100 232 310595 .

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

1P02PMS293  
 PRLCM RETURN CHECK VLV 1E G-01 .B  
 VELAN RPS 00039. RR  
 HAIKO EA790-20100 232 310595 .

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

1P02PMS290  
 PRLCM RETURN CHECK VLV 1E G-01 .B  
 VELAN RPS 00039. RR  
 HAIKO EA790-20100 232 310595 .

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 100  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - IIS-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/82 PAGE 100  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - IIS-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HMK / MOD / SPEC

ENGINE COND OPER CODE  
 SURHS

EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET  
 VENDOR NAME MU-CAT BLDG ELEV QVAL STAT  
 MAKE / MANUFACTURER SPEC PO NUMBER  
 MODEL / CATALOG NO

\*\*\*\*\*  
 .1831ePHS061 1831eAV061 POS SM M-15  
 COPE'S VULCAN R/S 00155.eRR  
 HMKO EA740-20100 318 310735  
 \*\*\*\*\*

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD  
 H,M  
 .A  
 .070 MIN

\*\*\*\*\*  
 .1831ePHS062 1831eAV062 POS SM M-18  
 HMKO R/S 00155.eRR  
 HMKO EA740-20100 318 310735  
 \*\*\*\*\*

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD  
 H,M  
 .A  
 .070 MIN

\*\*\*\*\*  
 .1E11ePHS061A 1E11eAV061A G-01  
 COPE'S VULCAN R/S 00008.eRR  
 HMKO EA740-20100 318 310969  
 \*\*\*\*\*

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD  
 H,M  
 .A  
 .070 MIN

\*\*\*\*\*  
 .1E11ePHS061B 1E11eAV061B G-01  
 COPE'S VULCAN R/S 00008.eRR  
 HMKO EA740-20100 318 310735  
 \*\*\*\*\*

REPORT NO. PES-001 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 PAGE 109  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (15-129)  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - HAH / HOD / SPEC  
 REPORT DATE 07/07/82  
 RESET NO. 009  
 RESET DATE 05/12/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE  
 MU-CAT BLDG  
 SPEC PO NUMBER

EQ SHEET  
 QUAL STAT

ENG COND  
 OPER CODE

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 190  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
		VEHICOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT		
		MAKE / MANUFACTURER	SPEC	PO NUMBER				
		MODEL / CATALOG NO						

1 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1EQ1=PHS083	ON 1EQ1=AOV003	1E	G-01				A	070 MIN
	COPEX VULCAN		RBS	00008	.WRR			
	MAICO	318	310735					
	EA790-20100							

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1EQ1=PHS091	ON 1EQ1=LCV091	1E	G-01				B	100 DYS
	COPEX VULCAN		RBS	00008	.WRR			
	MAICO	318	310735					
	EA790-20100							

3 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1EQ1=PHS095	ON 1EQ1=LCV095	1E	G-01				A	070 MIN
	COPEX VULCAN		RBS	00008	.WRR			
	MAICO	318	310735					
	EA790-20100							

4 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1EQ1=PHS081	ON 1EQ1=AOV081	1E	G-01				B	100 DYS
	COPEX VULCAN		RBS	00008	.WRR			
	MAICO	318	310735					
	EA790-20100							

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 101  
 RESET NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOFERHAM - UNIT 1  
 JOB CLIENT LILCO

ENG COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	QUAL STAT
		VENDOR NAME	MJ-CAT	BLDG			
		MAKE / MANUFACTURER	SPEC	PO NUMBER			
		MODEL / CATALOG NO					

\*\*\*\*\* SUBRG \*\*\*\*\*

*****	*****	*****	*****	*****	*****	*****	*****
*****	*****	*****	*****	*****	*****	*****	*****
*****	*****	*****	*****	*****	*****	*****	*****
*****	*****	*****	*****	*****	*****	*****	*****

.1E51#PMS002 OM 1E51#A0V002  
 COPEX VULCAN  
 MAHCO  
 EA740-20100

1E : G-01  
 : RDS 00000.0RR  
 310 : 310735

\*\*\*\*\* QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD \*\*\*\*\*

\*\*\*\*\*

.1E51#PMS003 OM 1E51#A0V003  
 COPEX VULCAN  
 MAHCO  
 EA740-20100

1E : G-01  
 : RDS 00000.0RR  
 310 : 310735

\*\*\*\*\* QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD \*\*\*\*\*

\*\*\*\*\*

.1E51#PMS001 OM 1E51#LCV001  
 COPEX VULCAN  
 MAHCO  
 EA740-20100

1E : G-01  
 : RDS 00000.0RR  
 310 : 310735

\*\*\*\*\* QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD \*\*\*\*\*

\*\*\*\*\*

.1E51#PMS005 OM 1E51#LCV005  
 COPEX VULCAN  
 MAHCO  
 EA740-20100

1E : G-01  
 : RDS 00000.0RR  
 310 : 310735

\*\*\*\*\* QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD \*\*\*\*\*

\*\*\*\*\*

\*\*\*\*\*



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 193  
 REPORT NO. PES-001 STONE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - (15-129)  
 JOB NAME SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAK / MOD / SPEC  
 REPORT DATE 07/07/82  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VEHIC ID	VEHIC NAME	MJ-CAT	DLOG	ELEV	QUAL STAT		
	MANUFACTURER	SPEC	PO NUMBER				
	MODEL / CATALOG NO						
.11746PNS078A	WDRYML VENT 1T96#ADV078A POS SM. COPE'S VULCAN NAHCO EA740-20100	1E	G-06 RBS	00090.0RR		L	.A .180 DYS
.11746PNS078B	WDRYML VENT 1T96#ADV078B POS SM. COPE'S VULCAN NAHCO EA740-20100	1E	G-12 RBS	00096.0RR		M,H	.B .180 DYS
.11746PNS079A	ON 1T96#ADV079A COPE'S VULCAN NAHCO EA740-20100	1E	G-06 RBS	00063.0RR		L	.A .070 MIN
.11746PNS079B	ON 1T96#ADV079B COPE'S VULCAN NAHCO EA740-20100	1E	G-06 RBS	00043.0RR		M,H	.B .180 DYS

MARK NO. REPRESENTS & SWITCHES

MARK NO. REPRESENTS & SWITCHES

MARK NO. REPRESENTS & SWITCHES

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO  
STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (IS-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MARK / MOD / SPEC

REPORT DATE 07/07/82  
RESET NO. 008  
PAGE 194  
RESET DATE 05/12/82

EQUIPMENT ID  
VENDOR ID  
EQUIPMENT DESCRIPTION  
VENDOR NAME  
NAME / MANUFACTURER  
MODEL / CATALOG NO  
GAC ZONE  
M/CAT BLDG  
ELEV  
EQU SHEET  
QUAL STAT  
SURNG

ENG COND OPER CODE  
wL .wA  
.w070 MIN

MARK NO. REPRESENTS & SWITCHES

.1821\*PMS061A  
wCHANGED TO 1291\*PMS039A  
GE-NEO  
MARKCO  
EA740-80000  
1E . D-22 . 3911  
. RPP 00082. PR  
003 . 310010

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LO.D

.1821\*PMS061B  
wCHANGED TO 1291\*PMS039B  
GE-NEO  
MARKCO  
EA740-80000  
1E . D-22 . 3911  
. RPP 00082. PR  
003 . 310010

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821\*PMS061C  
wCHANGED TO 1291\*PMS039C  
GENERAL ELEC  
MARKCO  
EA740-80000  
1E . D-22 . 3911  
. RPP 00082. PR  
003 . 310010

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821\*PMS061D  
wCHANGED TO 1291\*PMS039D  
GENERAL ELEC  
MARKCO  
EA740-80000  
1E . D-22 . 3911  
. RPP 00082. PR  
003 . 310010

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 195  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT BLDG	ELEV	QUAL STAT		
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					

\*\*\*\*\*  
 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD  
 \*\*\*\*\*

.1821\*PMS062A \*CHANGED TO 1291\*PMS060A 1E T-06 3911  
 GENERAL ELEC ST 00062. PR  
 MAHCO EA790-80000 003 310010  
 .wL .wB .w100 DYS  
 .wB .w100 DYS  
 .wB .w100 DYS

.1821\*PMS062B \*CHANGED TO 1291\*PMS060B 1E T-06 3911  
 GENERAL ELEC ST 00062. PR  
 MAHCO EA790-80000 003 310010  
 .wL .wB .w100 DYS  
 .wB .w100 DYS  
 .wB .w100 DYS

.1821\*PMS062C \*CHANGED TO 1291\*PMS060C 1E T-06 3911  
 GENERAL ELEC ST 00062. PR  
 MAHCO EA790-80000 003 310010  
 .wL .wB .w100 DYS  
 .wB .w100 DYS  
 .wB .w100 DYS

.1821\*PMS062D \*CHANGED TO 1291\*PMS060D 1E T-06 3911  
 GENERAL ELEC ST 00062. PR  
 MAHCO EA790-80000 003 310010  
 .wL .wB .w100 DYS  
 .wB .w100 DYS  
 .wB .w100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 197  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

ENGINE COND OPER CODE

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET
MAKE / MANUFACTURER	MODEL / CATALOG NO	NU-CAT BLDG	ELEV	QUAL STAT	
*****	*****	*****	*****	*****	*****
*****	*****	*****	*****	*****	*****

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821#PMS093C ON 1821#RV093C  
 WANDERSN GRND 1E E-23  
 MAICO RBP 00050.#RR  
 EA790-80001 175 310699

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821#PMS093D ON 1821#RV093D  
 WANDERSN GRND 1E E-23  
 MAICO RBP 00050.#RR  
 EA790-80001 175 310699

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821#PMS093E ON 1821#RV093E  
 WANDERSN GRND 1E E-23  
 MAICO RBP 00050.#RR  
 EA790-80001 175 310699

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821#PMS093F ON 1821#RV093F  
 WANDERSN GRND 1E E-23  
 MAICO RBP 00050.#RR  
 EA790-80001 175 310699

COND	OPER	CODE	REPLACEMENTS	STATUS
L	B	100 DYS	2	*****
M,H	B	100 DYS	2	*****
L	B	100 DYS	2	*****
M,H	B	100 DYS	2	*****
L	B	100 DYS	2	*****
M,H	B	100 DYS	2	*****
L	B	100 DYS	2	*****
M,H	B	100 DYS	2	*****

REPORT NO. PES-801 JOB 1160002 07/07/82 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / MOD / SPEC

REPORT DATE 07/07/82 PAGE 198  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	EMG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT BLDG	SPEC	PO NUMBER	QUAL STAT		
.1B21*PHS0936	ON 1B21*RV0936 *ANDERSN GRP#0 NAHCO EA790-80001	1E	E-23 RBP	00050.0RR		L	B 100 DYS
2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							
.1B21*PHS093H	ON 1B21*RV093H *ANDERSN GRP#0 NAHCO EA790-80001	1E	E-23 RBP	00050.0RR		L	B 100 DYS
2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							
.1B21*PHS093J	ON 1B21*RV093J *ANDERSN GRP#0 NAHCO EA790-80001	1E	E-23 RBP	00050.0RR		L	B 100 DYS
2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							
.1B21*PHS093K	ON 1B21*RV093K *ANDERSN GRP#0 NAHCO EA790-80001	1E	E-23 RBP	00050.0RR		L	B 100 DYS
2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD							

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 199  
 RESET NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-1291)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / '000 / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 GAC ZONE  
 NU-CAT BLDG ELEV  
 SPEC PO NUMBER  
 EQ SHEET  
 QUAL STAT

ENG COND OPER CODE

SUBING

\*\*\*\*\*

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821#PMS093L ON 1821#RV093L 1E E-23  
 #ANDERSN GRIND #RBP 00050.#RR  
 #AICO 175 310699  
 EA790-80001

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1821#PMS093H ON 1821#RV093H 1E E-23  
 #ANDERSN GRIND #RBP 00050.#RR  
 #AICO 175 310699  
 EA790-80001

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1796#PMS031A POSITION ON H00031A 1E M-15  
 #AICO #RPS 00135.#RR  
 #AICO 319 310738  
 EA750-50100

2 QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1796#PMS031B POSITION ON H00031B 1E M-15  
 #AICO #RPS 00135.#RR  
 #AICO 319 310738  
 EA750-50100

L . B . 180 DYS

M,H . B . 180 DYS

L . B . 180 DYS

M,H . B . 180 DYS

L . B . 180 DYS

#M,H .#A .#180 DYS

#L .#A .#180 DYS

#M,H .#A .#180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT NO. PES-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 200  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID  
EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO  
OAC ZONE NU-CAT BLOG ELEV QUAL STAT  
SPEC PO NUMBER  
EQ SHEET  
ENG COND OPER CODE  
SURNG

.1786#PMS039A  
#NAIKO  
EA750-50100  
M-20  
RBS  
310738  
00182.0RR  
319  
310738  
319  
310738  
319  
310738

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1786#PMS039B  
#NAIKO  
EA750-50100  
M-20  
RBS  
310738  
00182.0RR  
319  
310738  
319  
310738

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1786#PMS090A  
#NAIKO  
EA750-50100  
M-16  
RBS  
310738  
00150.0RR  
319  
310738  
319  
310738

QUALIFIED REPLACEMENTS TO BE INSTALLED PRIOR TO FUEL LOAD

.1786#PMS090B  
#NAIKO  
EA750-50100  
M-16  
RBS  
310738  
00150.0RR  
319  
310738  
319  
310738



1B21=TE059A

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK MOD / SPEC

REPORT DATE 07/07/82 PAGE 202  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT	BLDG	ELEV	QUAL	STAT
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	= NECI					

.1B21=TE059A B21-N014A	MAIN 5TH TUNNEL A/B GENERAL ELEC NECI 145C3224P001	1E	.T-08	.3110	wH,H	.wA .w070 MIN
		003	.TB	00078.wTA/IJ		.wANSI C96.1
			.310010		wL	.wB .w180 DYS

.1B21=TE059B B21-N014B	MAIN 5TH TUNNEL A/B GENERAL ELEC NECI 145C3224P001	1E	.T-08	.3110	wH,H	.wA .w070 MIN
		003	.TB	00078.wTA/IJ		.wANSI C96.1
			.310010		wL	.wB .w180 DYS

.1B21=TE059C B21-N014C	MAIN 5TH TUNNEL A/B GENERAL ELEC NECI 145C3224P001	1E	.T-08	.3110	wH,H	.wA .w070 MIN
		003	.TB	00078.wTA/IJ		.wANSI C96.1
			.310010		wL	.wB .w180 DYS

.1B21=TE059D B21-N014D	MAIN 5TH TUNNEL A/B GENERAL ELEC NECI 145C3224P001	1E	.T-08	.3110	wH,H	.wA .w070 MIN
		003	.TB	00078.wTA/IJ		.wANSI C96.1
			.310010		wL	.wB .w180 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1011-PH.041 REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / HOD / SPEC

REPORT DATE 07/07/82 PAGE 203  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NJ-CAT	BLDG	ELEV	SUBNG	
	MAKE / MANUFACTURER	SPEC	PO NUMBER	QUAL STAT		
	MODEL / CATALOG NO					

\*\*\*\*\*  
 REPORT GROUP HAK = NIC

1011-PH.041 DELETED	SHOREHAM STATION VENT MON	ZE	H-20		H, H	.A .180 DYS
	H.H.C.	RG	RBS	00175. ****		
	NIC	332	310782		L	.A .180 DYS
	N/A					

CAT. II EQUIPMENT NOT IE POWERED

1011-RT9041	STATION VENT EXHAUST	ZE	H-20		H, H	.A .180 DYS
	H.H.C.	"	RBS	00175. wTJ		
	NIC	332	310782		L	.A .180 DYS
	PHC-8000					

CAT. II EQUIPMENT NOT IE POWERED

1011-RE041 N/A	STATION VENT EXHAUST	ZE	H-20		H, H	.A .180 DYS
	H.H.C.	"	RBS	00175. wIJ		
	NIC	332	310782		L	.A .180 DYS
	SC-2-15 GAMMA DET					

CAT. II EQUIPMENT NOT IE POWERED

1011-RE043 N/A	STATION VENT EXHAUST	ZE	H-20		H, H	.A .180 DYS
	H.H.C.	"	RBS	00175. wIJ		
	NIC	332	310782		L	.A .180 DYS
	SC-2-15 GAMMA DET					

CAT. II EQUIPMENT NOT IE POWERED

1011-RE042

REPORT NO. PES-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 204  
RESET NO. 809  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG	ELEV	EQ SHEET QUAL STAT	ENG COND	OPER CODE
						SUBMG	
1011-RE042 N/A	STATION VENT EXHAUST M.H.C. NIC SC-28 B SCINT DET	ZE " 332	N-20 R05		00175.WIJ	H,N L	.0A .180 DYS . . .0A .180 DYS .

CAT. II EQUIPMENT NOT IE POWERED

1R31WPH02

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / HOD / SPEC

REPORT DATE 07/07/82 PAGE 205  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT	BLOG	ELEV	QUAL STAT	SUBNG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	* OKONITE					

1R31WPH02

POWER CABLE	IE	ALL	128-01	
OKONITE		RB	***** EQ	
OKONITE	128	310557		
600 V POWER CABLEST				

REPRESENTS ALL CABLE PURCHASED UNDER SH1-128

ALL	. A
	. 180 DYS
SPR	. NA

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82

REPORT DATE 07/07/82 PAGE 006  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

1811-TE012A

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 OAC ZONE  
 NU-CAT BLDG ELEV  
 SPEC PO NUMBER  
 EQ SHEET  
 QUAL STAT  
 SUBMG  
 ENG COND OPER CODE

1811-TE012A  
 E11-M027A

RHR MAIN FLOW  
 GENERAL ELEC  
 PYCO  
 102-3171

M,M  
 A  
 180 DYS

1811-TE012B  
 E11-M027B

RHR MAIN FLOW  
 GENERAL ELEC  
 PYCO  
 102-3171

M,M  
 A  
 180 DYS

1821-TE03AY  
 B21-N010A

MAIN 5TH TUNNEL OUTLET  
 GENERAL ELEC  
 #PYCO  
 #102-9039-08

M,M  
 A  
 070 MIN  
 #0.6Z

1821-TE03BY  
 B21-N010B

MAIN 5TH TUNNEL OUTLET  
 GENERAL ELEC  
 #PYCO  
 #102-9039-08

M,M  
 A  
 070 MIN  
 #0.6Z

M,M  
 A  
 180 DYS

1B21wTE43CY

REPORT NO. PES-001 JOB 1160002 07/07/82

## ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 207  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT	ZONE BLDG	ELEV	EQ SHEET QUAL STAT	ENG COND	OPER CODE
		SPEC	PO NUMBER			SUBING	
.1B21wTE43CY B21-M010C	MAIN STM TUNNEL OUTLET GENERAL ELEC #PYCO #102-9039-08	1E 003	. ST	. 00078	.3119 #TA/IJ	wH,H	.wA .w070 MIN #ANSI C96.1
						wL	.wB .w180 DYS
.1B21wTE43DY B21-M010D	MAIN STM TUNNEL OUTLET GENERAL ELEC #PYCO #102-9039-08	1E 003	. ST	. 00078	.3110 #TA/IJ	wH,H	.wA .w070 MIN #ANSI C96.1
						wL	.wB .w180 DYS
.1E11wTE013A	RHR HX TUBE OUTLET GENERAL ELEC PYCO #145C3224P001	1E 1E #003	. G-01	. #00020	.3110 #TA/IJ	H,H	.A .180 DYS #ANSI C96.1
						L	.A .180 DYS #ANSI C96.1
.1E11wTE013B	RHR HX TUBE OUTLET GENERAL ELEC PYCO #145C3224P001	1E # #003	. G-01	. #00020	.3110 #TA/IJ	H,H	.A .180 DYS #ANSI C96.1
						L	.A .180 DYS #ANSI C96.1
.1E11wTE014A E11-M009A	RHR EQUIP AREA AIR GENERAL ELEC PYCO #145C3224P001	1E 1E 003	. G-01	. #00020	.3110 #TA/IJ	H,H	.wA .w070 MIN

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 208  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC NU-CAT SPEC	ZONE BLOG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBNG	OPER CODE
.1E11*TE014B E11-N009B	RHR EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 1E 003	.wG-01 .RBS .310010	.3110 B.wTA/IJ	L	.B .180 DYS . .wANSI C96.1
.1E11*TE015A E11-N030A	RHR EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 1E 003	.wG-01 .RBS .310010	.3110 B.wTA/IJ	H,M	.wA .w070 MIN
.1E11*TE015B E11-N030B	RHR EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 1E 003	.wG-01 .RBS .310010	.3110 B.wTA/IJ	L	.B .180 DYS . .wANSI C96.1
.1E41*TE053A E41-N024A	HPCI EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 1E 003	.wG-01 .RBS .310010	.3110 B.wTA/IJ w00034.wTA/IJ	H,M	.A .070 MIN . .wANSI C96.1
					L	.B .180 DYS

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

1E41=TE053B

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / HOO / SPEC

REPORT DATE 07/07/82 PAGE 209  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	EQ SHEET ELEV QUAL STAY	ENR COND SUBNG	OPER CODE
.1E41=TE053B E41-N024B	HPCI EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 003	.WG-01 RBS 310010	.3110 #00034.#TA/IJ	H,M L	.A .070 MIN #ANSI C96.1 .B .180 DYS

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

.1E41=TE054A E41-N028A	HPCI EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 003	.WG-01 RBS 310010	.3110 #00034.#TA/IJ	H,M L	.A .070 MIN #ANSI C96.1 .B .180 DYS
---------------------------	--	-----------	-------------------------	------------------------	----------	---

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

.1E41=TE055A E41-N029A	HPCI EQUIP AREA A/B GENERAL ELEC PYCO #145C3224P001	1E 003	.WG-01 RBS 310010	.3110 #00034.#TA/IJ	H,M L	.A .070 MIN #ANSI C96.1 .B .180 DYS
---------------------------	--	-----------	-------------------------	------------------------	----------	---

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

.1E41=TE054B E41-N028B	HPCI EQUIP AREA A/B GENERAL ELEC PYCO #145C3234P001	1E 003	.WG-01 RBS 310010	.3110 #00034.#TA/IJ	H,M L	.A .070 MIN #ANSI C96.1 .B .180 DYS
---------------------------	--	-----------	-------------------------	------------------------	----------	---

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

1E41-TE055B

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 210  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC	ZONE	BLDG	ELEV	EQ SHEET QUAL STAT	ENG COND	OPER CODE
							SUBMG	

1E41-TE055B E41-M029B	HPCI EQUIP AREA AND GENERAL ELEC PYCO #145C3234P001	1E	.0G-05		.3110	63.#TA/IJ	H,M	A .070 MIN #ANSI C96.1
		"	.RBS				L	B .180 DYS
		003	.310010					

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

1E41-TE054A E41-M030A	HPCI EQUIP AREA AND GENERAL ELEC PYCO #145C3234P001	1E	.0G-05		.3110	63.#TA/IJ	H,M	A .070 MIN #ANSI C96.1
		"	.RBS				L	B .180 DYS
		003	.310010					

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

1E41-TE054B E41-M030B	HPCI EQUIP AREA AND GENERAL ELEC PYCO #145C3234P001	1E	.0G-05		.3110	63.#TA/IJ	H,M	A .070 MIN #ANSI C96.1
		"	.RBS				L	B .180 DYS
		003	.310010					

DETECT AREA TEMP RISE, INDICATING A PB IN HPCI PIPING NOT REQUIRED TO OP. AFTER HPCI DEACTIVATES

1R32wHP 044

REPORT NO. PES-801 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 211  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	ELEV	QUAL STAT	SUBHS
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****	*****	*****	*****	*****	*****	*****
REPORT GROUP MAK	= RAYCHEM					

1R32wHP 044

INST CABLE  
RAYCHEM 1E . ALL . 130-01 .  
RAYCHEM . 20 . EQ .  
INSTRUMENT CABLE 130 . 310587 .  
REPRESENTS ALL CABLE PURCHASED UNDER SH1-130

ALL . A  
. 180 DYS  
SPR . N/A

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1746#H00031A REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 212  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 RAYTRON

QAC ZONE  
 MJ-CAT BLDG ELEV EQ SHEET  
 SPEC PO NUMBER QUAL STAT

EMG COND OPER CODE

.1746#H00031A  
 PDSVS IMLE TO MIXED PLEN 1E M-15 319-01  
 PDSVS REGUL 00135.PRR/IJ  
 RAYTRON 319 310736  
 HASR-89

EMG COND: .H,M  
 OPER CODE: .WA  
 .100 DYS

.1746#H00031B  
 PDSVS IMLE TO MIXED PLEN 1E M-15 319-01  
 PDSVS REGUL 00135.PRR/IJ  
 RAYTRON 319 310736  
 HASR-89

EMG COND: .H,M  
 OPER CODE: .WA  
 .100 DYS

.1746#H00036A  
 MOT DAMPER FOR FM 1746#FN-0031A 1E M-15 319-01  
 PDSVS REGUL 00112.PRR/IJ  
 RAYTRON 319 310736  
 HASR-89

EMG COND: .H,M  
 OPER CODE: .WA  
 .100 DYS

.1746#H00036B  
 MOT DAMPER FOR FM 1746#FN-0031B 1E M-15 319-01  
 PDSVS REGUL 00112.PRR/IJ  
 RAYTRON 319 310736  
 HASR-89

EMG COND: .H,M  
 OPER CODE: .WA  
 .100 DYS

1T96#H00034C

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 213  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLOG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENH COND SUBNG	OPER CODE
.1T96#H00034C	MOT DAMPER FOR FH 1T96#FH-003C. POWERS REGUL RAYMOND HASR-49	1E 319	M-15 RBS 310738	319-01 126.#RR/IJ	W,H,H W,L	.#A #180 DYS #A #180 DYS
.1T96#H00047A	FH-79A DISCHARGE AIR POWERS REGUL RAYMOND HASR-9	1E 319	M-15 RBS 310738	319-01 00112.#RR/IJ	W,H,H W,L	.#A #180 DYS #A #180 DYS
.1T96#H00047B	FH-79B DISCHARGE AIR POWERS REGUL RAYMOND HASR-9	1E 319	M-15 RBS 310738	319-01 00112.#RR/IJ	W,H,H W,L	.#A #180 DYS #A #180 DYS
.1T96#H00048A	FLT 1A POWERS REGUL RAYMOND HASR-9	1E 319	M-15 RBS 310738	319-01 00112.#RR/IJ	W,H,H W,L	.#A #180 DYS #A #180 DYS
.1T96#H00048B	FLT 1B POWERS REGUL RAYMOND HASR-9	1E 319	M-15 RBS 310738	319-01 00112.#RR/IJ	W,H,H	.#A #180 DYS

REPORT NO. PES-801 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-801  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 214  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	ELEV	QUAL STAT	SUBNG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
.....	.....	.....	.....	.....	.....	.....
					=L	.NA .180 DYS
						.
						.
						.

1P42P005A

REPORT NO. PES-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1140002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 215  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID VEHICOR ID	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QAC MU-CAT SPEC	ZONE BLDG PO NUMBER	EQ SHEET ELEV QUAL STAT	ENG COND SUBMG	OPER CODE
***** REPORT GROUP MAK	***** = RELIANCE *****					
.1P42P005A	RBCLM CIRC PP GOLD PUMP RELIANCE #100-HP-444T	1E 62G	H-18 RBS 310582	.#62G-01 150.#EQ	wH,H wL	.#A .#180 DYS . . .#A .#180 DYS .
.1P42P005B	RBCLM CIRC PP GOLD PUMP RELIANCE #100-HP-444T	1E 62G	H-18 RBS 310582	.#62G-01 150.#EQ	wH,H wL	.#A .#180 DYS . . .#A .#180 DYS .
.1P42P005C	RBCLM CIRC PP GOLD PUMP RELIANCE #100-HP-444T	1E 62G	H-18 RBS 310582	.#62G-01 150.#EQ	wH,H wL	.#A .#180 DYS . . .#A .#180 DYS .
.1G41P023A	SPENT FUEL POOL COOLING PP GOLD PUMP RELIANCE #30-HP-326T	1E 62G	S-10 RBS 310582	.#62G-01 150.#EQ	H,H L	.#B .180 DYS . . .#A .180 DYS .

1041P0238

REPORT NO. PES-001 JOB 1160002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 214  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	NJ-CAT SPEC	BLDG PO NUMBER	ELEV QUAL STAT	SUBMG	
.1041P0238	SPENT FUEL POOL COOLING PP GOLD PUMP RELIANCE #30-HP-326T	1E 420	.W5-10 .RBS 310502	.W62G-01 150.WEQ	H,M L	.B .180 DYS .A .180 DYS
.1748BLO01A	HYD RECOMBINER BLOWER 1A ATOMICS INT RELIANCE 329T	1E 289	.J-15 .RBS 3100629	.289-03 112.EQ	H,M L	.WB .180 DYS .A .180 DYS NA
.1748BLO01B	HYD RECOMBINER BLOWER 1B ATOMICS INT RELIANCE 329T	1E 289	.J-16 .RBS 3100629	.289-03 112.EQ	H,M L	.WB .180 DYS .A .180 DYS NA

ENVIRONMENTAL QUALIFICATION STATUS REPORT

1R32WHP097

REPORT NO. PES-001 JOB 1160002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 217  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENH COND	OPER CODE
VENDOR ID	VENDOR NAME	NU-CAT	BLDG	ELEV	QUAL STAT	SUBNG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****	*****	*****	*****	*****	*****	*****
REPORT GROUP MAK	= ROCKBESTOS					

1R32WHP097

INST CABLE  
 ROCKBESTOS 1E . ALL RBS . 129-02 .  
 ROCKBESTOS . RB . EQ .  
 WRS 6-207 129 . 310553 .  
 REPRESENTS ALL COAXIAL & TRIAXIAL CABLE IN SH1-129. CABLE TO BE USED IN RBS ONLY.

ALL . A  
 . 180 DYS  
 SPR . NA

1R32WHP010

INST CABLE  
 ROCKBESTOS 1E . ALL . 129-01 .  
 ROCKBESTOS . RB . EQ .  
 THERMOCOUPLE WIRE 131 . 310664 .  
 REPRESENTS ALL CABLE PURCHASED UNDER SH1-131

ALL . A  
 . 180 DYS  
 SPR . NA

1R32WHP020

INST CABLE  
 ROCKBESTOS 1E . ALL . 129-01 .  
 ROCKBESTOS . RB . EQ .  
 300/600 CONT & INST 129 . 310553 .  
 REPRESENTS ALL 300/600 CONT & INST CABLE PURCHASED UNDER SH1-129

ALL . A  
 . 180 DYS  
 SPR . N/A





ENVIRONMENTAL QUALIFICATION STATUS REPORT

1E11=FT174A REPORT NO. PES-801 JOB 1160002 07/07/82

REPORT NO. PES-801  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (IS-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 220  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	SUBHG
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP MAK	* ROSEMOUNT					

.1E11=FT174A	DRYWELL SPRAY FLOW	1E			H,M	.WA .W180 DYS
	*ROSEMOUNT	*RG	*RBS	*00078.		
	*ROSEMOUNT	406	310773			
	*(LATER)					
					L	.WA .W180 DYS

EQUIPMENT ON HOLD PER LILCO ORDER

.1E11=FT174B	DRYWELL SPRAY FLOW	1E			H,M	.WA .W180 DYS
	*ROSEMOUNT	*RG	*RBS	*00078.		
	*ROSEMOUNT	406	310773			
	*(LATER)					
					L	.WA .W180 DYS

EQUIPMENT ON HOLD PER LILCO ORDER

.1E11=FT175A	SUPPRESSION POOL SPRY FLOW	1E			H,M	.WA .W180 DYS
	*ROSEMOUNT	*RG	*RBS	*00090.		
	*ROSEMOUNT	406	310773			
	*(LATER)					
					L	.WA .W180 DYS

EQUIPMENT ON HOLD PER LILCO ORDER

.1E11=FT175B	SUPPRESSION POOL SPRY FLOW	1E			H,M	.WA .W180 DYS
	*ROSEMOUNT	*RG	*RBS	*00078.		
	*ROSEMOUNT	406	310773			
	*(LATER)					
					L	.WA .W180 DYS

EQUIPMENT ON HOLD PER LILCO ORDER

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1140002 07/07/82 REPORT DATE 07/07/82 PAGE 221  
 REPORT NO. 1140002 PROJECT EQUIPMENT SYSTEM - (15-129) RESET NO. 009  
 JOB NUMBER SHOREHAM - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT RESET DATE 05/12/82  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO SORTED BY - HIGH / H00 / SPEC

ENG COND OPER CODE

EQUIPMENT ID VENDOR ID  
 EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET  
 VENDOR NAME MU-CAT BLDG ELEV QUAL STAT  
 NAME / MANUFACTURER SPEC PO NUMBER  
 MODEL / CATALOG NO  
 \*\*\*\*\*  
 LPCI FLOW  
 #ROSEMOUNT  
 #POS: MOUNT  
 #(LATER)  
 1E  
 #RG #RBS #00040  
 406 310773  
 H,M  
 .WA  
 .#100 DYS  
 L  
 .WA  
 .#100 DYS

EQUIPMENT ON HOLD PER LILCO ORDER

.1E111#PT1768  
 LPCI FLOW  
 #ROSEMOUNT  
 #ROSEMOUNT  
 #(LATER)  
 1E  
 #RG #RBS #00040  
 406 310773  
 H,M  
 .WA  
 .#100 DYS  
 L  
 .WA  
 .#100 DYS

EQUIPMENT ON HOLD PER LILCO ORDER

.1E32#PT05#  
 E32-H054  
 MW 5TH LINE LEAKAGE  
 GENERAL ELEC  
 ROSEMOUNT  
 1151AP  
 1E  
 #RG #RBS #00063 FT/IJ  
 003 310010  
 H,M  
 .B  
 .#100 DYS  
 L  
 .A  
 .#100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

.1E32#PT031A  
 E32-H051B  
 MSIV A LEAKAGE LINE  
 GENERAL ELEC  
 ROSEMOUNT  
 #1151AP5E2T0003PB  
 1E  
 #RG #RBS #00063 FT/IJ  
 003 310010  
 H,M  
 .B  
 .#100 DYS  
 L  
 .A  
 .#100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 222  
 REPORT NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

1E32-PT031B  
 REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EO SHEET	ENG COND	OPER CODE
1E32-PT031B	E32-M051F	MSIV B LEAKAGE LINE GENERAL ELEC ROSEHUNT #1151AP5E22T0003PB	1E PG 003	G-05 K-05 310010	3098 00063. FT/IJ	H,M L	B A 100 DYS 100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EO SHEET	ENG COND	OPER CODE
1E32-PT031C	E32-M051K	MSIV C LEAKAGE LINE GENERAL ELEC ROSEHUNT #1151AP5E22T0003PB	1E PG 003	G-05 R05 310010	3098 00063. FT/IJ	H,M L	B A 100 DYS 100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EO SHEET	ENG COND	OPER CODE
1E32-PT031D	E32-M051P	MSIV D LEAKAGE LINE GENERAL ELEC ROSEHUNT #1151AP5E22T0003PB	1E PG 003	G-05 R05 310010	3098 00063. FT/IJ	H,M L	B A 100 DYS 100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EO SHEET	ENG COND	OPER CODE
1E21-FT002B	E21-M003B	CORE SPRAY PUMP DISCH GENERAL ELEC POSEHUNT 1151DP	1E PG 003	G-01 R03 310010	3098 00008. FT/IJ	H,M L	B A 100 DYS 100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 223  
STORE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
RESET NO. 009  
RESET DATE 05/12/82  
SORTED BY - MAK / MOD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	ENG COND	OPER CODE
VENOR ID	VENOR NAME	INJ-CAT BLDG	PO NUMBER	QUAL STAT	SUBING		
	MAKE / MANUFACTURER	SPEC					
	MODEL / CATALOG NO						
1E32PFT033 E32-M059	DILUTION AIRFLOW,08 GENERAL ELEC ROSEHOUNT 1151DP	1E RG 003	G-05 RBS 310010	3000 00063. FT/IJ		H,M	B 100 DYS
1E91PFT003 E91-M008	CHANGED TO 1291PFT002 GENERAL ELEC ROSEHOUNT 1151DP	1E RG 003	G-01 RBS 310010	3000 00000. MFT/IJ		H,M	A 012 HRS *1.0 Z
1G33PFT012 G33-M091	RMCU SYS REACTOR RETURN GENERAL ELEC ROSEHOUNT 1151DP	1E RG 003	M-16 RBS 310010	3000 63. MFT/IJ		H,M	A 070 MIN 27 SPAN B 100 DYS
1C61PFT001 C61-M001	RMR MAIN FLOW GENERAL ELEC ROSEHOUNT *1151DP22T0002PB	1E RG 003	G-01 RBS 310010	3000 00000. FT/IJ		H,M	B 100 DYS B 100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SPS-1-URB-23-L & F

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SPS-1-URB-23-L & F

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SPS-1-URB-23-L & F

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SPS-1-URB-23-L & F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 1160002 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 119-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT DATE 07/07/82 PAGE 229  
 RESET NO. 000  
 RESET DATE 05/12/82

REPORT NO. PEB-001  
 JOB NUMBER 1160002  
 JOB NAME SHORTNAME - SHEET 1  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 1160002  
 JOB NAME SHORTNAME - SHEET 1  
 JOB CLIENT LILCO

EQUIPMENT ID: 1021A-T1300  
 VENDOR ID: B21-H0800

EQUIPMENT DESCRIPTION: REACTOR LEVEL TRIPS

MANUFACTURER: GE

MODEL / CATALOG NO: 00070-01T/IJ

QAC ZONE: 0-10

MU-CAT BLOS: 00070-01T/IJ

SPEC PO NUMBER: 003 - 310010

TO SHEET: 3000

QUAL STAT: 00070-01T/IJ

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

1021A-T1300  
 B21-H0800

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSICOUNT  
 011510P022T0003PB

REPORT NO. 1160002 07/07/02 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 STORE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HIGH / HOD / SPEC  
 REPORT DATE 07/07/02 PAGE 003  
 RESET NO. 000  
 RESET DATE 05/12/02

EQUIPMENT ID: 1021d.V1990  
 VENDOR ID: B21-M001A  
 EQUIPMENT DESCRIPTION: REACTOR LEVEL TRIPS  
 VENDOR NAME: GE  
 ZONE: 0-12  
 MU-CAT BLDG: 3000  
 MODEL / MANUFACTURER: P05 00070 .WFT/IJ  
 SPEC PO NUMBER: 003 310010  
 REPORT DATE: 07/07/02  
 RESET NO.: 000  
 RESET DATE: 05/12/02

EQUIPMENT ID: 1021d.V1990  
 VENDOR ID: B21-M001A  
 EQUIPMENT DESCRIPTION: GENERAL ELEC  
 VENDOR NAME: GE  
 ZONE: 0-12  
 MU-CAT BLDG: 3000  
 MODEL / MANUFACTURER: P05 00070 .WFT/IJ  
 SPEC PO NUMBER: 003 310010  
 REPORT DATE: 07/07/02  
 RESET NO.: 000  
 RESET DATE: 05/12/02

EQUIPMENT ID: 1021d.V1990  
 VENDOR ID: B21-M001B  
 EQUIPMENT DESCRIPTION: GENERAL ELEC  
 VENDOR NAME: GE  
 ZONE: 0-10  
 MU-CAT BLDG: 3000  
 MODEL / MANUFACTURER: P05 00070 .WFT/IJ  
 SPEC PO NUMBER: 003 310010  
 REPORT DATE: 07/07/02  
 RESET NO.: 000  
 RESET DATE: 05/12/02

EQUIPMENT ID: 1021d.V1990  
 VENDOR ID: B21-M001C  
 EQUIPMENT DESCRIPTION: GENERAL ELEC  
 VENDOR NAME: GE  
 ZONE: 0-12  
 MU-CAT BLDG: 3000  
 MODEL / MANUFACTURER: P05 00070 .WFT/IJ  
 SPEC PO NUMBER: 003 310010  
 REPORT DATE: 07/07/02  
 RESET NO.: 000  
 RESET DATE: 05/12/02

EQUIPMENT ID: 1021d.V1990  
 VENDOR ID: B21-M001A  
 EQUIPMENT DESCRIPTION: GENERAL ELEC  
 VENDOR NAME: GE  
 ZONE: 0-10  
 MU-CAT BLDG: 3000  
 MODEL / MANUFACTURER: P05 00070 .WFT/IJ  
 SPEC PO NUMBER: 003 310010  
 REPORT DATE: 07/07/02  
 RESET NO.: 000  
 RESET DATE: 05/12/02

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001 JOB 1160002 07/07/02

10214.7190

REPORT NO. PPS-001  
 JOB NUMBER 1160002  
 JOB NAME SCREENING - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - M/M / MOD / SPEC

REPORT DATE 07/07/02 PAGE 226  
 RESET NO. 000  
 RESET DATE 05/12/02

EQUIPMENT ID  
 VENDOR ID

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

ENG COND OPER CODE

10214.7190  
 021-M0910

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSITION/MT  
 011510P422T0003PB

1E  
 0-10  
 003

3000  
 00070. FT/IJ  
 310010

M,M  
 B  
 100 DYS  
 100 DYS  
 07.5 IM.

10214.7190  
 021-M0910

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSITION/MT  
 011510P422T0003PB

1E  
 0-10  
 003

3000  
 00070. FT/IJ  
 310010

M,M  
 A  
 100 DYS  
 100 DYS  
 02.57 FSDP

10214.7190  
 021-M0910

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSITION/MT  
 011510P422T0003PB

1E  
 0-12  
 003

3000  
 00070. FT/IJ  
 310010

M,M  
 A  
 100 DYS  
 100 DYS  
 02.57 FSDP

10214.7190  
 021-M0910

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSITION/MT  
 011510P422T0003PB

1E  
 0-10  
 003

3000  
 00070. FT/IJ  
 310010

M,M  
 A  
 100 DYS  
 100 DYS  
 02.57 FSDP

10214.7190  
 021-M0910

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSITION/MT  
 011510P422T0003PB

1E  
 0-10  
 003

3000  
 00070. FT/IJ  
 310010

M,M  
 A  
 100 DYS  
 100 DYS  
 02.57 FSDP

10214.7190  
 021-M0910

REACTOR LEVEL TRIPS  
 GENERAL ELEC  
 POSITION/MT  
 011510P422T0003PB

1E  
 0-10  
 003

3000  
 00070. FT/IJ  
 310010

M,M  
 A  
 100 DYS  
 100 DYS  
 02.57 FSDP

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. FEB-001 JOB 1160002 07/07/02  
 REPORT DATE 07/07/02 PAGE 017  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 REPORT NO. 004  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 RESET DATE 05/12/02  
 SORTED BY - NAM / 1K00 / SPEC

REPORT NO. FEB-001  
 JOB NUMBER 1160002  
 JOB NAME SHREVEPORT - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT NO. 004  
 RESET DATE 05/12/02  
 SORTED BY - NAM / 1K00 / SPEC

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 QAC ZONE  
 NU-CAT BLDG ELEV  
 SPEC PO NUMBER  
 PO SHEET  
 QUAL STAT

1021-17190  
 021-10930  
 AUTO DEPRESSURIZATION  
 GENERAL ELEC  
 POSITIONARY  
 011510P422T02000B  
 M.M  
 A  
 100 DYS  
 02.5Z FSDP

1021-17190  
 021-10930  
 AUTO DEPRESSURIZATION  
 GENERAL ELEC  
 POSITIONARY  
 011510P422T02000B  
 M.M  
 A  
 100 DYS  
 02.5Z FSDP

1021-17190  
 021-10930  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-URB-23-L & F  
 M.M  
 L  
 100 DYS  
 02.5Z FSDP

1021-17190  
 021-10930  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-URB-23-L & F  
 M.M  
 L  
 100 DYS  
 02.5Z FSDP

1021-17190  
 021-10930  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-URB-23-L & F  
 M.M  
 L  
 100 DYS  
 02.5Z FSDP

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 1160002 07/07/82  
 REPORT NO. PES-001  
 JOB NUMBER 1160002  
 JOB NAME SHOOTER - WRET 1  
 JOB CLIENT LFLCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - IMAH / MOD / SPEC

REPORT DATE 07/07/82 PAGE 228  
 RESET NO. 008  
 RESET DATE 05/12/82

EQUIPMENT ID VENDOR ID EQUIPMENT DESCRIPTION VENDOR NAME QMC ZONE EQ SHEET  
 NAME / MANUFACTURER MU-CAT BLDG ELEV QVAL STAT  
 MODEL / CATALOG NO SPEC PO NUMBER SURNG

18210PT008 821-1003A CORE SPRAY PUMP DISCH GENERAL ELEC B-01 3098 M,M .WB  
 ROSEHUNT 003 310010 .WB .100 DYS  
 011510PSAZ210R

18210PT009 821-1003B IEC PUMP DISCHARGE GENERAL ELEC B-01 3098 M,M .WB  
 ROSEHUNT 003 310010 .WB .100 DYS  
 011510PSAZ210R

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GARRIA BY SIMS-1-URB-23-L & F

18230PT011 833-10036 RMCU SYSTEM INLET GENERAL ELEC M-16 3098 M,M A  
 ROSEHUNT 003 310010 00112.0FT/IJ .WB .070 MIN  
 011510PSAZ210R

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GARRIA BY SIMS-1-URB-23-L & F

18230PT013 833-10012 RMCU SYS BLOWDOWN GENERAL ELEC M-16 3098 M,M A  
 ROSEHUNT 003 310010 00112.0FT/IJ .WB .070 MIN  
 011510PSAZ210R

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GARRIA BY SIMS-1-URB-23-L & F

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GARRIA BY SIMS-1-URB-23-L & F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 004  
RESET NO. 000  
RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAN / 100 / SPEC

1111070000

REPORT NO. PEG-001  
JOB NUMBER 1160002  
JOB NAME SHOWERHEAD - UNIT 2  
JOB CLIENT LILCO

EQUIPMENT DESCRIPTION  
VENDOR NAME  
MAKE / MANUFACTURER  
MODEL / CATALOG NO

QAC ZONE EQ SHEET  
MU-CAT BLDG ELEV QUAL STAT  
SPEC PO NUMBER

ENG COND OPER CODE

SURFB

CHANGED TO 12910PT020  
GENERAL ELEC  
POSEMOUNT  
011510P502210002

M.M  
A  
100 DYS  
Z  
A  
100 DYS  
Z

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SMP3-1-UMB-23-L & F

1111070000  
111-10070

RMR MR SERV WATER INLET  
GENERAL ELEC  
POSEMOUNT  
011510P502210002

M.M  
A  
100 DYS  
Z  
A  
100 DYS  
Z

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SMP3-1-UMB-23-L & F

1111070010  
111-10150

RMR MAIN FLOW  
GENERAL ELEC  
POSEMOUNT  
011510P502210002

M.M  
A  
100 DYS  
Z.25Z  
A  
100 DYS  
Z.25Z

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SMP3-1-UMB-23-L & F

1111-PT000  
111-10113

RMR HEAD SPRAY  
GENERAL ELEC  
POSEMOUNT  
011510P502210002

M.M  
A  
100 DYS  
L  
A  
100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SMP3-1-UMB-23-L & F

REPORT NO. PDS-001  
 JOB NUMBER 1140002  
 JOB NAME SURESTAR - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / 1000 / SPEC

REPORT DATE 07/07/82 PAGE 030  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EQ SHEET  
 MU-CAT BLOC ELEV QUAL STAT  
 SPEC PO NUMBER

EMO COND OPER CODE

REPORT NO	DESCRIPTION	QAC	ZONE	ELEV	QUAL	STAT	EMO COND	OPER CODE
1021-07073	ON 8TH LINE LANGUAGE	1E	0-05	3000			M,M	B
021-07053	GENERAL ELEC	PG	P05	00063	F1/IJ			100 DYS
	POSITIONUNT	003	310010					
	1151CP						L	A
								100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

REPORT NO	DESCRIPTION	QAC	ZONE	ELEV	QUAL	STAT	EMO COND	OPER CODE
1021-07104	REACTOR HI PRESS SCRAM	1E	0-10	3000			M,M	B
021-07074	GENERAL ELEC	PG	P05	00070	F1/IJ			100 DYS
	POSITIONUNT	003	310010					
	01151CP22T0003PB						L	B
								100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

REPORT NO	DESCRIPTION	QAC	ZONE	ELEV	QUAL	STAT	EMO COND	OPER CODE
1021-07100	REACTOR HI PRESS SCRAM	1E	0-10	3000			M,M	B
021-07070	GENERAL ELEC	PG	P05	00070	F1/IJ			100 DYS
	POSITIONUNT	003	310010					
	01151CP22T0003PB						L	B
								100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

REPORT NO	DESCRIPTION	QAC	ZONE	ELEV	QUAL	STAT	EMO COND	OPER CODE
1021-07104	REACTOR HI PRESS SCRAM	1E	0-12	3000			M,M	B
021-0707C	GENERAL ELEC	PG	P05	00070	F1/IJ			100 DYS
	POSITIONUNT	003	310010					
	01151CP22T0003PB						L	B
								100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 1160002 07/07/82 REPORT DATE 07/07/82 PAGE 032  
 REPORT NO. PEB-002 STONE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1160002 PROJECT EQUIPMENT SYSTEM - 115-1291  
 JOB NAME SHREVEPORT - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAX / MIN / SPEC / SPEC  
 REPORT DATE 07/07/82  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT ID: .1C710P007B  
 VENDOR ID: C71-M050B  
 EQUIPMENT DESCRIPTION: CS & BRV VALVE OPENING  
 VENDOR NAME: GENERAL ELEC  
 MAKE / MANUFACTURER: POSIMOUNT  
 MODEL / CATALOG NO: 01151GPE22T0003PB  
 QMC ZONE: 1E  
 MJ-CAT BLDG: 0-12  
 SPEC PO NUMBER: 003  
 ELEV: 3000  
 ELEV QUAL STAT: 00070.WT/IJ  
 EQ SHEET: .00  
 QUAL STAT: .0100 DYS

EQUIPMENT ID: .1C710P007A  
 VENDOR ID: C71-M050A  
 EQUIPMENT DESCRIPTION: PRIMARY CONTAINMENT HP  
 VENDOR NAME: GENERAL ELEC  
 MAKE / MANUFACTURER: POSIMOUNT  
 MODEL / CATALOG NO: 01151GPE22T0003PB  
 QMC ZONE: 1E  
 MJ-CAT BLDG: 0-10  
 SPEC PO NUMBER: 003  
 ELEV: 3000  
 ELEV QUAL STAT: 00070.WT/IJ  
 EQ SHEET: .00  
 QUAL STAT: .0100 DYS

EQUIPMENT ID: .1C710P007C  
 VENDOR ID: C71-M050C  
 EQUIPMENT DESCRIPTION: PRIMARY CONTAINMENT HP  
 VENDOR NAME: GENERAL ELEC  
 MAKE / MANUFACTURER: POSIMOUNT  
 MODEL / CATALOG NO: 01151GPE22T0003PB  
 QMC ZONE: 1E  
 MJ-CAT BLDG: 0-12  
 SPEC PO NUMBER: 003  
 ELEV: 3000  
 ELEV QUAL STAT: 00070.WT/IJ  
 EQ SHEET: .00  
 QUAL STAT: .0100 DYS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 033  
RESET NO. 000  
RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (115-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAX / H00 / SPEC

REPORT NO. PEG-001  
JOB NUMBER 1160002  
JOB NAME SMOKEHOUSE - UNIT 1  
JOB CLIENT LALCO

EQUIPMENT DESCRIPTION  
VENDOR NAME  
NAME / MANUFACTURER  
MODEL / CATALOG NO  
SPEC PO NUMBER

FIG COND OPER CODE

EQ SZXZT  
QUAL STAT  
SURTAB

PRIMARY CONTAINMENT HP  
GENERAL ELEC  
POSITION  
01151G4E22T0003PB  
003 : 310010  
0-12 : 3000  
00070.0FT/1J

M.H  
A  
070 MIN  
L  
A  
070 MIN  
17 PS

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

PRIMARY CONT HP  
GENERAL ELEC  
POSITION  
01151G4E22T0003PB  
003 : 310010  
0-10 : 3000  
00070.0FT/1J

M.H  
A  
070 MIN  
L  
A  
070 MIN  
.1 PSIG

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

PRIMARY CONT HP  
GENERAL ELEC  
POSITION  
01151G4E22T0003PB  
003 : 310010  
0-12 : 3000  
00070.0FT/1J

M.H  
A  
070 MIN  
L  
A  
070 MIN  
.1 PSIG

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

PRIMARY CONT HP  
GENERAL ELEC  
POSITION  
01151G4E22T0003PB  
003 : 310010  
0-10 : 3000  
00070.0FT/1J

M.H  
A  
070 MIN  
L  
A  
070 MIN  
.1 PSIG

RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-URB-23-L & F

PRIMARY CONT HP  
GENERAL ELEC  
POSITION  
01151G4E22T0003PB  
003 : 310010  
0-10 : 3000  
00070.0FT/1J

M.H  
A  
070 MIN  
L  
A  
070 MIN  
.1 PSIG

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PYS-001 JOB 116002 07/07/82  
 REPORT DATE 07/07/82 PAGE 234  
 REPORT NO. PYS-001  
 JOB NUMBER 116002  
 PROJECT EQUIPMENT SYSTEM - (119-1291)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT NO. 000  
 REPORT DATE 05/12/82  
 SORTED BY - NAM / MOD / SPEC

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 QAC ZONE  
 NU-CAT BLDG ELEV  
 SPEC I/O NUMBER  
 QUAL STAT  
 SURNG  
 ENG COND OVER CODE

1811071000  
 PRIMARY CONT NO  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-12  
 R05  
 00070. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 070 MIN  
 0.1 PSIG  
 .1 PSIG

1812071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV A LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1813071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV B LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1814071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1815071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1816071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1817071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1818071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1819071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

1820071000  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SIMS-1-UPR-23-L & F  
 M5IV C LEAKAGE LINE  
 GENERAL ELEC  
 POSITIONARY  
 011510P4E2270003PB  
 0-05  
 R05  
 00063. FT/IJ  
 3000  
 00063. FT/IJ  
 003 310010  
 L  
 A  
 100 DYS  
 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. FEB-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 239  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 119-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAM / 100 / SPEC

1832-PT030  
 REPORT NO. FEB-001  
 JOB NUMBER 1160002  
 JOB NAME SPECIMEN - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 OAC ZONE EQ SHEET  
 MJ-CAT BLDG ELEV OJAL STAT  
 SPEC PO NUMBER  
 SURENO  
 ZING COND OPER CODE

1832-PT030  
 E32-M061P  
 M51V B LEAKAGE CONT  
 GENERAL ELEC  
 POSIMOUNT  
 01151CP4E52T0003PB  
 1E - 0-12  
 00 - 00070. FT/IJ  
 003 - 310010  
 M,M  
 B  
 100 DYS

1832-PT041  
 E32-M053  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-UMB-23-L & F  
 0000 M51V LEAKAGE CONT  
 GENERAL ELEC  
 POSIMOUNT  
 01151CP4E52T0003PB  
 1E - 0-10  
 00 - 00070. FT/IJ  
 003 - 310010  
 M,M  
 B  
 100 DYS

1832-PT042  
 E32-M060  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-UMB-23-L & F  
 0000 M51V LEAKAGE CONT  
 GENERAL ELEC  
 POSIMOUNT  
 01151CP4E52T0003PB  
 1E - 0-12  
 00 - 00070. FT/IJ  
 003 - 310010  
 M,M  
 B  
 100 DYS

1832-PT043  
 E32-M050  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-UMB-23-L & F  
 0000 M51V LEAKAGE CONT  
 GENERAL ELEC  
 POSIMOUNT  
 01151CP4E52T0003PB  
 1E - 0-12  
 00 - 00070. FT/IJ  
 003 - 310010  
 M,M  
 B  
 100 DYS

1832-PT044  
 E32-M050  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-UMB-23-L & F  
 0000 M51V LEAKAGE CONT  
 GENERAL ELEC  
 POSIMOUNT  
 01151CP4E52T0003PB  
 1E - 0-12  
 00 - 00070. FT/IJ  
 003 - 310010  
 M,M  
 B  
 100 DYS

1832-PT045  
 E32-M050  
 RADIATION LEVELS REDUCED TO LESS THAN 2 X 10E6 RADS GAMMA BY SHPS-1-UMB-23-L & F  
 0000 M51V LEAKAGE CONT  
 GENERAL ELEC  
 POSIMOUNT  
 01151CP4E52T0003PB  
 1E - 0-12  
 00 - 00070. FT/IJ  
 003 - 310010  
 M,M  
 B  
 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82  
 REPORT DATE 07/07/82 PAGE 256  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 RESET NO. 004  
 RESET DATE 05/12/82

STOME AND WEBSTER ENGINEERING CORPORATION  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAM / HOD / SPEC

EQUIPMENT ID: PEG-001  
 VENDOR ID: 1160002  
 JOB NAME: PEG-001  
 JOB NUMBER: 1160002  
 JOB CLIENT: LILCO

EQUIPMENT DESCRIPTION: PRESS TRANS BRYNELL PRESS  
 VENDOR NAME: BRYNELL PRESS  
 NAME / MANUFACTURER: BRYNELL PRESS  
 MODEL / CATALOG NO: 11520P3A22PB

ENGINEERING CODE: M.H  
 OPER CODE: B  
 100 DYS

RESULTS 6 MONTH ACCIDENT DOSE REDUCED TO <5.0E4 RADS PER CALCULATION SNPS-1-URB-23-D

PL7-1A BIFF PRESSURE  
 POS/HOURLY: M.H  
 POS/HOURLY: M.H  
 11520P3A22PB: M.H  
 100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

PL7-1B BIFF PRESSURE  
 POS/HOURLY: M.H  
 POS/HOURLY: M.H  
 11520P3A22PB: M.H  
 100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

REACTOR BLDG DUFF  
 POS/HOURLY: M-20  
 POS/HOURLY: M-20  
 11520P3A22PB: M-20  
 100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 037  
 RESY NO. 000  
 RESY DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAM / MOD / SPEC

REPORT NO. 1160002  
 JOB NUMBER 1160002  
 JOB NAME STONEWEB & WERT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	FIG COND	OPER CODE
1160002000	ROSEHOUNT 11520P3A22PB	1E	M-20	00220. 1M	M,M	B .100 DYS
1160002000	ROSEHOUNT 11520P3A22PB	406	M05	00220. 1M	M	B .100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	FIG COND	OPER CODE
1160002000	ROSEHOUNT 11520P3A22PB	1E	J-15	00113. 1M	M	B .100 DYS
1160002000	ROSEHOUNT 11520P3A22PB	406	M05	00113. 1M	L	A .100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	FIG COND	OPER CODE
1160002000	ROSEHOUNT 11520P3A22PB	1E	G-01	00000. 1M	M,M	B .100 DYS
1160002000	ROSEHOUNT 11520P3A22PB	406	M05	00000. 1M	L	B .100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	FIG COND	OPER CODE
1160002000	ROSEHOUNT 11520P3A22PB	1E	G-01	00000. 1M	M,M	B .100 DYS
1160002000	ROSEHOUNT 11520P3A22PB	406	M05	00000. 1M	L	M .100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.



REPORT NO. P23-001 JOB 1160002 07/07/02 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT DATE 07/07/02 PAGE 239  
 REPORT NO. 004  
 RESET DATE 05/12/02

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 113-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAM / MOD / SPEC

EQUIPMENT ID: 1293AL1012A  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

EQUIPMENT ID: 1293AL1012B  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

EQUIPMENT ID: 1293AL1012C  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

EQUIPMENT ID: 1293AL1012D  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

EQUIPMENT ID: 1293AL1012E  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

EQUIPMENT ID: 1293AL1012F  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

EQUIPMENT ID: 1293AL1012G  
 EQUIPMENT DESCRIPTION: SUPPRESSION POOL LEVEL  
 VENDOR NAME: SUPPLEMENTAL  
 MAKE / MANUFACTURER: SUPPLEMENTAL  
 MODEL / CATALOG NO: 406  
 SPEC PO NUMBER: 310773  
 NAM: A  
 MOD: 100 DYS  
 SPEC:

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82

REPORT NO. PEG-001  
JOB NUMBER 1160002  
JOB NAME SMOOTHER - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (113-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - MAX / 100 / SPEC

REPORT DATE 07/07/82 PAGE 208  
RESET NO. 004  
RESET DATE 05/12/82

EQUIPMENT ID  
VENDOR ID  
EQUIPMENT DESCRIPTION  
VENDOR NAME  
MFG / MANUFACTURER  
MODEL / CATALOG NO

QMC ZONE  
MU-CAT BLDG ELEV  
SPEC PD NUMBER

ENG COND OPER CODE

STATUS

\*\*\*\*\*

L B  
. 100 DYS

MODIFYING LEVELS REDUCED TO LEV5 THAN 2 X 1026 RAD'S GAMMA BY SPDS-1-UMB-21-L & F

.100100100

SERV AIR HEATER PHE23

IE G-10  
RPS 00101. MW  
006 310773

M,M .08  
.100 DYS

.100100100

T5 LUBE OIL COOLER  
ROSEMOUNT  
ROSEMOUNT  
1152GP7A22PB

IE G-02  
RPS 00008. MW  
006 310773

M,M A  
. 012 MDS  
L A  
. 012 MDS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

.100100100

LUBE OIL COOLER CONT VALVE  
ROSEMOUNT  
ROSEMOUNT  
1152GP7A22PB

IE G-01  
RPS 00008. MW  
006 310773

M,M .08  
.100 DYS  
M,L .08  
.100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

.1001001100

SERVICE AIR HEATER A  
ROSEMOUNT  
ROSEMOUNT  
1152GP7A22PB

IE G-10  
RPS 151. MW  
004 310773

M,M A  
. 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001 JOB 116002 07/07/82  
 REPORT DATE 07/07/82 PAGE 001  
 REPORT NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 119-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAME / MOC / SPEC

REPORT NO. PPS-001  
 JOB NUMBER 116002  
 JOB NAME SHORTWAVE - UNIT 1  
 JOB CLIENT SILCO

EIQ COND OVER CODE

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO

QAC ZONE EQ SHEET  
 MU-CAT BLDG ELEV QVAL STAT  
 SPEC PD NUMBER

SUBSYS

L A  
 . 100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

M.M  
 . 100 DYS

SERVICE AIR HEATER B  
 ROSEHOUT  
 ROSEHOUT  
 115ZGP1A22PB

1E - 0-12  
 PG - P05 151. HW  
 406 - 310773

L A  
 . 100 DYS

MODIFICATIONS TO BE COMPLETE PRIOR TO FUEL LOAD.

M.H.M  
 . 100 DYS

ROSEHOUT MONITOR  
 ROSEHOUT  
 ROSEHOUT  
 115ZGP1E22PB

1E - 0-09 . 406-02  
 PG - P05 00000. E0  
 406 - 310773

M.L  
 . 100 DYS

.10210P1153M

ROSEHOUT MONITOR  
 ROSEHOUT  
 ROSEHOUT  
 115ZGP1E22PB

1E - L-02 . 406-02  
 PG - P05 00000. E0  
 406 - 310773

M.H  
 . 100 DYS

.10210P1153L

ROSEHOUT L  
 ROSEHOUT  
 ROSEHOUT  
 115ZGP1E22PB

1E - G-10 . 406-02  
 PG - P05 00000. E0  
 406 - 310773

M.H  
 . 100 DYS

M.L  
 . 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 116002 07/07/02  
 STORE AND REGISTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 113-1293  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT DATE 07/07/02 PAGE 042  
 RESET NO. 000  
 RESET DATE 05/10/02

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME STORE AND REGISTER  
 JOB CLIENT LILCO

QAC	ZONE	EO SHEET	QAC	ZONE	EO SHEET
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0

QAC	ZONE	EO SHEET	QAC	ZONE	EO SHEET
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0

QAC	ZONE	EO SHEET	QAC	ZONE	EO SHEET
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0

QAC	ZONE	EO SHEET	QAC	ZONE	EO SHEET
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0
1E	G-09	006-02	1E	G-09	006-02
006	POS	00000. E0	006	POS	00000. E0

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P93-001 JOB 1160002 07/07/82

REPORT NO. P93-001  
 JOB NUMBER 1160002  
 JOB NAME SHREVEPORT - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT DATE 07/07/82 PAGE 043  
 RESET NO. 004  
 RESET DATE 05/12/82

REPORTED BY - HAHN / HOO / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL	STAT
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
.100210P1153P	ROSEHOUNT ROSEHOUNT 1152GP7E22T0200PB	1E	S-09	004-02	.0A	.0100 DYS
		006	00000. E0			
		006	310773			
.100210P1153B	ROSEHOUNT MONITOR ROSEHOUNT 1152GP7E22T0200PB	1E	S-09	006-02	.0A	.0100 DYS
		006	00000. E0			
		006	310773			
.100210P1153M	ROSEHOUNT MONITOR ROSEHOUNT 1152GP7E22T0200PB	1E	S-09	006-02	.0A	.0100 DYS
		006	00000. E0			
		006	310773			
.120310P1003A	BRAYWELL PRESSURE ROSEHOUNT ROSEHOUNT 1151GN7A22PB	1E	G-10	006-01	.A	100 DYS
		006	00070. E0			
		006	310773			

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001 JOB 1160001 07/07/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT DATE 07/07/82 PAGE 004  
 RESET NO. 004  
 RESET DATE 05/12/82

STOCK NO. PPS-001  
 JOB NUMBER 1160001  
 JOB NAME SHORTMAN - UNIT 1  
 JOB CLIENT LILCO  
 SORTED BY - MAN / MOD / SPEC

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 BAC ZONE  
 MJ-CAT BLDG  
 SPEC PD NUMBER  
 ELEV  
 EIO SHEET  
 QUAL STAT

12930T0030  
 SUPPRESSION POOL  
 1153GB7A2PB  
 BRWELL & SUPPRESSION POOL PRZ.  
 1E B-12  
 PG RB3 00070. E0  
 406 31073

12930T0004  
 SUPPRESSION POOL ACCESS MATCH  
 1153GB7A2PB  
 1E B-02  
 PG RB3 00000. E0  
 406 31073

12930T0000  
 SUPPRESSION POOL ACCESS MATCH  
 1153C7A22PB  
 1E B-02  
 PG RB3 00063. E0  
 406 31073

12930T0110  
 WASTEWATER DISCHARGE IFT  
 00-109-1  
 1E E-23  
 PG PRD 00020. E0  
 406 31073

12930T0110X  
 WASTEWATER DISCHARGE IFT  
 00-109-1  
 1E E-23  
 PG PRD 00020. E0  
 406 31073

FINO COND OPER CODE  
 M.M  
 A  
 100 DYS  
 L  
 A  
 100 DYS  
 M.M  
 A  
 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P49-001 JOB 116002 07/07/02  
 STOP AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - M/M / MOD / SPEC

REPORT NO. P49-001  
 JOB NUMBER 116002  
 JOB NAME STOPAND - SHEET 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/02 PAGE 045  
 RESET NO. 000  
 RESET DATE 05/12/02

INVENTORY ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EQ COND	OPER CODE
VENDOR ID	VENDOR NAME	MJ-CAT BLDG	ELEV	DUAL STAT		
	MODEL / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
1293-VE1107	W992602 DISCHARGE IFT	1E	E-23	006-03	L	A
	PROSE/MOUNT		00025. FO			100 DYS
	PROSE/MOUNT	006	310773			
	00-149-1					
1293-VE1102	W992602 DISCHARGE IFT	1E	E-23	006-03	M.M	A
	PROSE/MOUNT		00025. FO			100 DYS
	PROSE/MOUNT	006	310773			
	00-149-1					
1293-VE1114	W992602 DISCHARGE IFT	01E	E-23	006-03	M.M	A
	PROSE/MOUNT		00025. FO			100 DYS
	PROSE/MOUNT	006	310773			
	00-149-1					
1293-VE1118	W992602 DISCHARGE IFT	01E	E-23	006-03	M.M	A
	PROSE/MOUNT		00025. FO			100 DYS
	PROSE/MOUNT	006	310773			
	00-149-1					

REPORT NO. 1293-071117      PROJECT NO. 1293-001      JOB 1160002      07/07/02      ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 REPORT NO. 1293-001      PROJECT NO. 1160002      JOB 1160002      07/07/02      PAGE 246  
 JOB NUMBER 1160002      PROJECT EQUIPMENT SYSTEM - 115-1291  
 JOB NAME SHREVEPORT - GREY 1      ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO      SORTED BY - HIGH / MCD / SPEC

EQUIPMENT ID	EQUIPMENT DESCRIPTION	ENG COND	OPER CODE
1293-071117	EQUIPMENT DESCRIPTION VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO SPEC PO NUMBER SHREVEPORT DISCHARGE 1PT PROSEHOUNT PROSEHOUNT 00-149-1	M.M	A 100 DYS
1293-071118	SHREVEPORT DISCHARGE 1PT PROSEHOUNT PROSEHOUNT 00-149-1	L	A 100 DYS
1293-071119	SHREVEPORT DISCHARGE 1PT PROSEHOUNT PROSEHOUNT 00-149-1	M.M	A 100 DYS
1293-071120	SHREVEPORT DISCHARGE 1PT PROSEHOUNT PROSEHOUNT 00-149-1	L	A 100 DYS
1293-071121	SHREVEPORT DISCHARGE 1PT PROSEHOUNT PROSEHOUNT 00-149-1	M.M	A 100 DYS
1293-071122	SHREVEPORT DISCHARGE 1PT PROSEHOUNT PROSEHOUNT 00-149-1	L	A 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 007  
 RESET NO. 004  
 RESET DATE 05/12/82

STORE AND REGISTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 113-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAME / MOD / SPEC

REPORT NO. PEG-001  
 JOB NUMBER 1160002  
 JOB NAME STORE-001  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	END COND	OPER CODE
VENDOR ID	MANUFACTURER	MODEL / CATALOG NO	BLDG	ELEV	QUAL	STAT
.12930TE112Z	DISCHARGE IFT	01E	02-23	0004-03	L	A
	PROSEHOUNT	006	PRO	25.010		100 DYS
	PROSEHOUNT	006	310773			
.12930TE113X	DISCHARGE IFT	01E	02-23	0004-03	M,H	A
	PROSEHOUNT	006	PRO	25.010		100 DYS
	PROSEHOUNT	006	310773			
.12930TE115K	DISCHARGE IFT	01E	02-23	0004-03	L	A
	PROSEHOUNT	006	PRO	25.010		100 DYS
	PROSEHOUNT	006	310773			
.12930TE113V	DISCHARGE IFT	01E	02-23	0004-03	M,H	A
	PROSEHOUNT	006	PRO	25.010		100 DYS
	PROSEHOUNT	006	310773			



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PYS-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 040  
 TEST NO. 004  
 TEST DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / INV / SPEC

REPORT NO. PYS-001  
 JOB NUMBER 1160002  
 JOB NAME PROJECTOR - UNIT 3  
 JOB CLIENT LILCO

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO

EQ COND OPER CODE  
 L A 100 DYS  
 M.M A 100 DYS  
 L A 100 DYS

EQ SHEET  
 QULM STAT  
 SPEC PD NUMBER  
 006 310773

DISCHARGE EFF  
 POSITION  
 00-149-2

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 250  
 RESET NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAME / MOD / SPEC

REPORT NO. PEB-001  
 JOB NUMBER 1160002  
 JOB NAME SHREVEPORT - UNIT 1  
 JOB CLIENT LILCO

REPORT NO.	DESCRIPTION	QAC	ZONE	ELEV	EQ SHEET	END COND	OPER CODE
REPORT NO.	VENDOR NAME	MODEL / CATALOG NO	NAME / MANUFACTURER	MU-CAT BLDG	GOAL STAT		
.1706070010	RODYS RECIRC AIR TEMP	1E	M-15	112.00	006-03	000000	000000
	ROSEHOUNT	006	005	310773		000000	000000
	09-06-9/00-10-1						
.170607001A	RODYS RECIRC AIR TEMP	1E	M-15	112.00	006-03	000000	000000
	ROSEHOUNT	006	005	310773		000000	000000
	09-06-9/00-10-1						
.170607002A	AIR RETURN TO UC-2A	1E	G-01	00010.00	006-03	000000	000000
	ROSEHOUNT	006	005	310773		000000	000000
	09-06-9/00-10-1						
.170607002B	AIR RETURN TO UC-2B	1E	G-01	00002.00	006-03	000000	000000
	ROSEHOUNT	006	005	310773		000000	000000
	09-06-9/00-10-1						
.170607003A	AIR RETURN TO UC-3A	1E	G-01	00012.00	006-03	000000	000000
	ROSEHOUNT	006	005	310773		000000	000000
	09-06-9/00-10-1						

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 116002 07/07/02

REPORT DATE 07/07/02 PAGE 051  
RESET NO. 009  
RESET DATE 05/12/02

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - NAME / HOO / SPEC

REPORT NO. PEB-001  
JOB NUMBER 116002  
JOB NAME SHORTMAN - SHEET 1  
JOB CLIENT LILCO

EQUIPMENT ID  
VENDOR ID  
EQUIPMENT DESCRIPTION  
VENDOR NAME  
NAME / MANUFACTURER  
MODEL / CATALOG NO  
OAC ZONE TO SHEET  
MU-CAT BLOB ELEV QUAL STAT  
SPEC PO NUMBER  
S/N#

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	NAME / MANUFACTURER	MODEL / CATALOG NO	OAC ZONE	TO SHEET	MU-CAT BLOB	ELEV	QUAL STAT	SPEC	PO NUMBER	S/N#	ENV CODE	OPER CODE
.17460110270		AIR RETURN TO UC-30 ROSEHOUT ROSEHOUT 09-06-a/00-10-1				0-02 R03	006-03	00002	EQ			310773		ML	.0A .0100 DYS
.17460110280		AIR RETURN TO UC-04 ROSEHOUT ROSEHOUT 09-06-a/00-10-1				M-20 R03	006-03	00220	EQ			310773		M,M	.0A .0100 DYS
.17460110290		AIR RETURN TO UC-08 ROSEHOUT ROSEHOUT 09-06-a/00-10-1				M-20 R03	006-03	00220	EQ			310773		ML	.0A .0100 DYS
.17460110254		AIR RETURN TO UC-5A ROSEHOUT ROSEHOUT 09-06-a/00-10-1				M-20 R03	006-03	00220	EQ			310773		M,M	.0A .0100 DYS



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001 JOB 110002 07/07/82

REPORT NO. PES-001  
 JOB NUMBER 110002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAME / HOU / HOU / SPEC

REPORT DATE 07/07/82 PAGE 053  
 RESET NO. 004  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	FINO COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL	STAT
NAME / MANUFACTURER	MODEL / CATALOG NO	SPEC	PO NUMBER	SURF		
.1746-170000	UC-278 UNIT CLEAR POSEMOUNT 89-04-a/08-18-3	1E	N-18	006-03	eL	.eA .e100 DYS
		006	00169	EQ		
			310773			
.1746-170000	UC-278 UNIT CLEAR POSEMOUNT 89-04-a/08-18-3	1E	N-18	006-03	eH,M	.eA .e100 DYS
		006	00166	EQ		
			310773			

1E32WPE0370

REPORT NO. PES-001 JOB 1160002 07/07/02

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PES-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 3  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HAM / 100 / SPEC

REPORT DATE 07/07/02 PAGE 290  
RESET NO. 004  
RESET DATE 05/12/02

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	SURF
	NAME / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
***** REPORT GROUP HAM	= SCHUTTE & MOERTING					

1E32WPE0370  
E32-H006P

MOIV B LEAN TO LPH  
GENERAL ELEC  
SCHUTTE & MOERTING

1E . 0-06 . 3120 .  
. RRS 00065. DR/IJ .  
007 . 310010 .

W.H . 0  
=100 DYS

L . A  
. 100 DYS

=27 FS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P43-001 JOB 116002 07/07/82  
REPORT DATE 07/07/82 PAGE 055  
RESET NO. 004  
RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - NAM / INO / SPEC

REPORT NO. P43-001  
JOB NUMBER 116002  
JOB NAME SHREVEPORT - SHEET 1  
JOB CLIENT LILCO

EQUIPMENT ID  
VENDOR ID  
EQUIPMENT DESCRIPTION  
VENDOR NAME  
NAME / MANUFACTURER  
MODEL / CATALOG NO  
SPEC  
BMC ZONE  
MU-CAT BLDG ELEV  
SPEC PD NUMBER  
EQ SHEET  
QUAL STAT  
SUMNO

REPORT GROUP NAME  
M,M  
A  
012 MRS  
2 P510  
L  
A  
012 MRS  
2 P510

FOR OIL PIP TUBS (OHT OIL PRES.  
GENERAL ELEC  
SOURCE B  
CLASS 0012, ACN-EE  
003  
310010

003  
00000  
TA/IJ

003  
00000  
TA/IJ

003  
00000  
TA/IJ

003  
00000  
TA/IJ

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 1100002 07/07/82  
 REPORT NO. PEB-001 STONE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1100002 PROJECT EQUIPMENT SYSTEM - 115-1293  
 JOB NAME SHORTMAN - UNIT 1 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAN / HDX / SPIC  
 REPORT DATE 07/07/82 PAGE 006  
 RESET NO. 000  
 RESET DATE 05/12/82

EQM COND OPER CODE  
 SURHS

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 SPEC PO NUMBER  
 EQM COND OPER CODE  
 SURHS

BREWER DIST PHL (BLACK)  
 SQUARE D  
 SQUARE D CO.  
 BREWER DIST PHL  
 1E : 0-10  
 PMS 00070.ATA/IJ  
 115 : 310535  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS

BREWER DIST PHL (BLACK)  
 SQUARE D  
 SQUARE D CO.  
 BREWER DIST PHL  
 1E : 0-10  
 PMS 00070.ATA/IJ  
 115 : 310535  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS

BREWER DIST PHL (BLACK)  
 SQUARE D  
 SQUARE D CO.  
 BREWER DIST PHL  
 1E : M-11  
 PMS 00070.ATA/IJ  
 115 : 310535  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS

BREWER POWER PHL TO PSP  
 SQUARE D  
 SQUARE D CO.  
 BREWER DIST PHL  
 1E : M-21  
 PMS 00112.ATA/IJ  
 115 : 310535  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS  
 .08  
 .0100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 1160002 07/07/82

REPORT NO. PEB-001  
 JOB NUMBER 1160002  
 JOB NAME SPECTRUM - UNIT 1  
 JOB CLIENT LILCO

STONE AND MASTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / MOD / SPEC

REPORT DATE 07/07/82 PAGE 237  
 RESET NO. 009  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QMC	ZONE	PO SHEET	END COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	
	MODEL / CATALOG NO	SPEC	PO NUMBER			
.10204WCC111H	MOTOR CONTROL CENTER SQUARE D CO. SQUARE D CO. MODEL #	1E	M-21 P03 310535	150.WTA/TJ		.0A .0100 DYS
.10204WCC111H	MOTOR CONTROL CENTER-LCPI SQUARE D CO. SQUARE D CO. MODEL #	1E	M-21 P03 310535	112.WTA/TJ		.0A .0100 DYS
.10204WCC111Y	MOTOR CONTROL CENTER-FIBER SQUARE D CO. SQUARE D CO. MODEL #	1E	M-09 P03 310535	70.WTA/TJ		.0B .0100 DYS
.10204WCC111Z	MOTOR CONTROL CENTER-FIBER SQUARE D CO. SQUARE D CO. MODEL #	1E	M-09 P03 310535	70.WTA/TJ		.0A .0100 DYS
.10204WCC111W	MOTOR CONTROL CENTER SQUARE D CO. SQUARE D CO. MODEL #	1E	M-21 P03 310535	150.WTA/TJ		.0A .0100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PER-001 JOB 1180002 07/87/82  
 REPORT DATE 07/87/82 PAGE 150  
 REPORT NO. 1180002  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 RESY NO. 009  
 RESY DATE 05/12/82  
 SORTED BY - H/M / H/D / H/D / SPEC

REPORT NO.	PER-001	JOB	1180002	07/87/82	REPORT DATE	07/87/82	PAGE	150
REPORT NO.	1180002	PROJECT EQUIPMENT SYSTEM - (115-129)	ENVIRONMENTAL QUALIFICATION STATUS REPORT	RESY NO.	009	RESY DATE	05/12/82	
JOB NAME	SPRINGER - UNIT 1							
JOB CLIENT	LULCO							
EQUIPMENT ID	DESCRIPTION	QAC	ZONE	EQ SHEET	QIB COND	OPER CODE		
VEN. # ID	VENDOR NAME	MU-CAT BLDG	ELEV	QUAL STAT				
	NAME / MANUFACTURER	SPEC	PO NUMBER					
	MODEL / CATALOG NO							
.1020MCC1117	MOTOR CONTROL CENTER-EVER SQUARE D CO. SQUARE D CO. MODEL Q	1E M-12 RBS 310535		70.07A/1J	eL	.eA .e100 DYS		
.1020MCC1117	MOTOR CONTROL CENTER-LCPI SQUARE D CO. SQUARE D CO. MODEL Q	1E M-21 RBS 310535		112.07A/1J	eM,M	.eA .e100 DYS		
.1020MCC1111	MOTOR CONTROL CENTER-EVER SQUARE D CO. SQUARE D CO. MODEL Q	1E B-02 RBS 310535		80.07A/1J	eL	.eA .e100 DYS		
.1020MCC1112	MOTOR CONTROL CENTER-EVER SQUARE D CO. SQUARE D CO. MODEL Q	1E M-21 RBS 310535		112.07A/1J	eM,M	.eA .e100 DYS		

H.M-OP CODE B 1 DAY, C REM. IMCC REV. 1

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 1160002 JOB 1160002 07/07/82

REPORT NO. 1160002  
 JOB NUMBER 1160002  
 JOB NAME SHOOTER - WEST 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAME / MOD / SPEC

REPORT DATE 07/07/82 PAGE 059  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	VENDOR NAME	QAC	ZONE	EQ SHEET	EQ QUAL STAT	END COND	ENTER CODE
NAME / MANUFACTURER	MODEL / CATALOG NO	MU-CAT BLDG	ELEV	PO NUMBER					
MOTOR CONTROL CENTER-EMER	SQUARE D CO.	M-21						WA	.100 DYS
SQUARE D CO.	MODEL #	PBS	112.07A/1J					WA	.100 DYS
		115	310535					WA	.100 DYS
MOTOR CONTROL CENTER-EMER	SQUARE D CO.	M-10						WA	.070 MIN
SQUARE D CO.	MODEL #	PBS	150.07A/1J					WA	.100 DYS
		115	310535					WA	.100 DYS
MOTOR CONTROL CENTER-EMER	SQUARE D CO.	0-02						WA	.100 DYS
SQUARE D CO.	MODEL #	PBS	00.07A/1J					WA	.100 DYS
		115	310535					WA	.100 DYS
MOTOR CONTROL CENTER-EMER	SQUARE D CO.	M-21						WA	.100 DYS
SQUARE D CO.	MODEL #	PBS	112.07A/1J					WA	.100 DYS
		115	310535					WA	.100 DYS
MOTOR CONTROL CENTER-EMER	SQUARE D CO.	L-02						WA	.100 DYS
SQUARE D CO.	MODEL #	PBS	00.07A/1J					WA	.100 DYS
		115	310535					WA	.100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001 JOB 1160002 07/07/02

STORE AND REGISTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - IMAK / MOD / SPEC

REPORT DATE 07/07/02 PAGE 260  
RESET NO. 000  
RESET DATE 05/12/02

EQUIPMENT ID	VENDOR ID	EQUIPMENT DESCRIPTION	QMC	ZONE	EQ SHEET	ENG COND	OPER CODE
NAME / MANUFACTURER	MODEL / CATALOG NO	MU-CAT BLDG	ELEV	QUAL STAT	SURFNG		
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02			L	.0A .0100 DYS
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02	00.07A/IJ		M,H	.0B .0100 DYS
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02			L	.0A .0100 DYS
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02	112.07A/IJ		M,H	.0A .0100 DYS
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02			L	.0A .0100 DYS
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02	150.07A/IJ		M,H	.0B .0100 DYS
MOTOR CONTROL CENTER-E108	SQUARE D CO.	115	0-02			L	.0A .0100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 1160002 JOB 1160002 07/07/82  
 STORE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

REPORT DATE 07/07/82 PAGE 041  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QMC	ZONE	EQ SHEET	END COND	OPER CODE
VENDOR ID	VENDOR NAME	NAME / MANUFACTURER	MJ-CAT BLDG	ELEV	QUAL STAT	
	MODEL / CATALOG NO	SPEC	PO NUMBER			
.10240001187	MOTOR CONTROL CENTER-EMER	1E	0-02			.0B
	SQUARE D CO.		083	00.07A/1J		.0100 DYS
	MODEL #	115	310535			
.10240001188	MOTOR CONTROL CENTER-EMER	1E	M-21			.0B
	SQUARE D CO.		083	112.07A/1J		.0100 DYS
	MODEL #	115	310535			
.10240001189	MOTOR CONTROL CENTER-EMER	1E	L-02			.0B
	SQUARE D CO.		083	00.07A/1J		.0100 DYS
	MODEL #	115	310535			
.10240001191	MOTOR CONTROL CENTER-EMER	1E	M-21			.0B
	SQUARE D CO.		083	150.07A/1J		.0100 DYS
	MODEL #	115	310535			
.10240001191	MOTOR STR FOR SUMP PUMP SYS	1E	L-02			.0B
	SKJAPE B		083	000000.07A/1J		.0100 DYS
	MODEL #	115	310535			

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001 JOB 116002 07/07/82  
 REPORT DATE 07/07/82 PAGE 002  
 REPORT NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / PCD / SPEC

EQUIPMENT ID: 115-0011191  
 VENDOR ID: 115-0011191  
 EQUIPMENT DESCRIPTION: MOTOR STR FOR SUMP PUMP SYS  
 VENDOR NAME: SQUARE D  
 MAKE / MANUFACTURER: SQUARE D CO.  
 MODEL / CATALOG NO: SIZE S 460V  
 QAC ZONE: 115  
 NO-CAT BLDG ELEV: 310535  
 SPEC PO NUMBER: 07A/1J  
 EQ SHEET: TA/1J  
 QUBL STAT: TA/1J

EHS COND: .WB  
 OPER CODE: .100 DYS

EQUIPMENT ID: 115-0011192  
 VENDOR ID: 115-0011192  
 EQUIPMENT DESCRIPTION: MOTOR STR FOR SUMP PUMP SYS  
 VENDOR NAME: SQUARE D  
 MAKE / MANUFACTURER: SQUARE D CO.  
 MODEL / CATALOG NO: SIZE S 460V  
 QAC ZONE: 115  
 NO-CAT BLDG ELEV: 310535  
 SPEC PO NUMBER: 07A/1J  
 EQ SHEET: TA/1J  
 QUBL STAT: TA/1J

EHS COND: .WB  
 OPER CODE: .100 DYS

EQUIPMENT ID: 115-0011193  
 VENDOR ID: 115-0011193  
 EQUIPMENT DESCRIPTION: COND & VAC TR P-30  
 VENDOR NAME: GENERAL ELEC  
 MAKE / MANUFACTURER: SQUARE D CO.  
 MODEL / CATALOG NO: 9036  
 QAC ZONE: 003  
 NO-CAT BLDG ELEV: 310010  
 SPEC PO NUMBER: 07A/1J  
 EQ SHEET: TA/1J  
 QUBL STAT: TA/1J

EHS COND: .WB  
 OPER CODE: .100 DYS

REPORT NO. P23-001 JOB 1160002 07/07/02  
 REPORT DATE 07/07/02 PAGE 043  
 REPORT NO. 009  
 RESET DATE 05/12/02

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (113-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAK / MOD / SPEC

EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MODEL / CATALOG NO  
 SPEC PO NUMBER  
 EQ SHEET  
 QUAL STAT

REPORT GROUP NAME  
 STATIC-O-RING  
 003  
 310010

RECIRC SUC PR PWR VLV INTLH  
 GENERAL ELEC  
 STATIC-O-RING  
 SM-AA3-X1051T  
 003  
 310010

OP CODE B FOR WELD & WELD  
 RECIRC SUC PR PWR VLV INTLH  
 GENERAL ELEC  
 STATIC-O-RING  
 SM-AA3-X1051T  
 003  
 310010

RECIC AUTO ISOLATION  
 GENERAL ELEC  
 STATIC-O-RING  
 SM-AA3-X1051T  
 003  
 310010

RECIC AUTO ISOLATION  
 GENERAL ELEC  
 STATIC-O-RING  
 SM-AA3-X1051T  
 003  
 310010

REPORT DATE 07/07/02  
 REPORT NO. 009  
 RESET DATE 05/12/02

ENVIRONMENTAL QUALIFICATION STATUS REPORT



ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 116002 JOB 116002 07/07/82 STORE AND WEBSTER ENGINEERING CORPORATION REPORT DATE 07/07/82 PAGE 835  
PROJECT EQUIPMENT SYSTEM - 115-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HMK / 1000 / SPEC  
RESET NO. 000  
RESET DATE 05/12/82

EQUIPMENT DESCRIPTION BAC ZONE EQ SHEET  
VENDOR NAME NU-CAT BLDG ELEV QUAL STAT  
MODEL / CATALOG NO SPEC PO NUMBER  
SYSTEMS CONTROL  
REPORT GROUP HMK SYSTEMS CONTROL

116002-02 120VAC BIST PHL PEAC BLDG 1E M-21 124-01 ALL A 100 DYS  
SYSTEMS CONTROL 112. EO M/A  
120-VAC-DIST-PHL 120 310713  
REQUIRED 6 MONTH ACCIDENT DOSE REDUCED TO 1.0E5 PER CALCULATION SHPS-1-UR-21-M

116002-02 120VAC BIST PHL PEAC BLDG 1E M-21 124-01 ALL A 100 DYS  
SYSTEMS CONTROL 112. EO M/A  
120-VAC-DIST-PHL 120 310713  
REQUIRED 6 MONTH ACCIDENT DOSE REDUCED TO 1.0E5 PER CALCULATION SHPS-1-UR-21-M

INCREMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 1160002 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 044  
 RESET NO. 000  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAIK / MOD / SPEC

1021000000  
 REPORT NO. 1160002  
 JOB NUMBER 1160002  
 JOB NAME SHORTRUN - WERT 1  
 JOB CLIENT LILCO

EQUIPMENT DESCRIPTION QAC ZONE EQ SHEET  
 VENDOR NAME MU-CAT BLDG ELEV QUAL STAT  
 MAKE / MANUFACTURER SPEC PO NUMBER  
 MODEL / CATALOG NO  
 REPORT GROUP NAME TARGET ROCK

REPORT NO.	DESCRIPTION	QAC	ZONE	EQ SHEET	QUAL STAT	SUMM	END COND	OPER CODE
1021000000	MS9 WL9 102100V-92A SOV A GENERAL ELECT TARGET ROCK 1/2 303-A-01	1E	B-22	3904	00102.WF1/IJ	M,H	A	100 DYS
1021000000	MS9 WL9 102100V-92A SOV B GENERAL ELECT TARGET ROCK 1/2 303-A-01	2E	B-22	3904	00102.WF1/IJ	L	A	100 DYS
1021000000	MS9 WL9 102100V-92B SOV A GENERAL ELECT TARGET ROCK 1/2 303-A-01	1E	B-22	3904	00102.WF1/IJ	M,H	A	100 DYS
1021000000	MS9 WL9 102100V-92B SOV B GENERAL ELECT TARGET ROCK 1/2 303-A-01	2E	B-22	3904	00102.WF1/IJ	L	A	100 DYS





ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 116002 07/07/82

REPORT DATE 07/07/82 PAGE 269  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / PFD / SPEC

102100092J

REPORT NO. PEG-001  
 JOB NUMBER 116002  
 JOB NAME SHORTMAN - SHEET 1  
 JOB CLIENT LILCO

EQUIPMENT DESCRIPTION

VENDOR NAME QAC ZONE EQ SHEET  
 MAKE / MANUFACTURER MU-CAT BLDG ELEV QUAL STAT  
 MODEL / CATALOG NO SPEC PO NUMBER

END COND OPER CODE

SUBNO

M,M

A

100 DYS

L

A

100 DYS

M,M

A

100 DYS

102100092J

803 VLV 102100V-92J 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092K

803 VLV 102100V-92M 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092L

803 VLV 102100V-92L 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092M

803 VLV 102100V-92M 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092N

803 VLV 102100V-92L 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092O

803 VLV 102100V-92L 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092P

803 VLV 102100V-92L 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

102100092Q

803 VLV 102100V-92L 50V B  
 GENERAL ELECT 1E B-22 3909  
 TARGET ROCK PFD 00102.WT/IJ  
 1/2 SWS-A-01 003 310010

REPORT NO. PEG-001 JOB 1140002 07/07/82

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001  
JOB NUMBER 1140002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 115-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HAN / MCD / SPEC

REPORT DATE 07/07/82 PAGE 070  
RESET NO. 009  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT	
	NAME / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
*****	*****	*****	*****	*****	*****	*****

. A  
. 100 DYS  
. .  
. SPR

1291170002

REPORT NO. PPS-001 JOB 1160002 07/07/02

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001  
JOB NUMBER 1160002  
JOB NAME SHOREHAM - UNIT 1  
JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - (15-129)  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HAM / MOD / SPEC

REPORT DATE 07/07/02 PAGE 271  
RESET NO. 004  
RESET DATE 05/12/02

EQUIPMENT ID	EQUIPMENT DESCRIPTION	BAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME NAME / MANUFACTURER MODEL / CATALOG NO	NU-CAT	BLDG	ELEV	QUAL STAT	SURVIG
REPORT GROUP NAM	*****					
	TERRY/MOODHARD					

1291170002

WPC TURBINE  
GE-TERRY TURB  
TERRY/MOODHARD  
#GS-1/ 0250-033

1E . 0-01 .  
R03 . W05 0. TA/IJ  
003 . 310010 .

H,M . A  
. 012 HRS

L . A  
. 012 HRS

THE TURBINE ITSELF IS A MECH. ITEM BUT IT HAS ELECT. EQUIP. ASSOCIATED W/O SPECIFIC MARK NOS.

1291170003

WPC TURBINE  
GE-TERRY TURB  
TERRY/MOODHARD  
#GS-1/ 0250-033

1E . 0-01 .  
R03 . W05 0000B.#IJ  
003 . #310010 .

H,M . B  
. 100 DYS

L . B  
. 100 DYS

THE TURBINE ITSELF IS A MECH. ITEM BUT IT HAS ELECT. EQUIP. ASSOCIATED W/O SPECIFIC MARK NOS.

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 116002 07/07/82  
 REPORT NO. PEB-001  
 JOB NO. 116002  
 JOB NAME SHIPBOARD - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HIGH / 100 / SPEC

EQUIPMENT ID  
 VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 MAKE / MANUFACTURER  
 MODEL / CATALOG NO  
 REPORT GROUP NAME

QAC CODE  
 MU-CAT BLOC  
 SPEC PO NUMBER  
 UNION PUMP

EQ SHEET  
 QVAL STAT  
 SURVIV

REPORT DATE 07/07/82 PAGE 07E  
 RESET NO. 000  
 RESET DATE 05/12/82

EQ COND OPER CODE

ITEM ID	DESCRIPTION	QAC CODE	MU-CAT	BLOC	ELEV	EQ SHEET	QVAL STAT	SURVIV	EQ COND	OPER CODE
1E	STANBY LIO CONTROL PP	J-15				3900			M,M	0
003	GENERAL ELECT UNION PUMP SK326BK2000	POS				112.0FT/1J				0
1E	STANBY LIO CONTROL PP	J-15				3900			M,M	0
003	GENERAL ELECT UNION PUMP SK326BK2000	POS				112.0FT/1J				0

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. 1160002 JOB 1100002 07/07/82  
 REPORT NO. 1160002 PERM-001 STONE AND WEBSTER ENGINEERING CORPORATION  
 JOB NUMBER 1160008 PROJECT EQUIPMENT SYSTEM - (119-129)  
 JOB NAME SORCERER - SHEET 2 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 JOB CLIENT LILCO SORTED BY - MAN / MOD / SPEC  
 REPORT DATE 07/07/82 PAGE 073  
 RESET NO. 000  
 RESET DATE 05/12/82

EQUIPMENT DESCRIPTION  
 EQUIPMENT ID  
 VENDOR ID  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 SPEC PO NUMBER  
 MU-CAT BLDG ELEV QUAL STAT  
 EQC ZONE EQ SHEET  
 END COND OPER CODE

REPORT GROUP NAME	EQUIPMENT DESCRIPTION	EQC	ZONE	EQ SHEET	END COND	OPER CODE
.11700-50V131	ATMOSPHERE SAMPLE VALCON VALCON V105-205	1E	M-11 R05	00063. 10 #S1550. 310979	M,H	B 100 DYS
.11700-50V130	ATMOSPHERE SAMPLE VALCON VALCON V105-305	I	B-02 R05	00063. #E0 #S1550. 310979	M,H	B 100 DYS
.11700-50V120	ATMOSPHERE SAMPLE VALCON VALCON V526-5295-61	1E	B-03 R05	00063. 10 #S1550. 310979	M,H	B 100 DYS
.11700-50V128	ATMOSPHERE SAMPLE VALCON VALCON V526-5295-61	1E	L-02 R05	00000. 10 #S1550. 310979	M,H	B 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82  
STONE AND WEBSTER ENGINEERING CORPORATION  
PROJECT EQUIPMENT SYSTEM - 119-1291  
ENVIRONMENTAL QUALIFICATION STATUS REPORT  
SORTED BY - HIGH / LOW / SPEC

REPORT DATE 07/07/82 PAGE 279  
RESET NO. 000  
RESET DATE 05/12/82

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QMC	ZONE	EQ SHEET	END COND	OPER CODE
VENDOR ID	VENDOR NAME NAME / MANUFACTURER MODEL / CATALOG NO	MU-CAT	BLDG	ELEV	QUAL	STAT
		SPEC	PO	NUMBER	SUMNO	
.1700-50V1200	ATMOSPHERE SAMPLE VALCOR VS26-5295-61	1E 0-10 P05 00070, EQ			.01555-2-01.	M, H 100 DYS
.1700-50V1200	ATMOSPHERE SAMPLE VALCOR VS26-5295-61	1E 0-02 P05 00040, EQ			.01555-2-01.	L 100 DYS
.1700-50V1200	ATMOSPHERE SAMPLE VALCOR VS26-5295-62	1E 0-03 P05 00063, EQ			.01555-2-01.	M, H 100 DYS
.1700-50V1270	ATMOSPHERE SAMPLE VALCOR VS26-5295-62	1E 0-02 P05 00040, EQ			.01555-2-01.	L 100 DYS
.1700-50V1200	ATMOSPHERE SAMPLE VALCOR VS26-5295-62	1E G-10 P05 00070, EQ			.01555-2-01.	M, H 100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PE3-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 275  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAN / MOD / SPEC

REPORT NO. PE3-001  
 JOB NUMBER 1160002  
 JOB NAME SUPPLEMENT - SHEET 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QMC	ZONE	ELEV	EQ SHEET	ENVS COND	OPEN CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL STAT		
	MODEL / CATALOG NO	SPEC	PO NUMBER				
.1740-S0V136A	ATMOSPHERE SAMPLE	IE	L-02		.S155A-2-01.	L	A 100 DYS
	VALCOR		PBS	00040.	EQ		
	V526-5295-62	.S155A.	310979				
.1740-S0V136A	SUPPRESSION CHAMBER SAMPLE	IE			.S155A-2-01.	M.M	B 100 DYS
	VALCOR		PBS	00112.	EQ		
	V526-5295-63	.S155A.	310979				
.1740-S0V136B	SUPPRESSION CHAMBER SAMPLE	IE			.S155A-2-01.	L	A 100 DYS
	VALCOR		PBS	00112.	EQ		
	V526-5295-63	.S155A.	310979				
.1740-S0V137A	HE RECOMBINER DISCH SAMPLE	IE	J-16		.S155A-2-01.	M.M	B 100 DYS
	VALCOR		PBS	00112.	EQ		
	V526-5295-63	.S155A.	310979				

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 116002 07/07/82

REPORT DATE 07/07/82 PAGE 876  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-124)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - MAX / MOD / SPEC

REPORT NO.	REPORT NO.	JOB NO.	REPORT DATE	PAGE		
116002	116002	116002	07/07/82	876		
REPORT NO. PEG-001	REPORT NO. PEG-001	JOB 116002	REPORT DATE 07/07/82	PAGE 876		
JOB NUMBER 116002	JOB NUMBER 116002	PROJECT EQUIPMENT SYSTEM - (115-124)	RESET NO. 004			
JOB NAME SHORTMAN - SHEET 1	JOB NAME SHORTMAN - SHEET 1	ENVIRONMENTAL QUALIFICATION STATUS REPORT	RESET DATE 05/12/82			
JOB CLIENT LILCO	JOB CLIENT LILCO	SORTED BY - MAX / MOD / SPEC				
EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EQ COND	OPER CODE
116002001378	VEHICLE NAME	MJ-CAT BLDG	ELV	QUAL STAT		
116002001378	VEHICLE NO	SPEC	PO NUMBER			
116002001378	VEHICLE MANUFACTURER					
116002001378	VEHICLE MODEL / CATALOG NO					
116002001378	RE RECOMBIBER DISCH SAMPLE	1E	J-16	.01558-2-01.	M,M	B
116002001378	VALCON	0	POS	.00112.0E0		100 DYS
116002001378	V576-5403-63	.01558.	310979			
116002001378	SAMPLE PP SUPPRESS POOL RETURN.	1E	0-12	.01558-2-01.	M,M	A
116002001378	VALCON	0	POS	00078.00		100 DYS
116002001378	V576-5403-26	.01558.	310979			
116002001378	CHANGED TO 1291-50V005	1E	0-12	.01558-2-01.	ALL	A
116002001378	VALCON	0	POS	00078.00		100 DYS
116002001378	V576-5403-26	.01558.	310979			MA
116002001668	LOB SAMPLE PWR	1E	0-01	.01558-2-01.	M,M	.0A
116002001668	VALCON	0	POS	00000.00		.0100 DYS
116002001668	V576-5403-27	.01558.	310979			.0100 DYS
116002001678	LOB SAMPLE PWR	1E	0-02	.01558-2-01.	M,M	.0A
116002001678	VALCON	0	POS	00000.00		.0100 DYS
116002001678	V576-5403-27	.01558.	310979			.0100 DYS





ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P19-001 JOB 116002 07/07/82  
 REPORT DATE 07/07/82 PAGE 279  
 RESET NO. 009  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 119-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAM / MOD / SPEC

REPORT NO. P19-001  
 JOB NUMBER 116002  
 JOB NAME SHOWER - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID VENDOR ID  
 EQUIPMENT DESCRIPTION  
 VENDOR NAME  
 NAME / MANUFACTURER  
 MODEL / CATALOG NO  
 OMC ZONE EQ SHEET  
 MU-CAT BLDG ELEV QVAL STAT  
 SPEC PG NUMBER  
 REPORT GROUP NAM  
 RING COND OPER CODE  
 SHMNO

17060P0376  
 1E J-16 .0276-03  
 276 RBS 00112.0EQ  
 310556  
 .0A  
 .0100 DYS  
 .0A  
 .0100 DYS  
 .0A  
 .0100 DYS  
 .0A  
 .0100 DYS

17060P0378  
 1E M-15 .0276-03  
 276 RBS 00112.0EQ  
 310556  
 .0A  
 .0100 DYS  
 .0A  
 .0100 DYS  
 .0A  
 .0100 DYS

1011-BL0911  
 STATION VENT EXH BLOWER  
 M.M.C.  
 WESTINGHOUSE  
 1037 (PN 2050351)  
 M-20  
 RBS 00175.0IJ  
 332 310762  
 M,H  
 .0A  
 .0100 DYS

17060P0375  
 DELETED  
 1E L-02 .276-01  
 276 RBS 00000.0Q  
 310556  
 L  
 .0A  
 .0100 DYS

1021-0099A  
 COPE SPRAY LEV PP C-10  
 GOLA B PUMP  
 WESTINGHOUSE  
 235  
 G-01  
 RBS .0235-01  
 A.010  
 M,H  
 .0A  
 .0100 DYS

REQUIRED RAO LEVEL REDUCED TO 6.0007, PER CALCS SHPS-1-UR-17-B REV 2, AND SHPS-1-UR-10-A REV 1.

CAT. II EQUIPMENT NOT IE POWERED

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 1160002 07/07/02

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - IAHM / IED / SPEC

REPORT NO. PEB-001  
 JOB NUMBER 1160002  
 JOB NAME SHORTNAME & UNIT 1  
 JOB CLIENT LILCO

REPORT DATE 07/07/02 PAGE 000  
 RESET NO. 000  
 RESET DATE 05/12/02

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG COND	OPER CODE
VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	QU-CAT BLDG	ELEV	DUAL STAT		
.100100000	CORE SPRAY LEV PP-C-6 GOLB PUMP WESTINGHOUSE 2137	1E	0-01 R03	.0235-01 0.0EQ	L	A .100 DYS
.100100000	MCIC LOOP LVL PUMP GOLB PUMP WESTINGHOUSE 2137	1E	0-01 R03	.0235-01 00000.0EQ	M,H	B .100 DYS
.100100001	MCIC LOOP LEVEL PUMP GOLB PUMP WESTINGHOUSE 2137	1E	0-01 R03	.0235-01 0.0EQ	L	A .100 DYS
.100600000	HYDRAUC-021A FAN BUFFALO FORGE WESTINGHOUSE 2137	1E	M-10 R03	.0276-03 00150.0EQ	M,H	A .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. P19-001 JOB 116002 07/07/82  
 REPORT DATE 07/07/82 PAGE 001  
 REPORT NO. P19-001  
 JOB NUMBER 116002  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 RESET NO. 000  
 SORTEX BY - MAN / MOD / SPEC  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (115-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTEX BY - MAN / MOD / SPEC

REPORT NO. P19-001  
 JOB NUMBER 116002  
 JOB NAME SPOTTERMAN - UNIT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	ENG CODE	OPER CODE
VENDOR ID	VENDOR NAME NAME / MANUFACTURER MODEL / CATALOG NO	MJ-CAT BLDG SPEC PO NUMBER	ELEV	QUAL STAT		
.170607M0300	170607C-0210 FAN BUFFALO FORGE WESTINGHOUSE 2137	1E	M-19 P05	.0276-03 00150.nEQ	M.H	.0A .100 DYS
.170607M0370	170607C-0220 FAN BUFFALO FORGE WESTINGHOUSE 2137	1E	M-19 P05	.0276-03 00161.nEQ	M.H	.0A .100 DYS
.170607M0370	170607C-0220 FAN BUFFALO FORGE WESTINGHOUSE 2137	1E	M-19 P05	.0276-03 00161.nEQ	M.H	.0A .100 DYS
.16110270C	SUPP PL PP BK LEAKAGE RET POOL BUFFALO FORGE CO. WESTINGHOUSE 2067 25HD	1E	G-01 P05	.0457-01 00000.nEQ	M.H	.0 .100 DYS
.170607M035A	170607C-000A FAN BUFFALO FORGE WESTINGHOUSE 3267	1E	M-20 P05	.0276-07 00019.nEQ	M.H	.0A .100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEB-001 JOB 116002 07/07/82

REPORT NO. PEB-001  
 JOB NUMBER 116002  
 JOB NAME SPECTRUM - UNIT 1  
 JOB CLIENT LILCO  
 STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (113-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - IMAK / MOD / SPEC  
 REPORT DATE 07/07/82 PAGE 002  
 RESEY NO. 000  
 RESET DATE 05/12/82

REPORT ID	EQUIPMENT ID	EQUIPMENT DESCRIPTION	QMC	ZONE	FB SHEET	ENG COND	OPER CODE
	VENDOR ID	VENDOR NAME MAKE / MANUFACTURER MODEL / CATALOG NO	NU-CAT BLDG	ELEV	QUAL STAT		
.17960770350	17960770350	17960770350 PAM BUFFALO FORGE WESTINGHOUSE 326T	1E	M-20 P03	.0276-02 00219.0EQ	uL	.0A .0100 DYS
.17960770360	17960770360	17960770360 PAM BUFFALO FORGE WESTINGHOUSE 326T	1E	M-20 P03	.0276-02 0 219.0EQ	uL	.0A .0100 DYS
.17960770370	17960770370	17960770370 PAM BUFFALO FORGE WESTINGHOUSE 326T	1E	M-20 P03	.0276-02 00219.0EQ	uL	.0A .0100 DYS
.17960770373A	17960770373A	17960770373A PAM BUFFALO FORGE WESTINGHOUSE 369T	1E	G-01 P03	.0276-02 00000.0EQ	uL	.0A .0100 DYS

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PEG-001 JOB 1160002 07/07/82

REPORT DATE 07/07/82 PAGE 003  
 RESET NO. 004  
 RESET DATE 05/12/82

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - (15-129)  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - NAME / IDO / SPEC

REPORT NO. PEG-001  
 JOB NUMBER 1160002  
 JOB NAME SHOOTING - WEPT 1  
 JOB CLIENT LILCO

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	EMG COND	OPER CODE
VENDOR ID	VENDOR NAME	MU-CAT	BLDG	ELEV	QUAL	STAT
	MAKE / MANUFACTURER	SPEC	PO NUMBER			
	MODEL / CATALOG NO					
.17464F70370	17464JC-0070 FAN BUFFALO FORGE WESTINGHOUSE 364T	1E	B-01	.276-02	.M	.100 DYS
		276	P05	00000.WFO		
					.M	.100 DYS
.17464F70380	17464JC-0070 FAN BUFFALO FORGE WESTINGHOUSE 364T	1E	B-01	.276-02	.M	.100 DYS
		276	P05	00000.WFO		
					.M	.100 DYS
.17464F70390	17464JC-0070 FAN BUFFALO FORGE WESTINGHOUSE 364T	1E	B-01	.276-02	.M	.100 DYS
		276	P05	00000.WFO		
					.M	.100 DYS
.17464F70070	17464JC-0070 FAN BUFFALO FORGE WESTINGHOUSE 4051CZ	270	M-15	.270-01	.M	.100 DYS
			P05	112.WFO		
					.M	.100 DYS
.17464F70070	17464JC-0070 FAN BUFFALO FORGE WESTINGHOUSE 4051CZ	270	M-15	.270-01	.M	.100 DYS
			P05	112.WFO		
					.M	.100 DYS

REPORT NO. PPS-001 JOB 1160002 07/07/02

ENVIRONMENTAL QUALIFICATION STATUS REPORT

REPORT NO. PPS-001  
 JOB NUMBER 1160002  
 JOB NAME SHOREHAM - UNIT 1  
 JOB CLIENT LILCO

STONE AND WEBSTER ENGINEERING CORPORATION  
 PROJECT EQUIPMENT SYSTEM - 115-1291  
 ENVIRONMENTAL QUALIFICATION STATUS REPORT  
 SORTED BY - HAK / MOD / SPEC

REPORT DATE 07/07/02 PAGE 200  
 RESET NO. 004  
 RESET DATE 05/12/02

EQUIPMENT ID	EQUIPMENT DESCRIPTION	QAC	ZONE	EQ SHEET	END COND	OPER CODE
VENDOR ID	VENDOR NAME NAME / MANUFACTURER MODEL / CATALOG NO	MJ-CAT SPEC	BLDG ELEV PO NUMBER	DUAL STAT	SURNG	
					wL	.uA .100 DYS
.170607003C	W00V9 EXH FAN BUFFALO FORGE WESTINGHOUSE R05TCZ	1E 270	N-15 R05 310550	.0270-01 112.uEQ	wL	.uA .100 DYS
.170607007A	W0 EXHAUST BOOSTER FAN BUFFALO FORGE WESTINGHOUSE 7.5 HP 205T	1E 102	N-15 R05 310514	.0102-01 112.uEQ	wH,H	.uA .100 DYS
.170607007B	W0 EXHAUST BOOSTER FAN BUFFALO FORGE WESTINGHOUSE 7.5 HP 205T	1E 102	N-15 R05 310514	.0102-01 112.uEQ	wL	.uA .100 DYS