



OFFICE OF THE DEPUTY COLLECTOR

TREASURY DEPARTMENT

BUREAU OF CUSTOMS

Alexandria Bay, New York

February 5, 1963

File

United States Atomic Energy Commission
Post Office Box E
Oak Ridge, Tennessee

Attention: Isotopes Division

Gentlemen:

Report is made of the importation of one drum Radioactive Cobalt 60,
19490 Curies; USAEC License No. 34-7225-9 (A67); consigned to Picker
Research Centre, Isotope Laboratory, 1020 London Road, Cleveland, Ohio.

This is our consumption entry 0-01281, dated today.

Very truly yours,

34-7225-9
150,000 C.

F. F. Dartnell
F. F. Dartnell
A/Deputy Collector



9307270264

C/376

9307270264 930203
PDR FOIA
RUMPF92-480 PDR



OFFICE OF THE DEPUTY COLLECTOR

TREASURY DEPARTMENT

BUREAU OF CUSTOMS

Alexandria Bay, New York

February 5, 1963

File

United States Atomic Energy Commission
Post Office Box E
Oak Ridge, Tennessee

Attention: Isotopes Division

Gentlemen:

Report is made of the importation of one drum Radioactive Cobalt 60,
19490 Curies; USAEC License No. 34-7225-9 (A67); consigned to Picker
Research Centre, Isotope Laboratory, 1020 London Road, Cleveland, Ohio.

This is our consumption entry 0-01281, dated today.

Very truly yours,

34-7225-9
150,000 C.

F. F. Dartnell
F. F. Dartnell
A/Deputy Collector



9307270264

C/376

B

9307270264 930203
PDR FOIA
RUMPF92-480 PDR

PICKER X-RAY CORP. WAITE MFG. DIV., INC.

Cleveland 12, Ohio

— FILE COPY —

34-7225-9

Amend. no. 11

March 8, 1963

Mr. Jack M. Bell
U. S. Atomic Energy Commission
Division of Licensing and Regulation
Isotopes Branch
Washington 25, D. C.

Dear Mr. Bell:

With reference to our application for renewal of AEC Byproduct Material License 34-7225-1 dated January 2, 1962, we wish to make the following changes:

1. Delete paragraph 6.(a)B., and 6.(b)B. referring to Cesium-137 from this application.
2. Transfer the licensed possession of 20,000 curies of Cesium-137 on our 34-7225-1 license to our 34-7225-9 license by increasing our possession limit under paragraph 8. C. of 34-7225-9 from 20,000 curies to 40,000 curies.

These changes are requested so that only operations outside our own facilities are covered by the 34-7225-1 license. Since all handling of cesium sources under our licenses is performed at our Cleveland facilities, we feel these operations are more properly a function of the 34-7225-9 license.

Sincerely,
PICKER X-RAY CORPORATION
Waite Mfg. Div. Inc.



Duce of

9307200305

E. W. Coleman

DUPLICATED
FOR DIV. OF COMPLIANCE

50014

C/377

sent in - 1 letter