## POWER AUTHORITY OF THE STATE OF NEW YORK

## 10 COLUMBUS CIRCLE NEW YORK, N. Y. 10019

(212) 397.6200

GEORGE T. BERRY PRESIDENT & CHIEF OPERATING OFFICER

& PERFORMANCE

EXECUTIVE VICE PRESIDENT & CHIEF

SENIOR VICE PRESIDENT & CHIEF FINANCIAL

SENIOR VICE PRESIDENT

JOSEPH R. SCHMIEDER

ENGINEER

OFFICER

THOMAS & FREY

191

EXECUTIVE VICE PRESIDENT-PROCEDURES

JOHN W. BOSTON

TRUSTEES JOHN S. DYSON CHAIRMAN

GEORGE L INGALLS

RICHARD M. FLYNN ROBERT I. MILLONZI

FREDERICK R. CLARK

April 13, 1982 JPN-82-37

Director of Nuclear Reactor Regulation U.S. Nuclear Regulatory Commission Washington, D.C. 20055

Attention: Mr. Domenic B. Vassallo Operating Reactors Branch No. 2 Division of Licensing

Subject: James A. FitzPatrick Nuclear Power Plant Docket No. 50-333 Safety and Relief Valve Failures and Challenges NUREG-0737 Item II.K.3.3.

Reference: PASNY letter, J.P. Bayne to T.A. Ippolito, dated January 8, 1981 (JPN-81-5)

## Dear Sir:

NUREG-0737 Item II.K.3.3. requested that challenges to safety and relief valves (SRV's) be reported on an annual basis, with data accumulation beginning on April 1, 1980. In the referenced letter, the Power Authority submitted a report on challenges occurring between April 1 and December 31, 1980.

This letter provides a report of challenges occurring between January 1 and December 31, 1981. On January 17, 1981, during a transient resulting in a reactor scram, the A, B, H and K valves were manually cycled one time each. There were no other SRV challenges in 1981.

In the future, the Power Authority will report SRV challenges annually.

5/040

8204210014 820413 PDR ADDCK 05000333 PDR If you have any futher questions, please do not hesitate to contact us.

Very truly yours,

J.P. Bayne

Senior Vice President Nuclear Generation

cc: Mr. J. Linville
Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 136
Lycoming, New York 13.93

· · · · ·

Mr. Ron Barton United Engineers & Constructors, Inc. 30 S. 17th Street Philadelphia, Pa. 19101