DUKE POWER COMPANY POWER BUILDING 422 SOUTH CHURCH STREET, CHARLOTTE, N. C. 28242

WILLIAM O. PARKER, JR.
VICE PRESIDENT
STEAM PRODUCTION

July 13, 1982

TELEPHONE: AREA 704 373-4083

Mr. Harold R. Denton, Director Office of Nuclear Reactor Regulation U. S. Nuclear Regulatory Commission Washington, D. C. 20555

Attention: Ms. E. G. Adensam, Chief Licensing Branch No. 4

Re: Catawba Nuclear Station
Docket Nos. 50-413 and 50-414

Dear Mr. Denton:

At the request of the NRC Staff, Duke Power Company submitted on April 23, 1982 its environmental consequence analysis of a liquid pathway release of a coremelt accident (Q240.4, Environmental Report). In addition, as a followup to an August 11, 1981 meeting with the Staff, Duke is herewith providing information concerning operation of underdrain system sump pumps in the case of an accident.

The underdrain system simp pumps provide for continuous dewatering of the Category I groundwater drainage system, pumping directly to the yard drainage system. Duke Power commits to providing in the Catawba Nuclear Station Emergency Procedures appropriate instructions to require the operators to secure the sump pumps in cases of accidents which show indication of core degradation. These procedures will assure that potentially contaminated groundwater in the underdrain system cannot be pumped to Lake Wylie.

This information will be formally integrated into a future revision of the Environmental Report.

Vepy truly yours,

William O. Parker, Jr(

ROS/php

cc: Mr. James P. O'Reilly, Regional Administrator
U. S. Nuclear Regulatory Commission
Region II
101 Marietta Street, Suite 3100

Atlanta, Georgia 30303

8207200335 820713 PDR ADDCK 05000413 PDR 8001

Mr. Harold R. Denton, Director July 13, 1982 Page 2

cc: Mr. P. K. Van Doorn NRC Resident Inspector Catawba Nuclear Station

> Palmetto Alliance 2135½ Devine Street Columbia, South Carolina 29205

> Mr. Robert Guild, Esq. Attorney-at-Law 314 Pall Mall Columbia, South Carolina 29201

Mr. Henry A. Presler, Chairman Charlotte-Mecklenburg Environmental Coalition 943 Henley Place Charlotte, North Carolina 28207

Mr. Jesse L. Riley Carolina Environmental Study Group 854 Henley Place Charlotte, North Carolina 28207