



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
799 ROOSEVELT ROAD
GLEN ELLYN, ILLINOIS 60137

44-8724

August 27, 1980

NOTICE OF SIGNIFICANT LICENSEE MEETING (REVISED)

Licensee: Chemetron Corporation

Facility: McGean Chemical Company, Inc.
2910 Harvard Avenue
Newburgh Heights, OH 44109

License No. SUB-1357

Date and Time of Meetings: September 4, 1980, 6:30 p.m. and 7:30 p.m.

Location of Meetings: Village Hall
East 49th and Harvard Avenue
Newburgh Heights, OH 44109

Purpose of Meetings: At 6:30 p.m., IE representatives will meet with the Mayor, City Council and licensee representatives and at 7:30 p.m., IE representatives will meet with the public to discuss results of radiation survey performed at McGean disposal site which revealed the presence of depleted uranium.

IE Attendees:

A. B. Davis, Chief, Fuel Facility and Materials Safety Branch, Region III
C. J. Paperiello, Acting Chief, Environmental and Special Projects Section, Region III
D. J. Sreniawski, Radiation Specialist, Region III
W. B. Menczer, Regional State Liaison Officer, Region III
R. J. Strasma, Public Affairs Officer, Region III

Licensee Attendees:

Mr. Robert Zellner, Vice President and Counsel, McGean Chemical Company, Inc.
Mr. Stephen M. Wilner, Manager of Corporate Industrial Hygiene, Allegheny Ludlum Industries, Inc.

Other Attendees:

Mayor Ronald Sulik, Newburgh Heights, Ohio
City Council Members, Newburgh Heights, Ohio

NOTE: Attendance by NRC personnel at this IE/licensee meeting should be made known by 11:00 a.m. September 3, 1980, via telephone call to Mr. A. B. Davis, FTS 384-2510.

Distribution:

James H. Snizek, Director, Division of Fuel Facilities and Materials
Safety Inspection, IE

L. B. Higginbotham, Assistant Director, Division of Fuel Facilities and
Materials Safety Inspection, IE

Dudley Thompson, Executive Officer for Operations Support, IE

A. B. Davis, Chief, FF&MS Branch, RIII

Donald A. Nussbaumer, A/D for FCMS, NMSS

Vandy L. Miller, Chief, License Management Branch, NMSS

Frank Young, OSP, HQ