

November 9, 1993

Docket No. 50-483

Mr. Donald F. Schnell
Senior Vice President - Nuclear
Union Electric Company
Post Office Box 149
St. Louis, Missouri 63166

DISTRIBUTION

Docket File
JRoe
JZwolinski
JHannon
MRushbrook
ACRS(10)
OGC

NRC & Local PDRs
PDIII-3 Reading
DMcDonald
EGreenman, RIII
LRWharton

Dear Mr. Schnell:

SUBJECT: CALLAWAY NUCLEAR PLANT - RESPONSE TO NRC BULLETIN 89-01, SUPPLEMENT 2, "FAILURE OF WESTINGHOUSE STEAM GENERATOR TUBE MECHANICAL PLUGS" (TAC NO. M81598)

On June 28, 1991, NRC Bulletin 89-01, Supplement 2, was issued to all holders of operating licenses or construction permits for pressurized water reactors (PWRs). The bulletin requested that actions similar to those requested in NRC Bulletin 89-01, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs," be extended to include all Westinghouse mechanical plugs fabricated from thermally treated Inconel 600. These actions were necessary to ensure that these plugs would continue to provide adequate assurance for reactor coolant system (RCS) pressure boundary integrity under normal operating, transient and postulated accident conditions.

By letter dated July 24, 1991, you responded to Bulletin 89-01, Supplement 2, by providing the information addressed in the Actions Requested portion of that document. We have reviewed your response for Callaway and find the information and planned/accomplished actions to be acceptable. Therefore, we are closing out TAC No. M81598.

Sincerely,

Original Signed By:

L. Raynard Wharton, Project Manager
Project Directorate III-3
Division of Reactor Projects - III/IV/V

Office of Nuclear Reactor Regulation

cc: See next page

OFFICE	PD3-3:LA	PD3-3:PM	PD3-3:PD
NAME	MRushbrook	LRWharton:sw	JHannon
DATE	11/9/93	11/9/93	11/9/93

OFFICIAL RECORD Document Name: G:\CALLAWAY\CAL81598.BU

9311180090 931109
PDR ADDCK 05000483
P PDR

NRC FILE CENTER COPY

DFC 10



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

Docket No. 50-483

November 9, 1993

Mr. Donald F. Schnell
Senior Vice President - Nuclear
Union Electric Company
Post Office Box 149
St. Louis, Missouri 63166

Dear Mr. Schnell:

SUBJECT: CALLAWAY NUCLEAR PLANT - RESPONSE TO NRC BULLETIN 89-01, SUPPLEMENT 2, "FAILURE OF WESTINGHOUSE STEAM GENERATOR TUBE MECHANICAL PLUGS" (TAC NO. M81598)

On June 28, 1991, NRC Bulletin 89-01, Supplement 2, was issued to all holders of operating licenses or construction permits for pressurized water reactors (PWRs). The bulletin requested that actions similar to those requested in NRC Bulletin 89-01, "Failure of Westinghouse Steam Generator Tube Mechanical Plugs," be extended to include all Westinghouse mechanical plugs fabricated from thermally treated Inconel 600. These actions were necessary to ensure that these plugs would continue to provide adequate assurance for reactor coolant system (RCS) pressure boundary integrity under normal operating, transient and postulated accident conditions.

By letter dated July 24, 1991, you responded to Bulletin 89-01, Supplement 2, by providing the information addressed in the Actions Requested portion of that document. We have reviewed your response for Callaway and find the information and planned/accomplished actions to be acceptable. Therefore, we are closing out TAC No. M81598.

Sincerely,

A handwritten signature in cursive script, reading "L. Raynard Wharton", is written over the typed name.

L. Raynard Wharton, Project Manager
Project Directorate III-3
Division of Reactor Projects - III/IV/V
Office of Nuclear Reactor Regulation

cc: See next page

Mr. D. F. Schnell
Union Electric Company

Callaway Plant
Unit No. 1

cc:

Cermak Fletcher Associates
18225 Flower Hill Way #A
Gaithersburg, Maryland 20879-5334

Mr. S. E. Sampson
Supervising Engineer,
Site Licensing
Union Electric Company
Post Office Box 620
Fulton, Missouri 65251

U.S. Nuclear Regulatory Commission
Resident Inspectors Office
RR #1
Steedman, Missouri 65077

Mr. Alan C. Passwater, Manager
Licensing and Fuels
Union Electric Company
Post Office Box 360
Jefferson City, Missouri 65102

Regional Administrator
U.S. NRC, Region III
799 Roosevelt Road
Glen Ellyn, Illinois 60137

Mr. Ronald A. Kucera
Deputy Director
Department of Natural Resources
P. O. Box 176
Jefferson City, Missouri 65102

Mr. Bart D. Withers
President and Chief
Executive Officer
Wolf Creek Nuclear Operating
Corporation
P. O. Box 411
Burlington, Kansas 66839

Mr. Dan I. Bolef, President
Kay Drey, Representative
Board of Directors Coalition
for the Environment
6267 Delmar Bopulevard
University City, Missouri 65130