License: 35-19490-01

Devaki Ganesan, M.D. 1211 N. Shartel, Suite 304 Oklahoma City, OK 73103

Dear Mr. Ganesan:

This refers to the routine safety inspection conducted by Mr. D. B. Spitzberg of this office on June 16, 1982, of the activities authorized by the NRC Byproduct Material License 35-19490-01 and to the discussion of our findings held by the inspector with members of your staff at the conclusion of the inspection.

The inspection was an examination of the activities conducted under the license as they relate to radiation safety and to compliance with the Commission's rules and regulations, and the conditions of the license. The inspection consisted of selective examinations of procedures and representative records, interviews of personnel, independent measurements, and observations by the inspector.

During this inspection certain of your activities were found not to be conducted in full compliance with NRC requirements. Consequently, you are required to respond to this matter, in writing, in accordance with the provisions of Section 2.201 of the NRC "Rules of Practice," Part 2, Title 10, Code of Federal Regulations. Your response should be based on the specifics contained in the Notice of Violation attached to this letter.

The responses directed by this letter and accompanying Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

Should you have any questions concerning this letter, we will be pleased to discuss them with you.

Sincerely,

"Original Signed by: G. D. BROWN"

Glen D. Brown, Chief Technical Program Branch

Enclosure:
Appendix - Notice of Violation

bcc: c/o DMB AEOD IE Files

IE/RSB NMSS

NRC PDR

MRPS 765

BSpitzberg/de JEveret
6/24/82

MRPS JEVERET

bcc: RIV J. Collins

Johnson/Marshall

Inspector S. File

HQ File RIV File

TPB GBrown 8208060171 820721 NMS LIC30 35-19490-01 PDR

DIES TOO EJohnson 15/82

RATRIV JComins 1/4 /82 IE-07