



UNITED STATES  
NUCLEAR REGULATORY COMMISSION  
ADVISORY COMMITTEE ON NUCLEAR WASTE  
WASHINGTON, D.C. 20555

October 17, 1990

MEMORANDUM FOR: James M. Taylor  
Executive Director for Operations  
FROM: *Raymond F. Fraley*  
Raymond F. Fraley  
Executive Director, ACNW  
SUBJECT: 24TH ACNW MEETING FOLLOW-UP ITEMS

Based on discussions regarding methods for improved implementation and follow-up of ACNW recommendations, a summary of Actions, Agreements, Assignments, and Requests made during each ACNW meeting will be sent to your office following each meeting.

Attached is a list of the requests made at the 24th ACNW meeting, September 19-20, 1990, and additional information related to ACNW activities where the staff will be asked to participate.

Those items in the list "Actions, Agreements, Assignments, and Requests" that do not deal with requests made of the NRC Staff or that are not pertinent to NRC Staff activities have not been included in this follow-up list.

Attachment: As stated

cc. H. L. Thompson, EDO  
J. L. Blaha, EDO  
S. J. Chilk, SECY  
E. J. Jordan, AEOD  
R. M. Bernero, NMSS  
T. E. Murley, NRR  
E. S. Beckjord, RES  
A. L. Eiss, NMSS  
J. G. Gitter, NRR  
M. V. Federline, OCM/KC  
J. *otra*, OCM/JC  
R. *acDougall*, OCM/FR  
S. Bilhorn, OCM/KR  
M. Weber, OCM/KC

*DF02*  
*11*

ACTIONS, AGREEMENTS, ASSIGNMENTS, AND REQUESTS  
24TH ACNW MEETING - SEPTEMBER 19-20, 1990

REPORTS, LETTERS AND MEMORANDA

- Letter to Mr. Guimond, Environmental Protection Agency dated October 10, 1990, regarding ACNW comments and recommendations to report of May 1, 1990 to NRC regarding EPA standards for the HLW repository. (See Attachment 1)

Highlights of Matters Considered by the Committee

- Draft Regulatory Guide: Format and Content For the License Application for the High-Level Waste Repository

The Committee was briefed by the NRC staff on this draft Regulatory Guide. This guide provides the licensee with guidance as to what information should be included in a license application for a HLW repository. The draft Regulatory Guide also provides a guide for an acceptable but not required format for the license application.

The Committee reviewed the draft Regulatory Guide and offered suggestions to the NRC staff. [The meeting transcript provides a record of the Committee's comments.] The Committee agreed not to write a letter report at this time as they will have another opportunity to review the draft guide in the future.

- Strategy for Responding to Recent Requests to Review Technical Issues

a. Mixed Waste Strategy

The Committee discussed the strategy for responding to recent requests from Commissioner Curtiss to review technical issues involved in the disposal of mixed wastes, with an emphasis on determining if either NRC's or EPA's requirements could be modified to satisfy the other agency's regulations. Dr. Moeller relayed Commissioner Curtiss' suggestion that the Committee should focus its review at the technical policy level (not the technical details) and evaluate the degree to which EPA mixed waste regulations address NRC's concerns relative to low-level waste (LLW), and conversely, by evaluating the degree to which NRC regulations address EPA's RCRA concerns relative to toxic chemical wastes.

The Committee will hold a Working Group meeting on this subject on December 10, 1990, prior to the 26th full committee meeting. Dr. Moeller will be the Working Group Chairman. Representatives of EPA and NRC will be invited to the Working Group meeting to present essential background information.

b. Subsystem Requirements Strategy

The Committee discussed the strategy for responding to the request by Commissioner Curtiss to examine the subsystem performance criteria of 10 CFR Part 60.113 to determine if there exists a technical nexus with the EPA HLW standards. The Committee agreed to schedule a Working Group meeting on this subject during January 1991.

c. NAS/NRC Report Strategy

The Committee discussed possible comments on the National Academy of Sciences/National Research Council's Board on Radioactive Waste Management's Report, "Rethinking High-Level Radioactive Waste Disposal." The Committee agreed to postpone any decision on reviewing this report until the Committee has had an opportunity to review the NRC staff's comments on this report.

• ACNW Future Activities

a. Carbon-14 Working Group and 25th ACNW Meetings

The Committee agreed to shorten the 25th ACNW meeting to two days, October 24-25, 1990, and to schedule a Working Group meeting on October 26, 1990, to discuss migration of carbon-14. The Working Group will be briefed on the potential problems that could arise at a high-level repository in the event of carbon-14 release and subsequent migration to the environment. A report to the full Committee will follow. This will include a discussion of EPA release limits for this radionuclide.

b. Human Intrusion Working Group Meeting

The Committee scheduled a Working Group meeting on October 23, 1990, to examine how human intrusion will be dealt with under 10 CFR Part 60 with consideration given to the guidance in 40 CFR Part 191, Appendix B.

Appendix A summarizes the tentative agenda items that were proposed for future meetings of the Committee and related Working Groups. This list includes items proposed by the Commissioners and NRC staff as well as ACNW members.

APPENDIX A. FUTURE AGENDA

**Working Group Meeting** October 23, 1990 (Tentative Agenda)

Human Intrusion (Open) - A Working Group will examine how human intrusion will be dealt with under 10 CFR Part 60 with consideration given to the guidance in 40 CFR Part 191, Appendix B. This will include discussion of the WIPP experience and will be designed to explore the range of current thinking from various groups. A report to the full Committee will follow.

**25th Committee Meeting** October 24-25, 1990 (Tentative Agenda)

Technical Assessment Review (TAR) (Open) - The Committee will discuss developments related to the Technical Assessment Review (TAR) of the geologic and geophysical evidence pertaining to structural geology in the vicinity of the proposed exploratory shaft.

NRC's Waste Management Research Program (Open) - The Committee will be briefed by the NRC staff on the HLW and LLW management research programs.

HLW Performance Assessment (Open) - The Committee will be briefed by the NRC staff on the "Phase I Demonstration of the Nuclear Regulatory Commission's Capability to Conduct a Performance Assessment for a HLW Repository." This presentation will be for information only.

Sandia National Laboratories' Report (Open) - The Committee will be briefed on a recent report by Sandia National Laboratories regarding the conclusion that there is reasonable confidence that the WIPP facility will comply with the EPA standards. Specific attention will be addressed to the implications of this assessment relative to Yucca Mountain.

Human Intrusion (Open) - The Committee will be briefed on the results of the Working Group meeting that examines how human intrusion will be dealt with under 10 CFR Part 60 with consideration given to the guidance in 40 CFR Part 191, Appendix B.

NRC's Radioactive Waste Research Program (Open) - The Committee will be briefed by a member of NRC's Nuclear Safety Research Review Committee on their conclusions regarding the NRC's radioactive waste research program.

LLW Performance Assessment (Open) - The Committee will hear a briefing by the NRC staff on performance assessment methodology for a LLW site. This presentation will be for information only.

LLW Disposal Facilities (Open) - The Committee will discuss the complexities and problems associated with licensing a LLW disposal facility, particularly with respect to siting and the NRC-state interface.

Committee Activities (Open/Closed) - The Committee will discuss anticipated and proposed Committee activities, future meeting agenda (including next year's meeting schedule), and organizational matters (nomination of next year's officers), as appropriate.

**Working Group Meeting** October 26, 1990 (Tentative agenda)

Migration of Carbon-14 (Open) - A Working Group will be briefed on the potential problems that could arise at a high-level repository in the event of carbon-14 release and subsequent migration to the environment. This will include a discussion of EPA release limits for this radionuclide. A report to the full Committee will follow.

**Working Group Meeting** December 10, 1990 (Tentative Agenda)

Mixed Wastes (Open) - A Working Group will be briefed on the technical issues involved in the disposal of mixed wastes with an emphasis on the resolution of conflicts between NRC's and EPA's regulations. A report to the full Committee will follow.

**Working Group Meeting** December 11, 1990 (Tentative Agenda)

Expert Opinion (Open) - A Working Group will be briefed on the use of expert judgment in conducting performance assessments for the proposed HLW repository and LLW sites. In addition potential problems that could arise with the use of expert judgment will be considered.

**26th Committee Meeting** December 12-14, 1990 (Tentative Agenda)

Meeting with Commissioners (Open) - The Committee is tentatively scheduled to meet with the Commissioners to discuss items of mutual interest.

DHLWM Study Plans (Open) - The Committee will be briefed by the DHLWM staff on the results of their reviews of the Study Plans for the characterization of volcanic features and mineralogy, petrology and chemistry of transport pathways.

Reports from the Working Groups (Open) - The Committee will be briefed on the results of the Working Group meetings on carbon-14 release and migration, expert opinions, and mixed wastes. The development of formal reports on these subjects will be initiated, as appropriate.

DOE Study Plans (Open) - The Committee will be briefed on the proposed revisions to current NRC staff review procedures for its review of DOE study plans associated with the site characterization for the proposed HLW repository.

Technical Position on Repository Design Thermal Loads (Open) - The Committee will be briefed by the NRC staff on the Technical Position on Repository Design Thermal Loads.

Committee Activities (Open/Closed) - The Committee will discuss anticipated and proposed Committee activities, future meeting agenda, and organizational matters, as appropriate. The Committee will also elect officers for the calendar year 1991.

**Working Group Meetings** (Dates to be determined)

DOE/USGS White Paper (Open) - An ACNW Working Group will have discussions with the NRC staff on their review of and comments on the DOE/USGS white paper on integration of the geophysical aspects of the repository SCP. This report is important as it relates to a major central theme of the SCA comments on integration.

Subsystem Requirements Strategy (Open) - An ACNW Working Group will discuss the performance criteria of 10 CFR Part 60.113 to determine the interface with the EPA HLW standards.



UNITED STATES  
**NUCLEAR REGULATORY COMMISSION**  
 ADVISORY COMMITTEE ON NUCLEAR WASTE  
 WASHINGTON, D.C. 20555

October 10, 1990

Mr. Richard J. Guimond  
 Assistant Surgeon General, U.S. Public Health Service  
 Director, Office of Radiation Programs  
 U.S. Environmental Protection Agency  
 Washington, D.C. 20460

Dear Mr. Guimond:

We were pleased to receive your letter of August 6, 1990, as well as your telephone call of the same date, indicating a desire to work with this Committee in resolving certain issues related to the Environmental Protection Agency (EPA) standards for the disposal of high-level radioactive wastes in a geologic repository. In response to your questions pertaining to the letter of May 1, 1990, submitted by this Committee to Chairman Kenneth M. Carr, U.S. Nuclear Regulatory Commission (NRC), we offer the following comments. They correspond to the items as enumerated in your letter.

1. We believe that the EPA standards can be interpreted as being organized in a hierarchical structure. This is based on the assumption that the highest level expression in your hierarchy is a qualitative goal, that is, that the risks to future generations over the first 10,000 years due to the disposal of high-level radioactive wastes in a repository should be no greater than "the risks that would have existed if the uranium ore had not been mined . . . ." We note, however, that this statement is not included in the standards, nor is it identified as the highest level goal. The statement is included only in the "Summary" and the "Supplementary Information" that accompanies the original standards as published in the Federal Register.

What we interpret as the next level, which is quantitative and is a part of the standards, is the statement that there should be no more than 1,000 premature deaths over the first 10,000 years which are attributable to placement in a repository of the high-level wastes from 100,000 metric tons of reactor fuel. We fail, however, to see the connection or comparability between this statement and what we interpret as the highest level goal. We also fail to see the quantitative relationship between this requirement and the limits on the releases of specific radionuclides from a disposal facility which are probabilistic and serve as what we interpret to be the third level in the hierarchy.

~~54-2700-77~~ 5 pgs.

Our concern with your apparent hierarchical structure is that the lower level quantitative statements (or standards) appear to be more stringent than the highest level qualitative statement. To assist us in better understanding the approach you have taken, it would be helpful if your staff could (1) state whether we have correctly interpreted the hierarchical structure of your standards, and (2) provide us with the rationale and, indeed, the calculations and assessments that served as a basis for developing the lower level quantitative standards. With respect to the latter request, we note that certain changes have occurred that may impact upon the validity of your earlier calculations. These changes include: (a) analyses of "real" repository sites have shown them to be more complicated than your staff may have assumed for the hypothetical site used in your analyses, (b) the potential impact of indoor radon, which was only generally recognized subsequent to your original assessment, may need to be factored into your risk evaluations, and (c) major advances in environmental modelling techniques over the last few years.

2. (a) We concur with your assumption that a disturbance can occur at any time during the initial 10,000-year period. In recognition of this fact, you have specified the radionuclide release limits in your standards in a manner so that it does not make any difference whether the entire release occurs within a single year or is spread out over time. We do not concur, however, that this makes it difficult to apply annual risk limits under these types of circumstances.

The principal basis for our position is the guidance provided by the International Commission on Radiological Protection (ICRP) in its Publication 46. In this report, the ICRP recommends that the risks from releases from the undisturbed performance of a waste repository be controlled through the application of annual dose limits. The ICRP further recommends that the risks from releases accompanying the disturbed state (classified as "probabilistic events") be limited on a similar basis, that is, through the application of annual risk limits. In both cases, the limits would apply to the critical population group.

If you maintain your position that application of an annual risk limit to releases occurring during the disturbed state is not workable, an alternative approach would be to apply some form of "accident or event" risk limit to these types of occurrences. This would be comparable to the approach being used in safety assessments of nuclear power plants where annual dose limits are applied for the control of radionuclide releases associated with routine operations and (single-event) risk limits are applied to releases occurring as a result of accident situations.



In making these suggestions, we clearly recognize that there are definite limitations in comparing the standards and approaches used in the regulation of a nuclear power plant to those needed for a high-level radioactive waste repository. Nonetheless, where the transfer of knowledge and experience from one type of nuclear facility to another can be beneficial, such analogies should be encouraged.

(b) We agree that the licensing organization should have the authority for defining the critical population group.

Having stated this, however, we also believe that it would be helpful if the EPA staff could identify and justify the critical population group assumed to be exposed in setting what we have referred to as your intermediate level goal. If we interpret the situation correctly, such information would permit estimation of the average annual risk (dose) limit that corresponds to this goal. In a similar manner, we would appreciate knowing the critical population group that was assumed in calculating the probabilistic radionuclide release limits specified in Table 1 of your standards.

Another item of information that would be helpful would be to know how the collective doses associated with the establishment of these radionuclide releases were calculated. To be specific, was a cutoff used, as was suggested by the ICRP in its Publication 46 and as has more recently been suggested by the National Council on Radiation Protection and Measurements in its Report No. 91, or was the full range of dose rates included in making these estimates?

Please note that our interest in being able to define a critical population group and to estimate this group's associated permissible dose rates is in line with our understanding of the guidelines recommended by the ICRP and by radiation protection authorities in other countries of the world for high-level waste repositories. We believe the guidance provided by these groups is sound and represents a satisfactory basis on which to judge the acceptability of the health risks associated with radioactive waste disposal facilities.

3. In recommending that a disposal facility be addressed as a system, we reaffirm our position that a properly organized system requires a consistent hierarchical structure. The application of remedial actions beyond retrievability of the emplaced waste is an integral part of such a system.

4. (a) We concur with your statement that "what is really important is the total anticipated impact of repository performance." The reason that we called for specific attention to human intrusion is that preliminary performance assessments for the WIPP facility have shown that this concern is the dominant contributor to the risks to the public. We have no data that show the same

situation is valid for the proposed Yucca Mountain repository, but it is possible that this will prove to be true. In fact, the EPA staff may have foreseen this situation when it included in the standards the statement that ". . . it is possible to conceive of intrusions (involving widespread societal loss of knowledge regarding radioactive wastes) that could result in major disruptions that no reasonable repository selection or design precautions could alleviate." We are aware that your standards state that "The Agency believes that the most productive consideration of inadvertent intrusion concerns those realistic possibilities that may be usefully mitigated by repository design, site selection, or use of passive controls . . .," but what constitutes realistic possibilities is open to multiple interpretations.

Again, what we are suggesting is directly comparable to the approach being used in the regulation and assessment of the public health risks from nuclear power plants. For a waste facility, the undisturbed state would correspond to a nuclear power plant during normal operations, and the disturbed state would correspond to a plant in which an accident has occurred. In the case of risk assessments for nuclear plants, it was found that the difficulties and uncertainties in addressing certain types of accidents were so large that the approach that has been adopted is to analyze their contributions separately. In these cases, estimates of the associated risks are based on the best judgments of expert groups. We believe a similar approach (i.e., using expert judgment) is almost essential and would be appropriate for assessing the potential impact of human intrusion on the performance of a waste repository.

(b) The basis for our comments on borehole sealing was that, if we assume (as you indicate in the guidance provided in Appendix B of your standards) that exploratory procedures will be "adequate for the intruders to soon detect, or be warned of, the incompatibility of the area with their activities," then the need for a carefully sealed borehole would be recognized quickly and action would be taken to ensure that proper corrective measures were taken. Your consideration of removing this requirement from the standards is welcomed. We concur.

(c) Our statement calling for "more realistic assessments" of the potential impacts of human intrusion at the proposed Yucca Mountain site was based in part on the guidance provided in Appendix B of the current EPA standards, which states that a borehole will create "a ground water flow path with a permeability typical of a borehole filled by soil or gravel that would normally settle into an open hole over time -- not the permeability of a carefully sealed borehole." Under these constraints, we believe it might be difficult to demonstrate compliance of any facility with the EPA standards. We are pleased to learn that the licensing authority (NRC) will make the

determination as to the appropriate realism for assessments regarding human intrusion.


At the same time, however, we remain concerned with this approach. The guidance in Appendix B to the EPA standards includes detailed discussions of borehole seals and human intrusion. As a result, we believe that your Agency has preempted the definition of reasonable approaches in assessing these matters. Any deviation by the licensing authority from your guidance will almost certainly be viewed by the public as an exception to the standards.

(d) We appreciate the comments provided in your letter related to the role of passive controls, such as markers and records, in reducing the likelihood of human intrusion. We also concur with the statement in Appendix B of the EPA standards that ". . . passive institutional controls can never be assumed to eliminate the chance of inadvertent and intermittent human intrusion into . . ." waste disposal sites. We concur that it is the role of the implementing agency to determine the degree to which these factors should be considered to control human intrusion.

5. The ACNW understands the need to include probabilistic requirements in the EPA standards. We believe it is important to recognize that (a) the probabilistic requirements in your standards apply only to the lowest set of goals in your hierarchy, and (b) contrary to what is practiced in comparable situations (e.g., the NRC safety goals for nuclear power plants), your requirements include a risk aversion factor. What we believe needs to be explicitly stated is that the probabilistic approach can be an important factor in regulating a waste disposal facility, but it should not be the sole basis for decisionmaking. Equal or greater weight can and should be placed on the development and application of deterministic requirements and, when necessary, the use of expert judgment. We are pleased to note that your staff is using a deterministic approach in developing requirements for the control of doses to the public due to the contamination of drinking water as a result of radionuclide releases from a waste facility.

We thank you for your thoughtful and constructive letter. As soon as you and your staff have had an opportunity to review our responses to your questions, we would welcome your reply and an opportunity to meet and discuss these matters with you in additional detail.

Sincerely,



Dade W. Moeller  
Chairman