LICENSEE EVENT REPORT

| | LICENSEE EVENT REPORT |
|---|---|
| | CONTROL BLOCK: (PLEASE PRINT OR TYPE ALL REQUIRED INFORMATION) |
| 0 1 | P A B V S 1 2 0 0 - 0 0 0 0 - 0 0 3 4 1 1 1 1 4 5 5 LICENSEE CODE 14 15 LICENSE NUMBER 25 26 LICENSE TYPE 30 57 CAT 58 |
| CON'T 0 1 2 8 E | SOURCE L 6 0 5 0 0 0 3 3 4 7 0 7 2 5 8 2 3 0 8 0 4 8 2 9 EVENT DESCRIPTION AND PROBABLE CONSEQUENCES 10 During the investigation of spurious alarms from the Subcooling Margin |
| 0 3 1 | Monitor (SCMM) the monitor indicated that all eight (8) incore thermal |
| 0 4 | couples which supply it were spiking. When these same incore temperatures |
| 0 5 | were read at the detector current recorder there was no indication of |
| 06 | spiking. The SCMM was declared inoperable. |
| 07 | |
| 0 8 | |
| 7 8 9 | 9 SYSTEM CAUSE CAUSE COMPONENT CODE SUBCODE SUBCODE CODE CODE SUBCODE COMPONENT CODE SUBCODE |
| 0 9 | I E 11 X 12 Z 13 E L E C O N 14 Z 15 Z 16 |
| | SEQUENTIAL OCCURRENCE REPORT NO. SEQUENTIAL REPORT NO. SEQUENTIAL CODE TYPE NO. 17) REPORT 8 2 |
| Δ | NUMBER 21 22 23 24 26 - 27 28 29 30 31 32 |
| | TAKEN ACTION ON PLANT METHOD HOURS (22) SUBMITTED FORM SUB. SUPPLIER MANUFACTURER X 18 Z 19 |
| 110 | No apparent cause for this spiking could be found however during rein- |
| | stallation of the SCMM, the cable connectors were cleaned. There were no |
| | |
| 1 2 | further indications of spiking after installation. The monitor was |
| 1 3 | declared operable at 1830 hours on 7-29-82. |
| 1 4 | 80 |
| | 9 |
| 1 5 | ACILITY SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A Z 31 Alarm |
| 1 5 7 3 AC | ACILITY SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A Z 31 Alarm 30 ALARM 44 45 46 CIVITY CONTENT CLEASED OF RELEASE AMOUNT OF ACTIVITY 35 LOCATION OF RELEASE 36 |
| 1 5 7 8 AC | ACILITY SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A Z 31 Alarm STATUS SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 ALARM SO DISCOVERY DESCRIPTION 32 |
| 1 5 7 3 AC | ACILITY SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A Z 31 Alarm 30 METHOD OF DISCOVERY DESCRIPTION 32 Alarm SCRIPTION OF RELEASE SO |
| 1 5 7 3 AC | ACILITY SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A Z 31 Alarm STATUS SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 ALARY AS 46 SO SO STATUS SO |
| 1 5 7 8 AC RE 1 6 7 8 8 1 8 7 8 | ACILITY STATUS |
| 1 5 7 8 AC RE 1 6 7 8 | ACILITY SPOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A 44 45 46 STATUS CONTENT |
| 1 5 7 8 AC RE 1 6 7 8 8 1 8 7 8 1 9 7 8 | ACILITY NOWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 23 0 9 7 29 N/A 44 45 46 CTIVITY CONTENT LLEASED OF RELEASE AMOUNT OF ACTIVITY 35 N/A 45 46 Z 33 Z 33 Z 34 N/A 45 46 AMOUNT OF ACTIVITY 35 N/A 30 PERSONNEL EXPOSURES NUMBER TYPE DESCRIPTION 39 O 0 0 0 37 Z 38 N/A 30 PERSONNEL INJURIES DESCRIPTION 41 PDR ADOCK 05000 334 O 0 0 0 0 0 0 0 0 0 0 0 N/A S PDR SO DESCRIPTION 41 PDR ADOCK 05000 334 O DESCRIPTION 45 N/A S PDR N/A S POR DESCRIPTION 45 N/A S PDR N/A S POR DESCRIPTION 45 N/A S PDR N/A S POR DESCRIPTION 45 N/A S PDR |
| 1 5 7 8 AC RE 1 6 7 8 8 1 7 8 1 9 7 8 1 9 7 8 | ACILITY % POWER OTHER STATUS 30 METHOD OF DISCOVERY DESCRIPTION 32 E 28 0 9 7 29 N/A Z 31 Alarm STATUS E 28 0 9 7 29 N/A 44 45 46 SO CONTENT CLEASED OF RELEASE AMOUNT OF ACTIVITY 35 N/A 45 N/A 45 SO PERSONNEL EXPOSURES NUMBER TYPE DESCRIPTION 39 O 0 0 0 37 Z 38 N/A SO PERSONNEL INJURIES NUMBER DESCRIPTION 41 PDR ADDCK 05000 334 N/A S POR ADDCK 05000 334 SO N/A S POR DAMAGE TO FACILITY 43 TYPE DESCRIPTION 41 N/A SO N/A S POR ADDCK 05000 334 |

Attachment to LER 82-026/03L Beaver Valley Power Station Duquesne Light Company Bocket No. 50-334

No further information is available or needed to satisfy the reporting requirement.