

AUG 13 1982

Quality Testing Inc.  
ATTN: Mr. Daniel Masterson  
Radiation Safety Officer  
5360 W. 130th Street  
Cleveland, OH 44142

License No. 34-17799-01

Gentlemen:

This refers to the routine safety inspection conducted by Mr. W. J. Slawinski of this office on July 29, 1982, of activities authorized by NRC Byproduct Material License No. 34-17799-01 and to the discussion of our findings with you at the conclusion of the inspection.


The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, independent measurements, and interviews with personnel.

During this inspection, certain of your activities appeared to be in non-compliance with NRC requirements, as specified in the enclosed Appendix. A written response is required.

The responses directed by this letter (and the accompanying Notice) are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,



D. J. Sreniawski, Chief  
Materials Radiation Protection  
Section 2

Enclosure: Appendix,  
Notice of Violation

cc w/encl:  
DMB/Document Control Desk (RIDS)

RIII	RIN	RIII
Slawinski/jp	Sreniawski	Miller
8/9/82	8/12/82	

8208200048 820713  
NMS LIC3C  
34-17799-01 PDR

IE HQ FILE COPY

DMB IE-07