

MÉMORANDUM FOR: Diane B. Dandois, Chief  
 License Fee and Debt Collection Branch  
 Division of Accounting and Finance  
 Office of the Controller

JAN 10 1994

FROM: Robert C. Pierson, Chief  
 Licensing Branch  
 Division of Fuel Cycle Safety  
 and Safeguards, NMSS

SUBJECT: B&W FUEL COMPANY LICENSE FEE EXEMPTION REQUEST

This is a follow-up to our meeting on December 13, 1993, on B&W Fuel Company's (BWFC) request for a reduction of its annual fee. We have compared the total number of BWFC's inspection hours from FY90 to date against the average of the total inspection hours for Combustion Engineering (Hematite), General Electric (Wilmington), Westinghouse Electric and Siemens Power Corporation. BWFC's total inspection hours since FY90 is approximately 39 percent of the average of the other four commercial fuel facilities. Since BWFC's license has been recently reduced in scope, we would expect the total inspection effort at BWFC to be under 40 percent in the future.

ORIGINAL SIGNED BY

Robert C. Pierson

Robert C. Pierson, Chief  
 Licensing Branch  
 Division of Fuel Cycle Safety  
 and Safeguards, NMSS

Enclosure:  
 FY90-94 Inspection Hours

Distribution:

Docket 70-1201  
 FCLB R/F  
 Region II

PDR  
 FCLS2 R/F  
 GTroup, RII

NRC File Center  
 NMSS R/F

FCSS R/F  
 MAdams

OFC	FCLB <i>N</i>	<i>E</i>	FCLB <i>X</i>	<i>C</i>	FCLB	<i>C</i>	FCLB <i>N</i>	<i>C</i>
NAME	MLamastra		VTharpe		MLeRat		RPierson	
DATE	1/10/94		1/10/94		1/10/94		1/10/94	

C = COVER

E = COVER & ENCLOSURE

N = NO COPY

[G:\ml.bwl]

120104

9401210056 940110  
 PDR ADOCK 07001201  
 C PDR

*NF15*  
*11*

FY94 INSPECTION

DOCKET NO	OFF CD	REGULAR HOURS	OVER TIME	TOTAL HOURS
07000038	L	52.0	0.0	52.0
	W	160.5	9.0	169.5
07000036 TOTAL:		212.5	9.0	221.5
07001113	V	244.0	11.0	255.0
07001113 TOTAL:		244.0	11.0	255.0
07001151	L	134.0	0.0	134.0
	V	439.5	110.5	550.0
07001151 TOTAL:		573.5	110.5	684.0
07001201	V	50.0	0.0	50.0
07001201 TOTAL:		50.0	0.0	50.0
07001257	Y	237.0	19.5	256.5
07001257 TOTAL:		237.0	19.5	256.5
GRAND TOTAL:		1317.0	150.0	1467.0

50 / 354.25 = 0.14

9/19/93 TO DATE

L=NMSS HQ, U=RGN 1, V=RGN 2, W=RGN 3, X=RGN 4, Y=RGN 5

FY93 INSPECTION

DOCKET NO	OFF CD	REGULAR HOURS	OVER TIME	TOTAL HOURS
07000036	L	408.0	9.0	417.0
	W	828.2	29.5	857.7
07000036 TOTAL		1236.2	38.5	1274.7
07001113	L	663.0	6.0	669.0
	V	1048.5	123.7	1172.2
07001113 TOTAL		1711.5	129.7	1841.2
07001151	L	336.7	17.0	353.7
	U	26.0	19.0	45.0
	V	1435.0	182.0	1617.0
	X	8.0	0.0	8.0
	Y	97.0	24.0	121.0
07001151 TOTAL		1902.7	242.0	2144.7
07001201	L	203.0	7.0	210.0
	V	557.0	59.5	616.5
07001201 TOTAL		760.0	66.5	826.5
07001257	L	409.5	49.2	458.7
	Y	1574.5	328.7	1903.2
07001257 TOTAL		1984.0	377.9	2361.9
GRAND TOTAL		7594.4	854.6	8449.0

$\frac{826.5}{1905.63} = 0.43$

9/20/92 TO 9/18/93

L=NMSS HQ, U=RGN 1, V=RGN 2, W=RGN 3, X=RGN 4, Y=RGN 5

FY92 INSPECTION

DOCKET NO	OFF CD	REGULAR HOURS	OVER TIME	TOTAL HOURS
07000036	L	193.0	7.0	200.0
	W	658.5	36.3	694.8
07000036 TOTAL:		851.5	43.3	894.8
07001113	L	347.0	54.0	401.0
	V	2651.5	608.2	3259.7
07001113 TOTAL:		2998.5	662.2	3660.7
07001151	L	833.0	82.1	915.1
	U	141.0	59.5	200.5
	V	1210.5	185.0	1395.5
	X	144.0	41.0	185.0
	Y	86.0	8.7	96.7
07001151 TOTAL:		2416.5	376.3	2792.8
07001201	L	123.0	0.0	123.0
	V	657.5	76.1	733.6
07001201 TOTAL:		780.5	76.1	856.6
07001257	L	839.5	85.0	924.5
	Y	1488.0	318.7	1806.7
07001257 TOTAL:		2327.5	403.7	2731.2
GRAND TOTAL:		9374.5	1561.6	10936.1

$\frac{856.6}{2520} = 0.34$

9/22/91-9/19/92

L=NMSS HQ, U=RGN 1, V=RGN 2, W=RGN 3, X=RGN 4, Y=RGN 5

FY91 INSPECTION

DOCKET NO	OFF CD	REGULAR HOURS	OVER TIME	TOTAL HOURS
07000036	L	324.0	17.0	341.0
	W	878.6	59.9	938.5
07000036 TOTAL:		1202.6	76.9	1279.5
07001113	L	926.5	106.5	1033.0
	V	1526.5	578.0	2104.5
	Y	96.0	32.0	128.0
07001113 TOTAL:		2549.0	716.5	3265.5
07001151	L	180.0	23.0	203.0
	V	888.0	112.5	1000.5
07001151 TOTAL:		1068.0	135.5	1203.5
07001201	L	135.0	0.0	135.0
	V	441.5	97.0	538.5
07001201 TOTAL:		576.5	97.0	673.5
07001257	L	161.0	8.0	169.0
	Y	559.5	61.0	620.5
07001257 TOTAL:		720.5	69.0	789.5
GRAND TOTAL:		6116.6	1094.9	7211.5

$\frac{673.5}{1634} = 0.41$

9/23/90 - 9/21/91

L=NMSS HQ, U=RGN 1, V=RGN 2, W=RGN 3, X=RGN 4, Y=RGN 5

FY90 INSPECTION

DOCKET NO	OFF CD	REGULAR HOURS	OVER TIME	TOTAL HOURS
07000036	L	283.0	23.0	306.0
	U	84.0	11.5	95.5
	W	824.6	56.8	881.4
07000036 TOTAL:		1191.6	91.3	1282.9
07001113	L	117.0	8.0	125.0
	V	1774.5	294.5	2069.0
07001113 TOTAL:		1891.5	302.5	2194.0
07001151	V	1144.0	142.5	1286.5
07001151 TOTAL:		1144.0	142.5	1286.5
07001201	V	555.0	89.5	644.5
07001201 TOTAL:		555.0	89.5	644.5
07001257	L	118.0	6.0	124.0
	Y	718.0	68.0	786.0
07001257 TOTAL:		836.0	74.0	910.0
GRAND TOTAL:		5618.1	699.8	6317.9

9/24/89 - 9/22/90

L=NMSS HQ, U=RGN 1, V=RGN 2, W=RGN 3, X=RGN 4, Y=RGN 5