

STSB:ERZ  
71-9073

JAN 11 1994

Scientific Ecology Group, Inc.  
ATTN: Mr. Timothy Ramsey  
1560 Bear Creek Road  
Oak Ridge, TN 37831

Dear Mr. Ramsey:

This refers to Certificate of Compliance No. 9073 for the Model No. LN-142 which has an expiration date of February 28, 1994.

To ensure continued use of the package, you should submit an application for renewal of the certificate at least 30 days prior to the expiration date. The sections on operating procedures, acceptance tests, and maintenance programs should be reviewed to assure they are complete and current. If revisions are necessary, the revised sections should be submitted with the application for renewal. Note that the certificate of compliance may be conditioned to specifically cite the operating procedures, acceptance testing and maintenance programs.

This notice of expiration should not be construed that such notice will be provided in the future. Also, please let us know if you do not intend to request renewal of the certificate.

Sincerely,

Original Signed by  
Cass R. Chappell

Cass R. Chappell, Section Leader  
Cask Certification Section  
Storage and Transport Systems Branch  
Division of Industrial and  
Medical Nuclear Safety, NMSS

Distribution:

NRC File Center PDR  
NMSS r/f STSB r/f

OFC	STSB	C	STSB	C					
NAME	ER Ziegler		CR Chappell						
DATE	01/07/94		01/11/94						

C = COVER

E = COVER & ENCLOSURE  
OFFICIAL RECORD COPY

N = NO COPY

210050

NRC FILE CENTER COPY

9401260324 940111  
PDR ADOCK 07109073  
C PDR

NT03/0