Docket No. 030-06195

License No. 37-08802-01

Rhone-Poulenc Rorer, Inc.
ATTN: Curt Fillmore, Manager
Health, Safety and Environmental
Rhone-Poulenc Rorer Central Research
500 Arcola Road
Collegeville, Pennsylvania 19426-0107

Dear Mr. Fillmore:

Subject: Routine Inspection No. 030-06195/93-001

This refers to the closeout safety inspection conducted by Sheri Arredondo and Anthony Dimitriadis of this office on November 10, 1993 at your facility at 640 Allendale Road, King of Prussia, Pennsylvania, of activities authorized by the above listed NRC license. Areas examined during this closeout inspection are described in the inspection report which is enclosed with this letter. Within these areas the inspection consisted of observations and independent measurements by the inspector. The type of measurements taken and initial findings of the inspection were discussed with you and Mr. Richard A. Mariner, Manager, Real Estate, at the conclusion of the inspection. A copy of the inspection report is enclosed.

Within the scope of this inspection, no violations were observed.

The enclosed report will be provided to the reviewer responsible for your request to terminate your license.

In accordance with Section 2.790 of the NRC's "Rules of Practice", Part 2, Title 10, Code of Federal Regulations, a copy of this letter and the enclosure will be placed in the Public Document Room.

No reply to this letter is required.

160008

9402170027 940112 PDR ADDCK 03006195 C PDR Your cooperation with us is appreciated.

Sincerely,

Original Signed By:

Mohamed M. Shanbaky, Chief Research and Development Section Division of Radiation Safety and Safeguards

Enclosure:

Region I Inspection Report No. 030-06195/93-001

CC:

Public Document Room (PDR) Nuclear Safety Information Center (NSIC) Commonwealth of Pennsylvania

bcc:

Region I Docket Room (w/concurrences) S. Arredondo, RI

DRSS/RI Dimitriadis/gc

120/193

DRSS:RI Arredondo

12/2/93

DRSS:RI Shanbaky

17/12/93/