- 3. The microfiche shall be standard 148mm x 105mm.
- The microfiche shall be one silver-halide master and one diazo placed in individual acid free envelopes.
- 5. Diazo duplicates may be either blue/black or black.
- 6. The microfiche shall be titled in the following manner:

FIN No. Title of Report Date Contract No. NUREG/CR No. Fiche No.

Fiche number refers to 1 of 2, 2 of 2 etc. information.

- 7. Title information shall be eye readable on a clear background.
- 8. The submittal of microfiche containing proprietary material shall be coordinated with the Document Management Branch, Division of Technical Information and Document Control, U.S. Nuclear Regulatory Commission 20555 to set format and procedures for submittal.
- 9. Foldouts, if any, shall be segmented and filmed in logical order.
- The first frame shall be blank, and the second frame shall contain the resolution target (NBS 1010A).
- 11. Questions on microfiche specifications should be submitted in writing to:

U.S. Nuclear Regulatory Commission
Document Management Branch
Division of Technical Information and
Document Control
Washington, DC 20555

Distribution of the microfiche reports shall be as follows:

U.S. Nuclear Regulatory Commission One (1) Master Document Management Branch
Division of Technical Information
and Document Control
Washington, DC 20555

U.S. Nuclear Regulatory Commission One (1) Duplicate
Docket Control Center
Division of Waste Management
Office of Nuclear Material Safety
and Safeguards
Washington, DC 20555