PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE--PNO-III-82- 82 Date: August 27, 1982

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by the staff on this date.

Facility: Cincinnati Gas & Elec. Zimmer Nuclear Power Station Docket No. 50-358 Moscow, OH 45153 Licensee Emergency Classification: \_\_\_\_\_Notification of Unusual Event \_\_\_\_\_Alert \_\_\_\_\_Site Area Emergency \_\_\_\_\_General Emergency xxx Not Applicable

Subject: STOP WORK ON NSSS COMPONENT WELDING

A Stop Work Order was issued on August 26, 1982, at 9 p.m. (EDT) by the Henry J. Kaiser Company, principal contractor at the Zimmer site, for all welding on the nuclear steam supply system (NSSS) piping and pressure boundary welds.

The Stop Work Order was issued following a review on August 26, 1982, by the resident inspectors of a nonconformance report, dated July 26, 1982, which noted that General Electric Company had not reviewed NSSS welding procedures as required by the site quality control procedures. The resident inspectors are reviewing the handling of the nonconformance report and the month-long period before the stop work action was taken.

The Stop Work Order includes about 19 systems that are part of the NSSS. No layoffs are expected to result from the Stop Work Order.

The Order will remain in effect until General Electric has determined the extent of the reviews required and completed those reviews. The effect of the lack of General Electric review on completed construction work will not be known until the adequacy of the welding procedures has been determined by General Electric. The resident inspectors will monitor the review of procedures.

Neither Region III (Chicago) nor the licensee plans a news announcement at this time. News media interest may occur because of the continuing news prominence of the Zimmer facility.

The State of Ohio will be notified.

Region III was notified August 26 that a Stop Work Order was under consideration and additional information was received on August 27, 1982. This information is current as of 3 p.m. (EDT), August 27, 1982.

Contact: Other 384-2555

384-2673

DISTRIBUTION:	0	1-0	11 211	0	
H. St. 4:25	MNBB 7:03	Phillips 4.27	E/W 4:24	Willste 7.05	
Chairman Palladino	EDO	NRR	IE	NMSS	
Comm. Gilinsky	PA		OIA	RES	
Comm. Ahearne	MPA		AEOD		
Comm. Roberts	ELD	Air Rights 700		MAIL:	
Comm. Asselstine		SP	INPO 7:16	ADM: DMB	
SECY 820902033	2 820827		NSAC 7:14	DOT: Trans Only	
ACRS PDR I&E	0 000 000				16
CA PNO-III-8		21.00 0.0		0	16
PDR Regions 1 1.2	, 11 / 07, IV	1.09, v 7.11 Lie	censee (Corpora	ate Office) 7.05	

Rev. 5/28/82