

33000022010E

DATE 08/04/82
 REPORT FOR MONTH OF JUN 1982

CERTIFICATE OF WATER ANALYSIS
 COTTER CORPORATION
 P.O. BOX 751
 CANON CITY, COLORADO 81212

PAGE 1
 TIME 9:16:48
 PROGRAM - LAB017

20619

WELL NO.	DATE	WATER DEPTH BELOW MP	TEMP. C	PH	UMHO CM2 COND.	MG/L						FCI/L PB210					
						U	MO	V	SE	CL	SO4	CO3	TDS	RA226	TH230	FO210	
0006	6/29	NA	19.4	8.2	NA	<0.05	<0.05	<0.05	<0.005	69	870	50	1600	0.3	0.0	2.0	1.0
0111	6/29	NA	18.9	7.7	NA	<0.05	<0.05	<0.05	<0.005	13	90	<10	230	0.2	0.9	0.0	0.0
0114	6/28	NA	17.7	6.8	NA	<0.05	<0.05	<0.05	<0.005	13	70	<10	380	<0.1	0.9	0.0	1.0
0117	6/17	NA	15.4	7.4	NA	0.10	0.7	<0.05	<0.005	17	101	20	470	0.2	1.0	8.3	2.1
0119	6/17	9.7	13.6	7.5	NA	0.11	0.39	<0.05	<0.005	13	62	<1	280	0.1	0.0	42	1.0
0120	6/17	11.25	NA	6.7	NA	0.08	0.15	<0.05	<0.005	29	163	6	470	0.5	0.0	0.3	0.6
0122	6/14	NA	16.7	7.3	NA	0.20	0.8	<0.05	<0.005	14	80	<1	400	<0.1	0.0	0.0	3.1
0123	6/17	10.9	14.7	7.3	NA	<0.05	0.19	<0.05	<0.005	13	50	<1	300	<0.1	0.3	0.0	3.1
0124	6/14	NA	16.6	6.7	NA	0.16	0.6	<0.05	<0.005	14	70	<1	410	<0.1	1.7	0.0	0.0
0129	6/17	NA	NA	6.9	NA	0.17	0.72	<0.05	<0.005	15	85	20	430	0.2	0.4	0.0	1.6
0135	6/29	NA	21.5	7.2	NA	<0.05	<0.05	<0.05	<0.005	120	1900	<10	3300	0.3	0.5	0.0	3.1
0137	6/14	26.2	15.2	6.7	NA	<0.05	0.05	<0.05	<0.005	29	120	<1	510	0.3	1.1	4.6	4.1
0138	6/17	31.5	14.9	7.5	NA	0.35	4.8	<0.05	<0.005	20	217	12	670	0.3	1.3	3.5	4.1
0139	6/14	27.3	16.4	7.4	NA	0.12	0.7	<0.05	<0.005	14	90	<1	380	<0.1	0.2	0.0	1.2
0140	6/14	30.0	14.8	7.6	NA	0.10	0.7	<0.05	<0.005	15	70	6	330	<0.1	1.0	4.3	3.1

COLLECTED BY TOM MCDOWELL, JR.
 MARK CURREY
 DEAN HERRERA

REPORT NO. 06-82

ANALYSTS MIKE KRAUTH, MIKE GOFF
 DENNIS HULSEY, LARRY SWOPE
 EDA INSTRUMENTS, INC.

8209100059 820804
 PDR WASTE
 WM-22 PDR

330000 22010E

DATE 08/04/82
REPORT FOR MONTH OF JUN 1982

CERTIFICATE OF WATER ANALYSIS
COTTER CORPORATION
P.O. BOX 751
CANON CITY, COLORADO 81212

PAGE 2
TIME 9:16:48
PROGRAM - LAB017

61902

LOC NO.	DATE	WATER DEPTH BELOW MP	TEMP.		UMHO CM2 COND.	MG/L										FCI/L PR210	
			C	PH		U	MO	V	SE	CL	SO4	CO3	TDS	RA226	TH230	PO210	
0141	6/28	NA	18.6	8.2	NA	<0.05	0.09	<0.05	<0.005	45	450	12	1300	0.1	0.9	0.0	2.1
0144	6/14	NA	15.8	6.2	NA	<0.05	0.5	<0.05	<0.005	16	120	<1	530	<0.1	0.0	6.3	1.0
0303	6/12	NA	20.8	6.8	NA	7.3	31.5	<0.05	0.064	270	4680	<1	8500	0.4	30	58	8.0
0312	6/20	NA	15.1	7.8	NA	5.2	22	<0.05	0.133	215	4000	<1	7200	0.3	44	43	12
0313	6/20	NA	15.2	7.6	NA	6.1	32	<0.05	0.159	430	5100	<1	8900	0.8	45	56	6.6
0314	6/20	NA	15.8	7.0	NA	<0.05	0.09	<0.05	<0.005	21	410	<1	790	1.24	1.4	0.0	1.6
0315	6/30	NA	17.5	8.8	NA	<0.05	0.5	<0.05	<0.005	20	270	210	460	<0.01	0.9	0.0	1.5
0316	6/30	NA	14.8	8.6	NA	<0.05	<0.05	<0.05	<0.005	27	260	220	560	0.3	1.4	0.0	5.7
0317	6/30	NA	17.9	9.6	NA	<0.05	0.12	<0.05	<0.005	21	2200	130	3400	3.3	2.0	0.0	1.5
0324	6/20	NA	16.0	7.6	NA	<0.05	0.06	<0.05	<0.005	47	290	<1	800	7.0	0.9	2.7	2.1
0325	6/18	NA	12.2	6.8	NA	0.09	0.07	<0.05	0.103	109	1550	<1	3170	2.1	0.8	0.0	0.0
0325	6/18	NA	12.2	6.8	NA	0.11	0.06	<0.05	0.104	108	1550	<1	3120	1.5	0.6	0.4	2.1
0325	6/18	NA	NA	NA	NA	0.09	0.11	<0.05	0.083	107	1600	<10	3200	1.1	3.4	1.8	3.6
0325	6/18	NA	12.2	6.8	NA	0.09	0.07	<0.05	0.118	107	1600	<10	3200	2.9	1.8	0.0	3.1
0325	6/18	NA	NA	NA	NA	0.06	0.13	<0.05	0.103	110	1600	<10	3100	1.8	2.3	0.0	3.6

COLLECTED BY TOM MCDOWELL, JR.
MARK CURREY
DEAN HERRERA

REPORT NO. 06-82

ANALYSTS MIKE KRAUTH, MIKE GOFF
DENNIS HULSEY, LARRY SWOPE
EDA INSTRUMENTS, INC.

33000022010E

DATE 08/04/82
REPORT FOR MONTH OF JUN 1982

CERTIFICATE OF WATER ANALYSIS
COTTER CORPORATION
P.O. BOX 751
CANON CITY, COLORADO 81212

PAGE 3
TIME 9:16:48
PROGRAM - LAB017

20619

LIC NO.	DATE	WATER DEPTH BELOW HP	TEMP.		UMHO CM2 COND.	MG/L								PCI/L PB210			
			C	PH		U	MO	V	SE	CL	SO4	CO3	TDS	RA226	TH230	PO210	
0328	6/30	NA	19.7	9.7	NA	<0.05	<0.05	<0.05	<0.005	57	60	150	590	0.5	2.5	0.0	4.1
0329	6/24	NA	25.5	6.3	NA	0.13	<0.05	<0.05	<0.005	110	1100	<10	1900	2.2	2.5	1.0	3.6
0330	6/24	NA	23.8	6.8	NA	4.5	19.6	<0.05	0.034	260	4400	<10	7500	0.2	27	16	8
0331	6/24	NA	25.5	6.7	NA	2.3	17.0	<0.05	0.010	250	4000	<10	7000	0.6	27	49	56
0334	6/28	NA	17.2	7.8	NA	<0.05	<0.05	<0.05	<0.005	33	340	12	780	0.7	2.0	0.0	2.1
0335	6/29	NA	18.1	7.6	NA	<0.05	<0.05	<0.05	<0.005	31	910	<10	1500	0.8	0.2	0.0	1.0
0337	6/24	NA	22.4	6.6	NA	<0.05	<0.05	<0.05	0.123	180	2100	<10	4000	0.8	3.4	0.2	3.2
0338	6/29	NA	19.9	7.5	NA	<0.05	<0.05	<0.05	0.074	82	1500	<10	2700	0.5	0.9	0.0	3.6
0339	6/30	NA	16.4	5.1	NA	0.05	0.09	<0.05	<0.005	60	6500	NA	11000	0.2	0.0	0.0	0.0
0340	6/20	NA	14.9	7.2	NA	0.22	0.13	<0.05	<0.005	260	2300	<1	4300	<0.1	2.3	0.4	2.1
0341	6/20	NA	15.2	7.2	NA	0.93	2.9	<0.05	0.019	105	1300	<1	2400	0.7	7.3	4.4	0.5
0502	6/17	NA	13.9	7.7	NA	<0.05	<0.05	<0.05	<0.005	4	26	<1	40	<0.1	0.6	0.0	0.0
0504	6/17	NA	13.9	6.4	NA	<0.05	<0.05	<0.05	<0.005	4	30	<1	70	<0.1	0.0	5.2	6.7
0505	6/12	NA	24.8	6.7	NA	2.6	5.1	<0.05	0.060	230	1990	<1	3710	0.6	30	31	7.7
0505	6/27	NA	22.5	7.4	NA	0.18	0.8	0.08	0.013	30	190	<10	350	1.1	1.1	0.0	2.1

COLLECTED BY

TOM MCDOWELL, JR.
MARK CURREY
DEAN HERRERA

REPORT NO. 06-82

ANALYSTS

MIKE KRAUTH, MIKE GOFF
DENNIS HULSEY, LARRY SWOPE
EDA INSTRUMENTS, INC.

330000220106

#DATE 08/04/82
REPORT FOR MONTH OF JUN 1982

CERTIFICATE OF WATER ANALYSIS
COTTER CORPORATION
P.O. BOX 751
CANON CITY, COLORADO 81212

PAGE 4
TIME 9:16:48
PROGRAM - LAB017

20619

LOC NO.	DATE	WATER DEPTH BELOW MP	TEMP.		UMHO CM2 COND.	MG/L										PCI/L PB210	
			C	PH		U	MO	V	SE	CL	S04	CO3	TDS	RA226	TH230	P0210	
0519	6/27	NA	26.8	9.2	NA	<0.05	<0.05	<0.05	<0.005	23	<10	560	3400	0.8	1.4	0.0	9.3
0520	6/26	NA	19.8	8.1	NA	<0.05	<0.05	<0.05	0.005	11	53	<10	210	<0.1	2.7	0.0	2.6
0521	6/02	NA	11.2	2.6	NA	0.07	<0.05	0.08	<0.005	11	9800	<1	17200	<0.1	87	16	24
0522	6/02	NA	10.9	2.9	NA	<0.05	<0.05	<0.05	<0.005	13	950	<1	1570	3.04	6.3	0.0	7.2
0526	6/26	NA	21.3	8.2	NA	<0.05	<0.05	<0.05	<0.005	10	45	<10	210	<0.1	0.5	0.0	1.0
0528	6/02	NA	14.8	6.5	NA	0.34	1.1	0.49	0.065	18	190	<1	360	9.8	3.4	37	15
0528	6/18	NA	11.1	6.3	NA	4.4	5.6	0.11	0.080	34	770	<1	1700	34.8	16	15	1.0
0531	6/27	NA	20.7	8.1	NA	0.11	<0.05	<0.05	<0.005	55	420	<10	940	0.3	0.5	0.0	2.1
0701	6/12	NA	19.9	7.3	NA	100	234	<0.5	<0.5	1100	27600	<1	46100	0.4	590	880	120
0701	6/26	NA	23.8	7.0	NA	94	216.0	<0.5	<0.5	1040	25000	<10	43000	<0.1	690	390	46
0702	6/19	NA	15.5	7.8	NA	21	124.0	<0.5	<0.5	360	7800	<2	12800	14.4	94	114	11
0702	6/29	NA	16.9	7.6	NA	80.0	232	<0.5	<0.5	1300	29000	<10	47000	5.7	610	380	110
0703	6/12	NA	21.2	7.2	NA	21	146	<0.5	<0.5	920	19100	<1	32700	<0.1	240	720	31
0710	6/12	NA	19.4	6.4	NA	0.78	<0.5	<0.5	0.996	1570	1960	<1	8100	0.2	5.7	1.9	1.5
0710	6/26	NA	16.3	6.5	NA	0.89	<0.5	<0.5	1.282	1570	2000	<10	8400	0.1	8.2	0.0	0.6

COLLECTED BY

TOM MCDOWELL, JR.
MARK CURREY
DEAN HERRERA

REPORT NO. 06-82

ANALYSTS

MIKE KRAUTH, MIKE GOFF
DENNIS HULSEY, LARRY SWOPE
EDA INSTRUMENTS, INC.

330000 22010E

DATE 06/04/82
REPORT FOR MONTH OF JUN 1982

CERTIFICATE OF WATER ANALYSIS
COTTER CORPORATION
P.O. BOX 751
CANON CITY, COLORADO 81212

PAGE 5
TIME 9:16:48
PROGRAM - LAB017

20619

LOC NO.	DATE	WATER DEPTH BELOW MP	TEMP.		UMHO CM2 COND.	MG/L										PCI/L FB210	
			C	PH		U	MO	V	SE	CL	SO4	CO3	TDS	RA226	TH230	P0210	
0712	6/12	NA	19.2	6.6	NA	11	25.9	<0.5	1.14	860	5360	<1	12000	0.2	41	85	23
0712	6/26	NA	17.4	6.9	NA	12	28.3	<0.5	0.889	860	5900	<10	12000	0.1	110	35	15
0714	6/12	NA	23.4	7.3	NA	4.7	9.6	<0.5	0.166	300	2840	<1	5370	<0.1	21	32	24
0714	6/26	NA	23.1	7.2	NA	4.4	9.1	<0.5	0.185	280	2700	<10	5100	<0.1	33	12	4
0715	6/12	NA	22.2	7.4	NA	3.0	3.4	<0.5	0.085	260	1530	<1	3060	<0.1	21	22	4.1
0715	6/26	NA	21.6	7.1	NA	2.9	3.5	<0.5	0.120	190	1500	<10	3200	0.2	27	3.7	3.1
0716	6/20	NA	15.4	7.3	NA	1.5	1.3	<0.05	0.064	120	1200	30	2400	0.3	13	4.5	2.6
0716	6/29	NA	18.2	7.4	NA	1.3	1.3	<0.05	<0.05	130	1200	<10	2400	0.3	8.4	5.7	2.1

COLLECTED BY

TOM MCDOWELL, JR.
MARK CURREY
DEAN HERRERA

REPORT NO. 06-82

ANALYSTS

MIKE KRAUTH, MIKE GOFF
DENNIS HULSEY, LARRY SWOPE
EDA INSTRUMENTS, INC.