9/3/82

MEMORANDUM FOR: James Lieberman, Acting Director, Enforcement Staff, IE

FROM: Eric H. Johnson, Director, Investigation and Enforcement Staff, RIV

SUBJECT: ENFORCEMENT ACTION FOR STATE OF MONTANA DEPARTMENT OF HIGHWAYS, HELENA, MONTANA - LICENSE 25-11498-01

The enclosed Regional Office Letter and Notice of Violation for the subject licensee are forwarded for your information, since one Severity Level III violation was identified during the inspection. After a careful review of the circumstances surrounding the violation we decided the violation was in the Severity Level IV Category for the following reasons:

Violation No. 1

- The licensee is authorized up to 10 millicuries of cesium-137 for different models of sealed sources used in moisture density gauges.
- The licensee mistakenly submitted a lower possession limit for this particular source with his license renewal dated December 19, 1977, when he had been authorized a higher value under the old license.
- The material is properly labeled and does not create any additional radiation exposure to the workers or general public.
- The licensee agreed to amend his license during the exit meeting at the completion of the inspection.

Eric H. Johnson, Director Investigation and Enforcement Staff

IE-07

Enclosures: As stated

8210070344 8209 NMS LIC30 25-11498-01	PDR				
MRPS MA CAHooker/de 8/17/82	MRPS JEverett 8/1/ 82	TPB GBrown 8/9082	DIES 500 EJohnson 8/30/82 4/31/80	RATEIV JCCIlins 4/~/82	