

AUG 9 1990

URFO:GRK
Docket No. 40-8786
04008786430E

Uranium Resources, Inc.
ATTN: Mark Pelizza
12377 Merit Drive, Suite 750, LB14
Dallas, Texas 75251

Gentlemen:

Enclosed for your information is a copy of the water quality analysis for the sampling conducted on July 16, 1990. The radionuclide results will be forwarded to you, under separate cover, upon their completion.

Should you have any questions concerning this data, please contact Gary Konwinski of my staff.

Sincerely,

EFH
jae
Ramon E. Hall
Director

Enclosure:
As stated

PM:URFO
GKonwinski/lv
08/8/90

DD:URFO *EFH*
EHawkins
08/9/90

D:URFO:RIV *EFH*
REHall
08/9/90 *jae*

9008240245 900809
PDR ADJCK 04008786
C FDC

DF02
111

Uranium Resources, Inc.

2

AUG 9 1990

bcc:

PDR/DCS
URFO r/f
ABBeach, RIV
LLO Branch, LLWM
GKonwinski
RCPD, WY
WDEQ, (2)

Oak Ridge National Laboratory
 Analytical Chemistry Division
 Results of Analyses
 Chemical and Physical Analysis

| | | | |
|----------------|----------------|----------------|------------|
| Customer Name | GAR: KONWINSKI | Date Received | 18-Jul-199 |
| Request Number | CPA11015 | Charge Number | 33453837 |
| Project Number | | Dept Number | 3345 |
| Series | | Date of Report | 26-JUL-90 |

| Analy No. | Customer's Id | Date/Time Sampled | |
|-----------|----------------|-------------------|----------|
| Matrix | Material Desc. | | |
| Frequency | | | Analysis |

| | | | |
|------------|-----|--|--|
| 900718-098 | URI | | |
|------------|-----|--|--|

| | | | |
|-------|--|--|--|
| WATER | | | |
|-------|--|--|--|

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

- AG
- AL
- AS
- E
- BA
- BE
- CA
- CD
- CO
- CR
- CU
- FE
- LI
- MG
- MN
- MO
- NA
- NI
- P
- PB
- SB
- SE
- SI
- SN
- SR
- TI
- V
- ZN
- ZR

15:17

Approved By

Date

J.P. Prie
 7-26-90

| Result | Units | Procedure No | Completed |
|-----------|-------|--------------|-------------|
| < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 6.6E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 8.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 4.7E+00 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 2.0E-04 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 4.2E+01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 4.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 4.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 9.3E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 1.5E+01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 4.8E+00 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 5.4E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 4.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 3.0E+01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 3.0E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 5.2E+00 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 2.9E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 2.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 2.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| 4.7E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| < 2.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |

SI
 APERTURE
 CARD

9008240245-01

Also Available On
 Aperture Card

| Analy No. | Customers Id | Date/Time Sampled | Analy |
|-----------|----------------|-------------------|-------|
| Matrix | Material Desc. | | |
| Frequency | | | |

| | | | |
|-------------|-----|--|--|
| 1900718-099 | URI | | |
| WATER | | | |

AG
AL
AS
B
BA
BE
CA
CD
CHLOR
CO
CONDU
CR
CU
FE
FLUOR
LI
MG
MM
MO
NA
NI
NITRA
P
PB
PHOSPH
SB
SE
SI
SM
SR
SULFA
TI
TOT. D
V
ZM
ZR

End of data for Request Number CPA11015 Total

| sis | Result | Units | Procedure No | Completed |
|-----------------|-----------|---------|--------------|-------------|
| | < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 8.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 4.6E+00 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 2.0E-04 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 4.5E+01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| DE | 95 | MG/L | SMEWW 429 | 19-Jul-1990 |
| | < 4.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| TIVITY | 423.4 | UMHO/CM | EPA 120.1 | 23-Jul-1990 |
| | < 4.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 8.3E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| DE | 1.0 | MG/L | SMEWW 429 | 19-Jul-1990 |
| | < 1.5E+01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 4.7E+00 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 1.5E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 4.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 3.1E+01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| E | < 5 | MG/L | SMEWW 429 | 19-Jul-1990 |
| | < 3.0E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| ATE | < 5 | MG/L | SMEWW 429 | 19-Jul-1990 |
| | < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 3.5E+00 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | 2.9E-01 | MG/L | EPA 200.7 | 24-Jul-1990 |
| E | 18 | MG/L | SMEWW 429 | 19-Jul-1990 |
| | < 2.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |
| ISSOLVED SOLIDS | 433 | MG/L | EPA 160.1 | 25-Jul-1990 |
| | < 2.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 5.0E-03 | MG/L | EPA 200.7 | 24-Jul-1990 |
| | < 2.0E-02 | MG/L | EPA 200.7 | 24-Jul-1990 |

1 pages = 2

Cust. Copy File Copy

SI

APERTURE
CARD

9008240245-02

Also Available On
Aperture Card