

*official*

AUG 10 1990

Docket Nos. 50-369, 50-370  
License Nos. NPF-9, NPF-17

Duke Power Company  
ATTN: Mr. H. B. Tucker, Vice President  
Nuclear Production Department  
P.O. Box 1007  
Charlotte, NC 28201-1007

Gentlemen:

SUBJECT: NOTICE OF VIOLATION  
(NRC INSPECTION REPORT NOS. 50-369/90-13 AND 50-370/90-13)

This refers to the Nuclear Regulatory Commission (NRC) inspection conducted by the resident inspectors on June 25, 1990 - July 25, 1990. The inspection included a review of activities authorized for your McGuire facility. At the conclusion of the inspection, the findings were discussed with those members of your staff identified in the enclosed inspection report.

Areas examined during the inspection are identified in the report. Within these areas, the inspection consisted of selective examinations of procedures and representative records, interviews with personnel, and observation of activities in progress.

The inspection findings indicate that certain activities appeared to violate NRC requirements. The violations, references to pertinent requirements, and elements to be included in your response are described in the enclosed Notice of Violation.

The violations were identified by your staff, however, these are being cited. The first violation involving control rod movement is being cited since you have had previous problems involving poor communications between operations personnel and persons performing maintenance/surveillance and in addition, your operations staff should have been well aware of the inoperability of the associated ventilation system due to a heightened awareness which had been promulgated at your management meetings. The second violation involving containment debris is being cited since your staff had opportunities to identify the problem, the failure to report one of two situations identified, and a poor procedure contributing to the problem which has been a continuing problem at your facility.

In accordance with Section 2.790 of the NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and its enclosures will be placed in the NRC Public Document Room.

The responses directed by this letter and its enclosures are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, Pub. L. No. 96-511.

9008270108 900810  
PDR ADOCK 05000369  
Q PDC

*IEO/11*

AUG 10 1990

Should you have any questions concerning this letter, please contact us.

Sincerely,

|S|

Alan K. Herdt, Chief  
Reactor Projects Branch 3  
Division of Reactor Projects

Enclosures:

1. Notice of Violation
2. NRC Inspection Report

cc w/encls:

T. L. McConnell  
Station Manager  
McGuire Nuclear Station  
12700 Hagers Ferry Road  
Cornelius, NC 28078-8985

J. S. Warren  
Nuclear Production Department  
Duke Power Company  
P. O. Box 33189  
Charlotte, NC 28242

A. V. Carr, Esq.  
Duke Power Company  
P. O. Box 1007  
Charlotte, NC 28201-1007

J. Michael McGarry, III, Esq.  
Bishop, Cook, Purcell and Reynolds  
1400 L Street, NW  
Washington, D. C. 20005

Dayne H. Brown, Director  
Division of Radiation Protection  
N. C. Department of Environment,  
Health & Natural Resources  
P. O. Box 27687  
Raleigh, NC 27611-7687

County Manager of Mecklenburg County  
720 East Fourth Street  
Charlotte, NC 28202

(cc w/encl cont'd - see page 3)

Duke Power Company

3

AUG 10 1990

cc w/encls: (Continued)  
S. S. Kilborn, Area Manager  
Mid-South Area, ESSD Project  
Westinghouse Electric Corporation  
MNC West Tower - Bay 239  
P. O. Box 355  
Pittsburgh, PA 15230

Dr. John M. Barry  
Department of Environmental Health  
Mecklenburg County  
1200 Blythe Boulevard  
Charlotte, NC 28203

Karen E. Long  
Assistant Attorney General  
N. C. Department of Justice  
P. O. Box 629  
Raleigh, NC 27602

State of North Carolina

bcc w/encls:  
D. Hood, NRR  
M. B. Shymlock, RII  
A. R. Herdt, RII  
Document Control Desk

NRC Resident Inspector  
U.S. Nuclear Regulatory Commission  
12700 Hagers Ferry Rd.  
Huntersville, NC 28078-8985

RII  
KPoertner  
8/7/90