

DCD/DCB

SEP 13 1990

St. Mary Medical Center-Hobart  
ATTN: Milton Triana  
Vice President  
1500 South Lake Park Avenue  
Hobart, IN 46343

License No. 13-03459-03  
Docket No. 030-31379

Gentlemen:

This refers to the routine safety inspection conducted by Messrs. J. L. Cameron and W. Slawinski of this office on August 29, 1990 of activities authorized by NRC Byproduct Material License No. 13-03459-03 and to the discussion of our findings with you and others of your organization at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license, excluding your brachytherapy program, as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, independent measurements and interviews with personnel.

During this inspection, certain of your activities appeared to be in violation of NRC requirements, as specified in the enclosed Notice. A written response is required.

In accordance with 10 CFR 2.790 of the Commission's regulations, a copy of this letter, the enclosure, and your response to this letter will be placed in the NRC Public Document Room.

The responses directed by this letter and the accompanying Notice are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,

George M. McCann, Chief  
Nuclear Materials Safety  
Section 1

Enclosure: Notice of Violation

cc w/enclosure:  
DCD/DCB (RIDS)

9009280168 900913  
REG LIC30  
13-03459-03 FDC

RIII *gpc*  
Cameron/mc  
*g/mc*

*03200*

RIII *gpc*  
Slawinski  
*slawinski*

RIII *yes*  
McCann *g/mc*  
*9/13/90*

110 IEC07