

NRC PDR



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

OCT 4 1978

Docket No. 50-368

Mr. William Cavanaugh III
Executive Director of Generation
and Construction
Arkansas Power & Light Company
P. O. Box 551
Little Rock, Arkansas 72203

Dear Mr. Cavanaugh:

SUBJECT: ISSUANCE OF AMENDMENT NO. 3 TO FACILITY OPERATING LICENSE
NO. NPF-6 FOR ARKANSAS NUCLEAR ONE, UNIT 2

The Nuclear Regulatory Commission has issued the enclosed Amendment No. 3 for the Arkansas Nuclear One - Unit 2 facility. The amendment is effective as of the date of issuance.

Amendment No. 3 consists of a change to Technical Specification 4.6.4.3.b and is in response to your letter dated September 7, 1978. Also, based on discussions with you regarding these matters, you agreed to certain changes which we requested, and Amendment No. 3 reflects these changes.

Amendment No. 3 revises Technical Specification 4.6.4.3.b to specify that the flow rate for each of the containment recirculation fans will be at least equal to 4500 cubic feet per minute.

We have determined that Amendment No. 3 does not authorize a change in effluent types or total amounts nor an increase in power level and will not result in any significant environmental impact. Having made this determination, we have further concluded that the amendment involves an action which is insignificant from the standpoint of environmental impact, and pursuant to 10 CFR Section 51.5(d)(4), that an environmental impact appraisal need not be prepared in connection with the issuance of this amendment.

7810230293 P


Mr. William Cavanaugh

- 2 -

SEP 4 1978

Copies of the license amendment, Federal Register Notice, and Safety Evaluation for this technical specification change are enclosed.

Sincerely,



John F. Stolz, Chief
Light Water Reactors Branch No. 1
Division of Project Management

Enclosures:

1. Amendment No. 3 to Facility
Operating License No. NPF-6
2. Federal Register Notice
3. Safety Evaluation Supporting
Amendment No. 3

ccs w/enclosures:

See page 3

Mr. William Cavanaugh

- 3

October 4, 1978

cc: Mr. Daniel H. Williams
Manager, Licensing
Arkansas Power & Light Company
P. O. Box 551
Little Rock, Arkansas 72203

Philip K. Lyon, Esq.
House, Holms & Jewell
1550 Tower Building
Little Rock, Arkansas 72203

Mr. E. H. Smith, Project Engineer
Bechtel Power Corporation
San Francisco, California 94119

Mr. Fred Sernatinger, Project Manager
Combustion Engineering, Inc.
1000 Prospect Hill Road
Windsor, Connecticut 06095

Mr. Charles B. Brinkman, Manager
Washington Nuclear Operations
C-E Power Systems
Combustion Engineering, Inc.
4853 Cordell Avenue, Suite A-1
Bethesda, Maryland 20014

Honorable Ermil Grant
Acting County Judge of Pope County
Pope County Courthouse
Russellville, Arkansas 72801

Director, Bureau of Environmental
Health Services
4815 West Markham Street
Little Rock, Arkansas 72201

Attorney General
Justice Building
Little Rock, Arkansas 72201

Mr. Bruce Blanchard
Environmental Projects
Review
Department of the Interior
Room 4256
18th and C Street, N. W.
Washington, D. C. 20240

U. S. Environmental Protection
Agency
ATTN: Ms. F. Munter
Office of Federal Activities
Room W-535, Waterside Mall
401 M Street, S. W.
Washington, D. C. 20460