Docket Nos. 50-338, 50-339 License Nos. NPF-4, NPF-7 EA-93-262

Virginia Electric and Power Company ATTN: Mr. W. L. Stewart Senior Vice President - Nuclear 5000 Dominion Boulevard Glen Allen, VA 23060

Gentlemen:

SUBJECT: NRC INSPECTION REPORT NOS. 50-338/93-28 AND 50-339/93-28

Thank you for your supplemental response of February 25, 1994, to our Notice of Violation issued on January 7, 1994, concerning activities conducted at your North Anna facility. We have evaluated your response and found that it meets the requirements of 10 CFR 2.201. We will examine the implementation of your corrective actions during future inspections.

We appreciate your cooperation in this matter.

Sincerely,

MARVIN V. SHIKULE

Marvin V. Sinkule, Chief Reactor Projects, Branch 2 Division of Reactor Projects

9403150221 940308 PDR ADDCK 05000338

cc: M. L. Bowling, Jr., Manager Nuclear Licensing 5000 Dominion Boulevard Glen Allen, VA 23060

> G. E. Kane, Station Manager North Anna Power Station P. O. Box 402 Mineral, VA 23117

Executive Vice President
Old Dominion Electric Cooperative
4201 Dominion Boulevard
Glen Allen, VA 23060

cc cont'd: (See page 2)

140054

10

cc cont'd:

Dr. W. T. Lough Virginia Corporation Commission P. O. Box 1197 Richmond, VA 23209

William C. Porter, Jr. County Administrator Louisa County P. O. Box 160 Louisa, VA 23093

Michael W. Maupin, Esq. Hunton and Williams Riverfront Plaza, East Tower 951 E. Byrd Street Richmond, VA 23219

Attorney General Supreme Court Building 101 North 8th Street Richmond, VA 23219

Robert B. Strobe, M.D., M.P.H. State Health Commissioner Office of the Commissioner Virginia Department of Health P. O. Box 2448 Richmond, VA 23218

bcc: G. Belisle, RII L. Garner, RII L. Engle, NRR Document Control Desk

> NRC Resident Inspector U.S. Nuclear Regulatory Commission Route 2, Box 78-A Mineral, VA 23117

> U.S. Nuclear Regulatory Commission Resident Inspector Office Surry Nuclear Power Station 5850 Hog Island Road Surry, VA 23883

RII: DRP RII: DRP 46 LGarner GBelisle Bury 03/08/94 03/08/94