

NUCLEAR REGULATORY COMMISSION

February 3. 1994

OFFICE OF THE INSPECTOR GENERAL

MEMORANDUM FOR:

James M. Taylor Executive Director for Operations

alan

FROM:

General for Investigations

SUBJECT:

ALLEGED HARASSMENT BY NRC REGION I STAFF AND ABSENCE OF DUE PROCESS WITH RESPECT TO THE CAMEO DIAGNOSTIC CENTRE (CASE NO. 93-72H)

The Office of the Inspector General (OIG), U.S. Nuclear Regulatory Commission (NRC), has concluded an investigation into allegations of improper actions by NRC Region I staff. In a May 18, 1993, memorandum to OIG, James Lieberman, Director, Office of Enfracement, forwarded correspondence from Cameo Diagnostic Cantre (CAMEO) that suggested improper actions by NRC staff. CAXEO possesses a Byproduct Material License pursuant to 10 CFR Part 35 for imaging and localization procedures.

In an interview with OIG, and the state of t

This OIG investigation determined that the actions taken by NRC staff with respect to [______] and [_____] NRC license were in accordance with the provisions of 10 CFR. This investigation did not substantiate [______] allegations that NRC staff acted inappropriately with respect to the handling of [______] NRC license or that NRC staff exhibited a personal animus against

CONTACT: L.J. Norton, OIG 492-7170

FREEDOM OF INFORMATION/PRIVACY ACT EXEMPTION (b) (5) (6) (7) (C)

9403210270 940308 PDR ADOCK 03029567 C PDR OFFICIAL USE CITY

This report is furnished for whatever action you deem appropriate. Please notify this office within 90 days of what action you take based on the results of this investigation.

The distribution of this report should be limited to those NRC managers required for evaluation of this matter. Contact this office if further assistance is required.

Attachment: Report of Investigation w/o exhibits

× .

OFFICIAL USE ONLY