

EMPIRE CONSTRUCTION & MATERIALS, INC.

P.O. Box 440 Jenks, Oklahoma 74037
(918) 299-5606

March 11, 1994


Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Re: Amendment of License No. 35-27002-01

Dear Sir,

Please change Empire's Radiation Safety Officer from Ronald D. Brown to Len Campbell.

Thank you,



Gene Harris

GH/nt

Enc: Copys
Check for \$360.00

9403230234 940314
PDR ADOCK 03031312
C PDR



We are an equal employment opportunity employer.

APPENDIX A APPLICATION FOR MATERIAL LICENSE

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

FEDERAL AGENCIES FILE APPLICATIONS WITH:

U.S. NUCLEAR REGULATORY COMMISSION
DIVISION OF FUEL CYCLE AND MATERIAL SAFETY, NMSS
WASHINGTON, DC 20545

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS, IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION I
NUCLEAR MATERIAL SECTION 8
631 PARK AVENUE
KING OF PRUSSIA, PA 19406

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION II
MATERIAL RADIATION PROTECTION SECTION
101 MARIETTA STREET, SUITE 2900
ATLANTA, GA 30333

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION III
MATERIALS LICENSING SECTION
798 ROOSEVELT ROAD
GLEN ELLYN, IL 60133

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
MATERIAL RADIATION PROTECTION SECTION
611 RYAN PLAZA DRIVE, SUITE 1000
ARLINGTON, TX 76011

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

U.S. NUCLEAR REGULATORY COMMISSION, REGION V
MATERIAL RADIATION PROTECTION SECTION
1450 MARIA LANE, SUITE 210
WALNUT CREEK, CA 94596

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTION.

1. THIS IS AN APPLICATION FOR (Check appropriate item):

- A. NEW LICENSE
- B. AMENDMENT TO LICENSE NUMBER 35-27002-01
- C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip Code)

Empire Construction & Materials, Inc.
P. O. Box 440
Jenks, OK 74037

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED:

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Len Campbell

(918) 437-7220 or (918) 438-6333 or (918) 299-5606

TELEPHONE NUMBER

SUBMIT ITEMS 5 THROUGH 11 ON 8 1/2 x 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL
a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time.

6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.

7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING AND EXPERIENCE.

8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS.

9. FACILITIES AND EQUIPMENT.

10. RADIATION SAFETY PROGRAM.

11. WASTE MANAGEMENT.

12. LICENSEE FEES (See 10 CFR 170 and Section 170.31)
FEE CATEGORY: AMOUNT ENCLOSED \$ 360.00

13. CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT.

THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, AND 40 AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF.

WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 (52 STAT. 749) MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

SIGNATURE - CERTIFYING OFFICER

TYPED/PRINTED NAME

TITLE

DATE

Gene Harris

Gene Harris

President

3/14/94

14. ANNUAL RECEIPT

15. VOLUNTARY ECONOMIC DATA

<\$250K	\$1M-3.5M
\$250K-600K	\$3.5M-7M
\$600K-750K	\$7M-10M
\$750K-1M	>\$10M

16. NUMBER OF EMPLOYEES (Total for entire facility excluding outside contractors)

17. NUMBER OF BEDS

18. WOULD YOU BE WILLING TO FURNISH COST INFORMATION (Dollar and/or 1000 hours) ON THE ECONOMIC IMPACT OF CURRENT NRC REGULATIONS OR ANY FUTURE PROPOSED NRC REGULATIONS THAT MAY AFFECT YOU? (NRC regulations permit it to protect confidential commercial or financial information furnished to the agency in confidence)

YES NO

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	COMMENTS	APPROVED BY
AMOUNT RECEIVED	CHECK NUMBER			DATE

TROXLER ELECTRONIC LABORATORIES, INC.

HEREBY CERTIFIES THAT

Len Campbell

of

Apac-Oklahoma, Inc.

HAS SUCCESSFULLY COMPLETED THE TROXLER ELECTRONIC LABORATORIES, INC. TRAINING COURSE FOR THE USE OF NUCLEAR TESTING EQUIPMENT.

SUBJECTS INCLUDED IN THIS COURSE WERE AS FOLLOWS:

Radiological Safety

1. Principles and practices of radiation protection.
2. Leak testing procedures.
3. Mathematics and calculations basic to the use and measurement of radioactivity.
4. Biological effects of radiation.
5. Radioactivity measurement standardization and monitoring techniques and instruments.
6. Accident and incident procedures.
7. Procedures for nuclear gauge storage and transportation.
8. General safety precautions.

Gauge Operation

1. Instrument theory
2. Operating procedures
3. Maintenance
4. Field application
5. Gauge calibration

5/24/88

DATE

NO 19102

W. F. Troxler
INSTRUCTOR

W. F. Troxler
PRESIDENT



Troxler Electronic Laboratories, Inc.
 3008 Cornwallis Road, P.O. Box 12057
 Research Triangle Park, NC 27709

Phone: 919/549-8661 FAX: 919/549-0761 Telex: 6844902
 FEIN - 56-0753744

INVOICE

INVOICE NO.	PAGE
539023	1
DATE	
2/09/94	

S
O
L
D
T
O
EMPIRE CONSTRUCTION & EM
 P.C.BOX 440
 JENKS, OK 74037

S
H
I
P
T
O
EMPIRE CONSTRUCTION & EM
 P.C.BOX 440
 1583 NORTH BIRCH
 JENKS, OK 74037

POSTED

CUST. ACCOUNT NO.	SHIP VIA	OUR ORDER NO.	SLS. NO.	CUSTOMER'S P.O. NO.	TERMS	
1- 858000	UPS	60122	2504	ASPHALT PLT/J. KING	NET 30 DAYS	
ITEM NUMBER	DESCRIPTION	U/M	QUANTITY SHIPPED	QUANTITY BACK ORDERED	UNIT PRICE-U.S. \$	AMOUNT U.S. \$
102876.0005	JACK KING 518 295 5606 LEAK TEST PACKET (4 UNITS)	EA	2		50.000	100.00
102873	1 OZ SOLUTION/DETERGENT	EA	1		2.500	2.50
899958.0008	UPS FREIGHT CHARGE	EA	1		4.500	4.50
RECEIVED FEB 14 1994						
8650-24-50						
TOTAL WEIGHT	NET SALES AMOUNT	TRADE DISCOUNT	FREIGHT/INSURANCE CHG.	TAXES	AMOUNT DUE	
	107.40		.00	.00	107.40	

After 30 days a FINANCE CHARGE computed at the rate of 1 1/2% per month which is an ANNUAL PERCENTAGE RATE OF 18% (or such lower rate as state laws allow) will be applied to the remaining balance.

ORIGINAL

RECEIVED 11 2 9 1994



3008 Cornwallis Rd. P.O. Box 12057 Research Triangle Park,
North Carolina 27709, U.S.A.

Device - Model # 3241-C , Serial # 974
Source(s) - Serial # 558319 , Serial # 8871213
Date of Test: 2/10/94

Please print legibly and firmly. This is your return address label.

- Empire Const. & Matl., Inc.
- P.O. Box 440
- JENKS, OK 74037
-

Your Name: Len Campbell
Telephone: (918) 437-7220

ORIGINAL COPY

LEAK TEST ANALYSIS

This certifies that the sample accompanying this form has been analyzed using an approved monitoring method that measures both beta/gamma & alpha contamination; and, that the results of this analysis shows the removable activity to be less than 0.005 microcuries.

[Signature]
2-22-94



3008 Cornwallis Rd. P.O. Box 12057 Research Triangle Park,
North Carolina 27709, U.S.A.

Device - Model # 3440, Serial # 16737
Source(s) - Serial # 16737, Serial # _____
Date of Test: 2-21-94

Please print legibly and firmly. This is your return address label.

- Empire Const. & Math, Inc.
- P.O. Box 440
- Jenks, OK. 74031

You Name: Len Campbell
Telephone: (918) 439-7220

LEAK TEST ANALYSIS

This certifies that the sample accompanying this form has been analyzed using an approved monitoring method that measures both beta/gamma & alpha contamination; and, that the results of this analysis shows the removable activity to be less than 0.005 microcuries.

O. Mel
2-25-94