

DISTRIBUTION:

- Docket File
- NRC PDR
- PRC
- NSIC
- Gray File
- Region V
- SSPB Reading
- J. Wilson
- P. Anderson
- SSPB RC
- Attorney, OELD
- D. Eisenhut/R. Purple
- T. Novak
- I&E
- MPA
- T. Barnhart (4)
- W. Miller
- W. Jones (10)

AUG 11 1982

Docket No.: 50-27

Mr. W. E. Wilson
 Associate Director
 Nuclear Radiation Center
 Washington State University
 Pullman, Washington 99163

Dear Mr. Wilson:

The Commission has issued the enclosed Amendment No. 10 to Facility Operating License No. R-76 for the TRIGA reactor at Washington State University in response to your application dated May 15, 1979, as supplemented by filings dated May 15, 1979; May 29, 1979; June 4, 1979; June 21, 1979; February 4, 1981; March 3, 1981; and April 26, 1982.

This amendment renews the operating license for twenty years from the date of issuance.

As discussed with and agreed to by your staff, we are adding a technical specification limit on maximum reactivity and incorporating new requirements on the quality of the pool water.

It is Commission policy to restate a license in its entirety on the occasion of a license renewal. Therefore, your presently approved license has been restated in its entirety incorporating all changes made since the original license was issued.

Copies of the Safety Evaluation Report, Environmental Impact Appraisal and Notice of Issuance/Negative Declaration are also enclosed.

Sincerely,

Harold Bernard, Acting Branch Chief
 Standardization & Special
 Projects Branch
 Division of Licensing

B208260399 B20811
 PDR ADOCK 05000027
 P PDR

Enclosures:

1. Amendment No. 10
2. Safety Evaluation Report
3. Environmental Impact Appraisal
4. Notice of Issuance/Negative Declaration

OFFICE	DL:SSPB	DL:SSPB	DL:SSPB	DL:AD/L	OELD		
SURNAME	PAnderson:cc	JWilson	HBernard	TNovak	R...		
DATE	8/5/82	8/5/82	8/10/82	8/5/82	8/5/82		

cc w/enclosure(s):

State Planning Division
Office of Financial Management
Room 105, House Office Building
Olympia, Washington 98504

Chairman, Energy Facility Site
Evaluation Council
820 East Fifth Avenue
Olympia, Washington 98504

Attorney General
Temple of Justice
Olympia, Washington 98504

Administrator
Department of Environmental Regulation
Power Plant Siting Section
State of Florida
Montgomery Building
2562 Executive Center Circle, E.
Tallahassee, Florida 32301

Director Criteria and Standards
(ANR-460)
Office of Radiation Programs
U. S. Environmental Protection Agency
Washington, D. C. 20460

Director, Eastern Environmental
Radiation Facility
U.S. Environmental Protection Agency
Box 3009
Montgomery, Alabama 36193

EIS Review Coordinator
EPA Region X
1200 6th Avenue
Seattle, Washington 98101