

40-8724

**CHEMETRON CORPORATION**

**2100 New River Center  
200 E. Las Olas Boulevard  
Fort Lauderdale, Florida 33301**

Wednesday, March 9, 1994

Mr. Timothy C. Johnson  
Section Leader  
Materials Decommissioning Section  
Decommissioning and Regulatory Issues Branch  
US Nuclear Regulatory Commission  
Washington, DC 20555


Dear Mr. Johnson:

My letter of March 2, 1994, forwarded Chemetron's responses to the NRC supplementary comments on our "Site Remediation Plan - Harvard & Bert Avenue Sites, Revision 0 Dated October, 1993."

In response to Comments #12 and #14, Chemetron indicated that calculations for the Harvard Avenue site would be forwarded shortly. Enclosed with this letter are those calculations. They should be added to our previous responses as Attachments 4 and 5. Attachment 4 is our calculation of the TEDE in response to Comment #12, and Attachment 5 is the calculated TEDE in response to Comment #14.

If you have any questions, please do not hesitate to contact me.

Sincerely yours,



Barry Koh, Ph.D.  
Project Manager

BK/cmw

Enclosures

cc: T. G. Adams  
D. R. Sargent  
M. J. Wetterhahn  
C. D. Berger

WIA/NRC-61

9403280208 940309  
PDR ADDCK 04008724  
C PDR

NMID/1

Attachment 4

Summary Results  
Harvard Avenue Site

Table of Contents

~~~~~

Part I: Mixture Sums and Single Radionuclide Guidelines

~~~~~

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	6
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	12
Time = 1.000E+00 .....	13
Time = 3.000E+00 .....	14
Time = 1.000E+01 .....	15
Time = 3.000E+01 .....	16
Time = 1.000E+02 .....	17
Time = 3.000E+02 .....	18
Time = 1.000E+03 .....	19
Time = 3.000E+03 .....	20
Time = 1.000E+04 .....	21
Dose/Source Ratios Summed Over All Pathways .....	22
Single Radionuclide Soil Guidelines .....	22

Dose Conversion Factor (and Related) Parameter Summary

Menu	Parameter	Current Value	Default	Parameter Name
A-1	Ground external gamma, volume DCF's, (mrem/yr)/(pCi/cm**3):			
A-1	Ac-227+D, soil density = 1.0 g/cm**3	2.760E+00	2.760E+00	DCF1( 1,1)
A-1	Ac-227+D, soil density = 1.8 g/cm**3	1.520E+00	1.520E+00	DCF1( 1,2)
A-1	Pa-231, soil density = 1.0 g/cm**3	2.210E-01	2.210E-01	DCF1( 2,1)
A-1	Pa-231, soil density = 1.8 g/cm**3	1.210E-01	1.210E-01	DCF1( 2,2)
A-1	Pb-210+D, soil density = 1.0 g/cm**3	4.870E-03	4.870E-03	DCF1( 3,1)
A-1	Pb-210+D, soil density = 1.8 g/cm**3	2.310E-03	2.310E-03	DCF1( 3,2)
A-1	Ra-226+D, soil density = 1.0 g/cm**3	1.550E+01	1.550E+01	DCF1( 4,1)
A-1	Ra-226+D, soil density = 1.8 g/cm**3	8.560E+00	8.560E+00	DCF1( 4,2)
A-1	Th-230, soil density = 1.0 g/cm**3	2.110E-03	2.110E-03	DCF1( 5,1)
A-1	Th-230, soil density = 1.8 g/cm**3	1.030E-03	1.030E-03	DCF1( 5,2)
A-1	U-234, soil density = 1.0 g/cm**3	1.580E-03	1.580E-03	DCF1( 6,1)
A-1	U-234, soil density = 1.8 g/cm**3	6.970E-04	6.970E-04	DCF1( 6,2)
A-1	U-235+D, soil density = 1.0 g/cm**3	8.940E-01	8.940E-01	DCF1( 7,1)
A-1	U-235+D, soil density = 1.8 g/cm**3	4.900E-01	4.900E-01	DCF1( 7,2)
A-1	U-238+D, soil density = 1.0 g/cm**3	1.270E-01	1.270E-01	DCF1( 8,1)
A-1	U-238+D, soil density = 1.8 g/cm**3	6.970E-02	6.970E-02	DCF1( 8,2)
A-3	Depth factors, ground external gamma, dimensionless:			
A-3	Ac-227+D, soil density = 1.0 g/cm**3, thickness = .15 m	7.900E-01	7.900E-01	FD( 1,1,1)
A-3	Ac-227+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	9.700E-01	9.700E-01	FD( 1,2,1)
A-3	Ac-227+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 1,3,1)
A-3	Ac-227+D, soil density = 1.8 g/cm**3, thickness = .15 m	9.100E-01	9.100E-01	FD( 1,1,2)
A-3	Ac-227+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 1,2,2)
A-3	Ac-227+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 1,3,2)
A-3	Pa-231, soil density = 1.0 g/cm**3, thickness = .15 m	7.900E-01	7.900E-01	FD( 2,1,1)
A-3	Pa-231, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 2,2,1)
A-3	Pa-231, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 2,3,1)
A-3	Pa-231, soil density = 1.8 g/cm**3, thickness = .15 m	9.200E-01	9.200E-01	FD( 2,1,2)
A-3	Pa-231, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 2,2,2)
A-3	Pa-231, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 2,3,2)
A-3	Pb-210+D, soil density = 1.0 g/cm**3, thickness = .15 m	8.800E-01	8.800E-01	FD( 3,1,1)
A-3	Pb-210+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 3,2,1)
A-3	Pb-210+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 3,3,1)
A-3	Pb-210+D, soil density = 1.8 g/cm**3, thickness = .15 m	9.700E-01	9.700E-01	FD( 3,1,2)
A-3	Pb-210+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 3,2,2)
A-3	Pb-210+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 3,3,2)



## Dose Conversion Factor (and Related) Parameter Summary (continued)

Menu	Parameter	Current Value	Default	Parameter Name
A-3	Ra-226+D, soil density = 1.0 g/cm**3, thickness = .15 m	6.300E-01	6.300E-01	FD( 4,1,1)
A-3	Ra-226+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	9.200E-01	9.200E-01	FD( 4,2,1)
A-3	Ra-226+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 4,3,1)
A-3	Ra-226+D, soil density = 1.8 g/cm**3, thickness = .15 m	8.500E-01	8.500E-01	FD( 4,1,2)
A-3	Ra-226+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 4,2,2)
A-3	Ra-226+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 4,3,2)
A-3				
A-3	Th-230, soil density = 1.0 g/cm**3, thickness = .15 m	9.300E-01	9.300E-01	FD( 5,1,1)
A-3	Th-230, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 5,2,1)
A-3	Th-230, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 5,3,1)
A-3	Th-230, soil density = 1.8 g/cm**3, thickness = .15 m	1.000E+00	1.000E+00	FD( 5,1,2)
A-3	Th-230, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 5,2,2)
A-3	Th-230, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( .,3,2)
A-3				
A-3	U-234, soil density = 1.0 g/cm**3, thickness = .15 m	9.000E-01	9.000E-01	FD( 6,1,1)
A-3	U-234, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 6,2,1)
A-3	U-234, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 6,3,1)
A-3	U-234, soil density = 1.8 g/cm**3, thickness = .15 m	1.000E+00	1.000E+00	FD( 6,1,2)
A-3	U-234, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 6,2,2)
A-3	U-234, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 6,3,2)
A-3				
A-3	U-235+D, soil density = 1.0 g/cm**3, thickness = .15 m	8.700E-01	8.700E-01	FD( 7,1,1)
A-3	U-235+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 7,2,1)
A-3	U-235+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 7,3,1)
A-3	U-235+D, soil density = 1.8 g/cm**3, thickness = .15 m	1.000E+00	1.000E+00	FD( 7,1,2)
A-3	U-235+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 7,2,2)
A-3	U-235+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 7,3,2)
A-3				
A-3	U-238+D, soil density = 1.0 g/cm**3, thickness = .15 m	7.800E-01	7.800E-01	FD( 8,1,1)
A-3	U-238+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 8,2,1)
A-3	U-238+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 8,3,1)
A-3	U-238+D, soil density = 1.8 g/cm**3, thickness = .15 m	8.800E-01	8.800E-01	FD( 8,1,2)
A-3	U-238+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 8,2,2)
A-3	U-238+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 8,3,2)
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.700E+00	6.700E+00	DCF2( 1)
B-1	Pa-231	1.300E+00	1.300E+00	DCF2( 2)
B-1	Pb-210+D	2.100E-02	2.100E-02	DCF2( 3)
B-1	Ra-226+D	7.900E-03	7.900E-03	DCF2( 4)
B-1	Th-230	3.200E-01	3.200E-01	DCF2( 5)
B-1	U-234	1.300E-01	1.300E-01	DCF2( 6)
B-1	U-235+D	1.200E-01	1.200E-01	DCF2( 7)
B-1	U-238+D	1.200E-01	1.200E-01	DCF2( 8)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.500E-02	1.500E-02	DCF3( 1)
D-1	Pa-231	1.100E-02	1.100E-02	DCF3( 2)
D-1	Pb-210+D	6.700E-03	6.700E-03	DCF3( 3)
D-1	Ra-226+D	1.100E-03	1.100E-03	DCF3( 4)
D-1	Th-230	5.300E-04	5.300E-04	DCF3( 5)
D-1	U-234	2.600E-04	2.600E-04	DCF3( 6)

Dose Conversion Factor (and Related) Parameter Summary (continued)

Menu	Parameter	Current Value	Default	Parameter Name
D-1	U-235+D	2.500E-04	2.500E-04	DCF3( 7)
D-1	U-238+D	2.500E-04	2.500E-04	DCF3( 8)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 2,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 3,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 3,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 3,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 4,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 4,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 4,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC( 1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC( 2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC( 2,2)
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC( 3,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC( 4,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 4,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)

Dose Conversion Factor (and Related) Parameter Summary (continued)

Parameter	Current Value	Default	Parameter Name
D-5 * U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5 * U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5 *	*	*	*
D-5 * U-235+D , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5 * U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5 *	*	*	*
D-5 * U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5 * U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (if different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.400E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	9.100E-01	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	1.300E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	1.500E+01	3.000E+01	---	BRLD
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	T1
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	3.000E+03	3.000E+03	---	T( 9)
R011	Times for calculations (yr)	1.000E+04	1.000E+04	---	T(10)
R012	Initial principal radionuclide (pCi/g): U-235	3.400E-01	0.000E+00	---	S1( 7)
R012	Initial principal radionuclide (pCi/g): U-238	3.400E+01	0.000E+00	---	S1( 8)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1( 7)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1( 8)
R013	Cover depth (m)	1.500E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	1.650E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	6.000E-05	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.650E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-02	1.000E-03	---	VCC
R013	Contaminated zone total porosity	4.100E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	4.100E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	6.900E-01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	1.140E+01	5.300E+00	---	BCZ
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.700E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.900E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	2.980E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	6.750E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.200E-02	2.000E-02	---	HQWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	8.300E-01	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	NU	ND	---	MODEL
R014	Individual's use of groundwater (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Site-Specific Parameter Summary (continued)

Menu *	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R015 *	Unsat. zone 1, thickness (m)	7.300E+00	4.000E+00	---	H(1)
R015 *	Unsat. zone 1, soil density (g/cm**3)	1.650E+00	1.500E+00	---	DENSUZ(1)
R015 *	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015 *	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015 *	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015 *	Unsat. zone 1, hydraulic conductivity (m/yr)	6.900E-01	1.000E+01	---	HCUZ(1)
R016 *	Distribution coefficients for U-235				
R016 *	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 7)
R016 *	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 7,1)
R016 *	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 7)
R016 *	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 7)
R016 *	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 7)
R016 *	Distribution coefficients for U-238				
R016 *	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 8)
R016 *	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 8,1)
R016 *	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 8)
R016 *	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 8)
R016 *	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 8)
R016 *	Distribution coefficients for daughter Ac-227				
R016 *	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC( 1)
R016 *	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU( 1,1)
R016 *	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS( 1)
R016 *	Leach rate (/yr)	0.000E+00	0.000E+00	6.872E-03	ALEACH( 1)
R016 *	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016 *	Distribution coefficients for daughter Pa-231				
R016 *	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 2)
R016 *	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 2,1)
R016 *	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 2)
R016 *	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 2)
R016 *	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016 *	Distribution coefficients for daughter Pb-210				
R016 *	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 3)
R016 *	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU( 3,1)
R016 *	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS( 3)
R016 *	Leach rate (/yr)	0.000E+00	0.000E+00	1.387E-03	ALEACH( 3)
R016 *	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)
R016 *	Distribution coefficients for daughter Ra-226				
R016 *	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 4)
R016 *	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 4,1)
R016 *	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 4)
R016 *	Leach rate (/yr)	0.000E+00	0.000E+00	1.980E-03	ALEACH( 4)
R016 *	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)

## Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.318E-06	ALEACH( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 5)
R016	Distribution coefficients for daughter U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 6)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	2.000E-04	2.000E-04	---	MLINH
R017	Dilution length for airborne dust, inhalation (m)	3.000E+00	3.000E+00	---	LM
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor, external gamma	1.000E+00	1.000E+00	---	FS1
R017	Fractions of annular areas within AREA:				
R017	Outer annular radius (m) = «(1/D)	not used	1.000E+00	---	FRACA( 1)
R017	Outer annular radius (m) = «(10/D)	not used	1.000E+00	---	FRACA( 2)
R017	Outer annular radius (m) = «(20/D)	not used	1.000E+00	---	FRACA( 3)
R017	Outer annular radius (m) = «(50/D)	not used	1.000E+00	---	FRACA( 4)
R017	Outer annular radius (m) = «(100/D)	not used	1.000E+00	---	FRACA( 5)
R017	Outer annular radius (m) = «(200/D)	not used	1.000E+00	---	FRACA( 6)
R017	Outer annular radius (m) = «(500/D)	not used	1.000E+00	---	FRACA( 7)
R017	Outer annular radius (m) = «(1000/D)	not used	1.000E+00	---	FRACA( 8)
R017	Outer annular radius (m) = «(5000/D)	not used	1.000E+00	---	FRACA( 9)
R017	Outer annular radius (m) = «(1.E+04/D)	not used	1.000E+00	---	FRACA(10)
R017	Outer annular radius (m) = «(1.E+05/D)	not used	0.000E+00	---	FRACA(11)
R017	Outer annular radius (m) = «(1.E+06/D)	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	9.200E+01	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FRP
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (if different from user input)	Parameter Name
R018	Contamination fraction of meat	*-1	*-1	* 0.320E+00	* FMEAT
R018	Contamination fraction of milk	*-1	*-1	* 0.320E+00	* FMILK
R019	Livestock fodder intake for meat (kg/day)	* 6.800E+01	* 6.800E+01	---	* LF15
R019	Livestock fodder intake for milk (kg/day)	* 5.500E+01	* 5.500E+01	---	* LF16
R019	Livestock water intake for meat (L/day)	* 5.000E+01	* 5.000E+01	---	* LW15
R019	Livestock water intake for milk (L/day)	* 1.600E+02	* 1.600E+02	---	* LW16
R019	Livestock soil intake (kg/day)	* 5.000E-01	* 5.000E-01	---	* LSI
R019	Mass loading for foliar deposition (g/m**3)	* 1.000E-04	* 1.000E-04	---	* MLFD
R019	Depth of soil mixing layer (m)	* 1.500E-01	* 1.500E-01	---	* DM
R019	Depth of roots (m)	* 9.000E-01	* 9.000E-01	---	* DROOT
R019	Drinking water fraction from ground water	* 1.000E+00	* 1.000E+00	---	* FGWDW
R019	Household water fraction from ground water	* 1.000E+00	* 1.000E+00	---	* FGWHH
R019	Livestock water fraction from ground water	* 1.000E+00	* 1.000E+00	---	* FGWLW
R019	Irrigation fraction from ground water	* 1.000E+00	* 1.000E+00	---	* FGWIR
C14	C-12 concentration in water (g/cm**3)	* not used	* 2.000E-05	---	* C12WTR
C14	C-12 concentration in contaminated soil (g/g)	* not used	* 3.000E-02	---	* C12CZ
C14	Fraction of vegetation carbon from soil	* not used	* 2.000E-02	---	* CSOIL
C14	Fraction of vegetation carbon from air	* not used	* 9.800E-01	---	* CAIR
C14	C-14 evasion layer thickness in soil (m)	* not used	* 3.000E-01	---	* DMC
C14	C-14 evasion flux rate from soil (1/sec)	* not used	* 7.000E-07	---	* EVSN
C14	C-12 evasion flux rate from soil (1/sec)	* not used	* 1.000E-10	---	* REVSN
C14	Fraction of grain in beef cattle feed	* not used	* 8.000E-01	---	* AVFG4
C14	Fraction of grain in milk cow feed	* not used	* 2.000E-01	---	* AVFG5
R021	Thickness of building foundation (m)	* 1.500E-01	* 1.500E-01	---	* FLOOR
R021	Bulk density of building foundation (g/cm**3)	* 2.400E+00	* 2.400E+00	---	* DENSFL
R021	Total porosity of the cover material	* 4.000E-01	* 4.000E-01	---	* TPCV
R021	Total porosity of the building foundation	* 1.000E-01	* 1.000E-01	---	* TPFL
R021	Volumetric water content of the cover material	* 5.000E-02	* 5.000E-02	---	* PH2OCV
R021	Volumetric water content of the foundation	* 1.000E-02	* 3.000E-02	---	* PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	* 2.000E-06	* 2.000E-06	---	* D1FCV
R021	in foundation material	* 2.000E-08	* 3.000E-07	---	* D1FFL
R021	in contaminated zone soil	* 2.000E-06	* 2.000E-06	---	* D1FCZ
R021	Radon vertical dimension of mixing (m)	* 2.000E+00	* 2.000E+00	---	* HMIX
R021	Average annual wind speed (m/sec)	* 6.700E+00	* 2.000E+00	---	* WIND
R021	Average building air exchange rate (1/hr)	* 1.000E+00	* 5.000E-01	---	* REXG
R021	Height of the building (room) (m)	* 2.500E+00	* 2.500E+00	---	* HRM
R021	Building interior area factor	* 1.000E+00	* 0.000E+00	---	* FAI
R021	Building depth below ground surface (m)	* 1.000E+00	* 1.000E+00	---	* DMFL
R021	Emanating power of Rn-222 gas	* 2.000E-01	* 2.500E-01	---	* EMANA(1)
R021	Emanating power of Rn-220 gas	* not used	* 1.500E-01	---	* EMANA(2)



Summary of Pathway Selections

Pathway	*	User Selection
1 -- external gamma	*	active
2 -- inhalation (w/o radon)*	*	active
3 -- plant ingestion	*	active
4 -- meat ingestion	*	active
5 -- milk ingestion	*	active
6 -- aquatic foods	*	active
7 -- drinking water	*	active
8 -- soil ingestion	*	active
9 -- radon	*	active



Contaminated Zone Dimensions	Initial Scil Concentrations, pCi/g
Area: 6400.00 square meters	U-235 3.400E-01
Thickness: 0.91 meters	U-238 3.400E+01
Cover Depth: 1.50 meters	

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 15 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	3.000E+03	1.000E+04
TDOSE(t):	6.943E-09	6.929E-09	6.903E-09	6.844E-09	7.505E-09	3.689E-08	5.835E-07	6.417E-06	1.450E-05	2.029E-05
M(t):	4.629E-10	4.619E-10	4.602E-10	4.563E-10	5.003E-10	2.459E-09	3.890E-08	4.278E-07	9.667E-07	1.352E-06

Maximum TDOSE(t): 2.029E-05 mrem/yr at t = 1.000E+04 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.367E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.943E-09	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.943E-09	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.367E-17	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.943E-09	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.943E-09	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
Radio- Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	2.230E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.929E-09	1.0000	0.000E+00	0.0000	3.769E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.929E-09	1.0000	0.000E+00	0.0000	3.769E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
Radio- Nuclide	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.230E-16	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.929E-09	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.929E-09	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	9.954E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.902E-09	0.9999	0.000E+00	0.0000	1.014E-12	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.902E-09	0.9999	0.000E+00	0.0000	1.014E-12	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.954E-16	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.903E-09	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.903E-09	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	6.933E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.807E-09	0.9946	0.000E+00	0.0000	3.704E-11	0.0054	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.807E-09	0.9946	0.000E+00	0.0000	3.704E-11	0.0054	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.933E-15	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.844E-09	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.844E-09	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E-01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	4.250E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	6.543E-09	0.8718	0.000E+00	0.0000	9.624E-10	0.1282	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.543E-09	0.8718	0.000E+00	0.0000	9.624E-10	0.1282	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.250E-14	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.505E-09	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.505E-09	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	2.222E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	5.697E-09	0.1544	0.000E+00	0.0000	3.119E-08	0.8456	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.697E-09	0.1544	0.000E+00	0.0000	3.119E-08	0.8456	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.222E-13	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.689E-08	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.689E-08	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	5.602E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.836E-09	0.0066	0.000E+00	0.0000	5.797E-07	0.9934	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	3.837E-09	0.0066	0.000E+00	0.0000	5.797E-07	0.9934	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.602E-13	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.835E-07	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.835E-07	1.0000

\*Sum of all water independent and dependent pathways.



Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	5.263E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	9.724E-10	0.0002	0.000E+00	0.0000	6.416E-06	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	9.729E-10	0.0002	0.000E+00	0.0000	6.416E-06	0.9998	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.263E-13	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.417E-06	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.417E-06	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	3.573E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.066E-10	0.0000	0.000E+00	0.0000	1.450E-05	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.066E-10	0.0000	0.000E+00	0.0000	1.450E-05	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.573E-14	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.450E-05	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.450E-05	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+04 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.965E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	8.497E-09	0.0004	0.000E+00	0.0000	2.028E-05	0.9996	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	8.497E-09	0.0004	0.000E+00	0.0000	2.028E-05	0.9996	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+04 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.965E-19	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.029E-05	1.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.029E-05	1.0000

\*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways  
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction	DSR(j,t) (mrem/yr)/(pCi/g)									
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	3.000E+03	1.000E+04
U-235	U-235	1.000E+00	4.020E-17	4.015E-17	4.005E-17	3.969E-17	3.868E-17	3.536E-17	2.736E-17	1.115E-17	8.579E-19	1.083E-22
U-235	Pa-231	1.000E+00	0.000E+00	4.341E-16	1.297E-15	4.268E-15	1.233E-14	3.606E-14	7.435E-14	6.671E-14	4.710E-15	3.143E-20
U-235	Ac-227	1.000E+00	0.000E+00	1.816E-16	1.590E-15	1.608E-14	1.126E-13	6.173E-13	1.573E-12	1.481E-12	1.004E-13	5.464E-19
U-235	DSR(j)		4.020E-17	6.559E-16	2.928E-15	2.039E-14	1.250E-13	6.534E-13	1.648E-12	1.548E-12	1.051E-13	5.780E-19
U-238	U-238	1.000E+00	2.042E-10	2.038E-10	2.030E-10	2.002E-10	1.924E-10	1.676E-10	1.128E-10	2.825E-11	5.406E-13	5.242E-19
U-238	U-234	1.000E+00	0.000E+00	1.221E-26	3.654E-26	1.208E-25	3.540E-25	1.086E-24	2.575E-24	3.760E-24	1.068E-24	9.277E-28
U-238	Th-230	1.000E+00	0.000E+00	2.253E-33	2.027E-32	2.251E-31	2.021E-30	2.232E-29	1.997E-28	2.525E-27	1.035E-25	1.783E-20
U-238	Ra-226	1.000E+00	0.000E+00	1.108E-15	2.981E-14	1.089E-12	2.831E-11	9.174E-10	1.705E-08	1.887E-07	4.265E-07	5.966E-07
U-238	Pb-210	1.000E+00	0.000E+00	1.892E-33	1.528E-31	1.799E-29	1.283E-27	1.077E-25	4.030E-24	1.227E-22	2.914E-21	1.441E-17
U-238	DSR(j)		2.042E-10	2.038E-10	2.030E-10	2.013E-10	2.207E-10	1.085E-09	1.716E-08	1.887E-07	4.265E-07	5.966E-07

Branch Fraction is the cumulative factor for the j'th principal radionuclide daughter: CUMBRF(j) = BRF(1)\*BRF(2)\* ... BRF(j).  
The DSR includes contributions from associated (half-life  $\mu$  0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
Basic Radiation Dose Limit = 15 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	3.000E+03	1.000E+04
U-235	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06
U-238	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
at tmin = time of minimum single radionuclide soil guideline  
and at tmax = time of maximum total dose = 1.000E+04 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
U-235	3.4 J1	552.4 $\pm$ 0.6	1.960E-12	*2.160E+06	5.780E-19	*2.160E+06
U-238	3.4 +01	1.000E+04	5.966E-07	*3.360E+05	5.966E-07	*3.360E+05

\*At spec. activity limit

**Attachment 5**

**Summary Results  
Harvard Avenue Site (no cover)**

Table of Contents

#####

Part I: Mixture Sums and Single Radionuclide Guidelines

#####

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary .....	6
Summary of Pathway Selections .....	10
Contaminated Zone and Total Dose Summary .....	11
Total Dose Components	
Time = 0.000E+00 .....	12
Time = 1.000E+00 .....	13
Time = 3.000E+00 .....	14
Time = 1.000E+01 .....	15
Time = 3.000E+01 .....	16
Time = 1.000E+02 .....	17
Time = 3.000E+02 .....	18
Time = 1.000E+03 .....	19
Time = 3.000E+03 .....	20
Time = 1.000E+04 .....	21
Dose/Source Ratios Summed Over All Pathways .....	22
Single Radionuclide Soil Guidelines .....	22

Dose Conversion Factor (and Related) Parameter Summary

Menu	Parameter	Current Value	Default	Parameter Name
A-1	Ground external gamma, volume DCF's, (mrem/yr)/(pCi/cm**3):			
A-1	Ac-227+D, soil density = 1.0 g/cm**3	2.760E+00	2.760E+00	DCF1( 1,1)
A-1	Ac-227+D, soil density = 1.8 g/cm**3	1.520E+00	1.520E+00	DCF1( 1,2)
A-1	Pa-231, soil density = 1.0 g/cm**3	2.210E-01	2.210E-01	DCF1( 2,1)
A-1	Pa-231, soil density = 1.8 g/cm**3	1.210E-01	1.210E-01	DCF1( 2,2)
A-1	Pb-210+D, soil density = 1.0 g/cm**3	4.870E-03	4.870E-03	DCF1( 3,1)
A-1	Pb-210+D, soil density = 1.8 g/cm**3	2.310E-03	2.310E-03	DCF1( 3,2)
A-1	Ra-226+D, soil density = 1.0 g/cm**3	1.550E+01	1.550E+01	DCF1( 4,1)
A-1	Ra-226+D, soil density = 1.8 g/cm**3	8.560E+00	8.560E+00	DCF1( 4,2)
A-1	Th-230, soil density = 1.0 g/cm**3	2.110E-03	2.110E-03	DCF1( 5,1)
A-1	Th-230, soil density = 1.8 g/cm**3	1.030E-03	1.030E-03	DCF1( 5,2)
A-1	U-234, soil density = 1.0 g/cm**3	1.580E-03	1.580E-03	DCF1( 6,1)
A-1	U-234, soil density = 1.8 g/cm**3	6.970E-04	6.970E-04	DCF1( 6,2)
A-1	U-235+D, soil density = 1.0 g/cm**3	8.940E-01	8.940E-01	DCF1( 7,1)
A-1	U-235+D, soil density = 1.8 g/cm**3	4.900E-01	4.900E-01	DCF1( 7,2)
A-1	U-238+D, soil density = 1.0 g/cm**3	1.270E-01	1.270E-01	DCF1( 8,1)
A-1	U-238+D, soil density = 1.8 g/cm**3	6.970E-02	6.970E-02	DCF1( 8,2)
A-3	Depth factors, ground external gamma, dimensionless:			
A-3	Ac-227+D, soil density = 1.0 g/cm**3, thickness = .15 m	7.900E-01	7.900E-01	FD( 1,1,1)
A-3	Ac-227+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	9.700E-01	9.700E-01	FD( 1,2,1)
A-3	Ac-227+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 1,3,1)
A-3	Ac-227+D, soil density = 1.8 g/cm**3, thickness = .15 m	9.100E-01	9.100E-01	FD( 1,1,2)
A-3	Ac-227+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 1,2,2)
A-3	Ac-227+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 1,3,2)
A-3	Pa-231, soil density = 1.0 g/cm**3, thickness = .15 m	7.900E-01	7.900E-01	FD( 2,1,1)
A-3	Pa-231, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 2,2,1)
A-3	Pa-231, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 2,3,1)
A-3	Pa-231, soil density = 1.8 g/cm**3, thickness = .15 m	9.200E-01	9.200E-01	FD( 2,1,2)
A-3	Pa-231, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 2,2,2)
A-3	Pa-231, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 2,3,2)
A-3	Pb-210+D, soil density = 1.0 g/cm**3, thickness = .15 m	8.800E-01	8.800E-01	FD( 3,1,1)
A-3	Pb-210+D, soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 3,2,1)
A-3	Pb-210+D, soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 3,3,1)
A-3	Pb-210+D, soil density = 1.8 g/cm**3, thickness = .15 m	9.700E-01	9.700E-01	FD( 3,1,2)
A-3	Pb-210+D, soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 3,2,2)
A-3	Pb-210+D, soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 3,3,2)

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

## Dose Conversion Factor (and Related) Parameter Summary (continued)

Menu	Parameter	Current Value	Default	Parameter Name
A-3	* Ra-226+D , soil density = 1.0 g/cm**3, thickness = .15 m	6.300E-01	6.300E-01	FD( 4,1,1)
A-3	* Ra-226+D , soil density = 1.0 g/cm**3, thickness = 0.5 m	9.200E-01	9.200E-01	FD( 4,2,1)
A-3	* Ra-226+D , soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 4,3,1)
A-3	* Ra-226+D , soil density = 1.8 g/cm**3, thickness = .15 m	8.500E-01	8.500E-01	FD( 4,1,2)
A-3	* Ra-226+D , soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 4,2,2)
A-3	* Ra-226+D , soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 4,3,2)
A-3	*	.	.	.
A-3	* Th-230 , soil density = 1.0 g/cm**3, thickness = .15 m	9.300E-01	9.300E-01	FD( 5,1,1)
A-3	* Th-230 , soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 5,2,1)
A-3	* Th-230 , soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 5,3,1)
A-3	* Th-230 , soil density = 1.8 g/cm**3, thickness = .15 m	1.000E+00	1.000E+00	FD( 5,1,2)
A-3	* Th-230 , soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 5,2,2)
A-3	* Th-230 , soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 5,3,2)
A-3	*	.	.	.
A-3	* U-234 , soil density = 1.0 g/cm**3, thickness = .15 m	9.000E-01	9.000E-01	FD( 6,1,1)
A-3	* U-234 , soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 6,2,1)
A-3	* U-234 , soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 6,3,1)
A-3	* U-234 , soil density = 1.8 g/cm**3, thickness = .15 m	1.000E+00	1.000E+00	FD( 6,1,2)
A-3	* U-234 , soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 6,2,2)
A-3	* U-234 , soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 6,3,2)
A-3	*	.	.	.
A-3	* U-235+D , soil density = 1.0 g/cm**3, thickness = .15 m	8.700E-01	8.700E-01	FD( 7,1,1)
A-3	* U-235+D , soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 7,2,1)
A-3	* U-235+D , soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 7,3,1)
A-3	* U-235+D , soil density = 1.8 g/cm**3, thickness = .15 m	1.000E+00	1.000E+00	FD( 7,1,2)
A-3	* U-235+D , soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 7,2,2)
A-3	* U-235+D , soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 7,3,2)
A-3	*	.	.	.
A-3	* U-238+D , soil density = 1.0 g/cm**3, thickness = .15 m	7.800E-01	7.800E-01	FD( 8,1,1)
A-3	* U-238+D , soil density = 1.0 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 8,2,1)
A-3	* U-238+D , soil density = 1.0 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 8,3,1)
A-3	* U-238+D , soil density = 1.8 g/cm**3, thickness = .15 m	8.800E-01	8.800E-01	FD( 8,1,2)
A-3	* U-238+D , soil density = 1.8 g/cm**3, thickness = 0.5 m	1.000E+00	1.000E+00	FD( 8,2,2)
A-3	* U-238+D , soil density = 1.8 g/cm**3, thickness = 1.0 m	1.000E+00	1.000E+00	FD( 8,3,2)
A-3	*	.	.	.
B-1	* Dose conversion factors for inhalation, mrem/rCi:	.	.	.
B-1	* Ac-227+D	6.700E+00	6.700E+00	DCF2( 1)
B-1	* Pa-231	1.300E+00	1.300E+00	DCF2( 2)
B-1	* Pb-210+D	2.100E-02	2.100E-02	DCF2( 3)
B-1	* Ra-226+D	7.900E-03	7.900E-03	DCF2( 4)
B-1	* Th-230	3.200E-01	3.200E-01	DCF2( 5)
B-1	* U-234	1.300E-01	1.300E-01	DCF2( 6)
B-1	* U-235+D	1.200E-01	1.200E-01	DCF2( 7)
B-1	* U-238+D	1.200E-01	1.200E-01	DCF2( 8)
B-1	*	.	.	.
D-1	* Dose conversion factors for ingestion, mrem/pCi:	.	.	.
D-1	* Ac-227+D	1.500E-02	1.500E-02	DCF3( 1)
D-1	* Pa-231	1.100E-02	1.100E-02	DCF3( 2)
D-1	* Pb-210+D	6.700E-03	6.700E-03	DCF3( 3)
D-1	* Ra-226+D	1.100E-03	1.100E-03	DCF3( 4)
D-1	* Th-230	5.300E-04	5.300E-04	DCF3( 5)



Dose Conversion Factor (and Related) Parameter Summary (continued)

Menu	Parameter	Current Value	Default	Parameter Name
D-1	U-234	2.600E-04	2.600E-04	DCF3( 6)
D-1	U-235+D	2.500E-04	2.500E-04	DCF3( 7)
D-1	U-238+D	2.500E-04	2.500E-04	DCF3( 8)
D-34	Food transfer factors:			
D-34	Ac-227-D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 1,1)
D-34	Ac-227-D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,2)
D-34	Ac-227-D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF( 1,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 2,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF( 2,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 2,3)
D-34	Pb-210-D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF( 3,1)
D-34	Pb-210-D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF( 3,2)
D-34	Pb-210-D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF( 3,3)
D-34	Ra-226-D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF( 4,1)
D-34	Ra-226-D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF( 4,2)
D-34	Ra-226-D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF( 4,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF( 5,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF( 5,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF( 5,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 6,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 6,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 6,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 7,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 7,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 7,3)
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF( 8,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF( 8,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF( 8,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227-D , fish	1.500E+01	1.500E+01	BIOFAC( 1,1)
D-5	Ac-227-D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC( 1,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC( 2,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC( 2,2)
D-5	Pb-210-D , fish	3.000E+02	3.000E+02	BIOFAC( 3,1)
D-5	Pb-210-D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC( 3,2)
D-5	Ra-226-D , fish	5.000E+01	5.000E+01	BIOFAC( 4,1)
D-5	Ra-226-D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC( 4,2)

Dose Conversion Factor (and Related) Parameter Summary (continued)

Menu	Parameter	Current Value	Default	Parameter Name
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC( 5,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC( 5,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC( 6,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 6,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC( 7,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 7,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC( 8,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC( 8,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (if different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	6.400E+03	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	9.100E-01	2.000E+00	---	THICK0
R011	Length parallel to aquifer flow (m)	1.300E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	1.500E+01	3.000E+01	---	BRLD
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T( 2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T( 3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T( 4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T( 5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T( 6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T( 7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T( 8)
R011	Times for calculations (yr)	3.000E+03	3.000E+03	---	T( 9)
R011	Times for calculations (yr)	1.000E+04	1.000E+04	---	T(10)
R012	Initial principal radionuclide (pCi/g): U-235	3.400E-01	0.000E+00	---	SI( 7)
R012	Initial principal radionuclide (pCi/g): U-238	3.400E+01	0.000E+00	---	SI( 8)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	WI( 7)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	WI( 8)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVER0
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.650E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-02	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.100E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	4.100E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	6.900E-01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	1.140E+01	5.300E+00	---	BCZ
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	6.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	8.700E-01	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	0.000E+00	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	4.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.900E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	2.980E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	6.750E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	1.200E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	8.300E-01	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Individual's use of groundwater (m**3/yr)	not used	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS

Summary : Post-closure Pathways Analysis (Nr Cover) - Harvard Avenue Site

File : HARV-4.DAT

Site-Specific Parameter Summary (continued)

Menu *	Parameter	User Input *	Default *	Used by RESRAD (If different from user input) *	Parameter Name
R015	Unsat. zone 1, thickness (m)	7.300E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.650E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	6.900E-01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 7)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 7)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 8)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 8,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 8)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC( 1)
R016	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU( 1,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS( 1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.872E-03	ALEACH( 1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 1)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 2)
R016	Unsat. zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 2,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 2)
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC( 3)
R016	Unsat. zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU( 3,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS( 3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.387E-03	ALEACH( 3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 3)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC( 4)
R016	Unsat. zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU( 4,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS( 4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.980E-03	ALEACH( 4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 4)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (if different from user input)	Parameter Name
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC( 5)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU( 5,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS( 5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.318E-06	ALEACH( 5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 5)
R016	Distribution coefficients for daughter U-234				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC( 6)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU( 6,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS( 6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.768E-03	ALEACH( 6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK( 6)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHAI R
R017	Mass loading for inhalation (g/m**3)	2.000E-04	2.000E-04	---	MLINH
R017	Dilution length for airborne dust, inhalation (m)	3.000E+00	3.000E+00	---	LM
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor, external gamma	1.000E+00	1.000E+00	---	FS1
R017	Fractions of annular areas within AREA:				
R017	Outer annular radius (m) = «(1/D)	not used	1.000E+00	---	FRACA( 1)
R017	Outer annular radius (m) = «(10/D)	not used	1.000E+00	---	FRACA( 2)
R017	Outer annular radius (m) = «(20/D)	not used	1.000E+00	---	FRACA( 3)
R017	Outer annular radius (m) = «(50/D)	not used	1.000E+00	---	FRACA( 4)
R017	Outer annular radius (m) = «(100/D)	not used	1.000E+00	---	FRACA( 5)
R017	Outer annular radius (m) = «(200/D)	not used	1.000E+00	---	FRACA( 6)
R017	Outer annular radius (m) = «(500/D)	not used	1.000E+00	---	FRACA( 7)
R017	Outer annular radius (m) = «(1000/D)	not used	1.000E+00	---	FRACA( 8)
R017	Outer annular radius (m) = «(5000/D)	not used	1.000E+00	---	FRACA( 9)
R017	Outer annular radius (m) = «(1.E+04/D)	not used	1.000E+00	---	FRACA(10)
R017	Outer annular radius (m) = «(1.E+05/D)	not used	0.000E+00	---	FRACA(11)
R017	Outer annular radius (m) = «(1.E+06/D)	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	9.200E+01	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/y.)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	4.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (if different from user input)	Parameter Name
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.320E+00	FMEAT
R018	Contamination fraction of milk	-1	-1	0.320E+00	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LW15
R019	Livestock water intake for milk (L/day)	1.600E+02	1.500E+02	---	LW16
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	1.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
R021	Thickness of building foundation (m)	1.500E-01	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	2.400E+00	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	1.000E-01	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	1.000E-02	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	2.000E-08	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average annual wind speed (m/sec)	6.700E+00	2.000E+00	---	WIND
R021	Average building air exchange rate (1/hr)	1.000E+00	5.000E-01	---	REXG
R021	Height of the building (room) (m)	2.500E+00	2.500E+00	---	HRM
R021	Building interior area factor	1.000E+00	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	1.000E+00	1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	2.000E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	*	User Selection
1 -- external gamma	*	active
2 -- inhalation (w/o radon)	*	active
3 -- plant ingestion	*	active
4 -- meat ingestion	*	active
5 -- milk ingestion	*	active
6 -- aquatic foods	*	active
7 -- drinking water	*	active
8 -- soil ingestion	*	active
9 -- radon	*	active

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g
#####	#####
Area: 6400.00 square meters	U-235      3.400E-01
Thickness: 0.91 meters	U-238      3.400E+01
Cover Depth: 0.00 meters	

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 15 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

#####

t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	3.000E+03	1.000E+04
TDOSE(t):	7.963E+00	7.941E+00	7.855E+00	7.562E+00	6.767E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
M(t):	5.308E-01	5.294E-01	5.237E-01	5.041E-01	4.511E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Maximum TDOSE(t): 7.963E+00 mrem/yr at t = 0.000E+00 years



Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.846E-01	0.0232	2.973E-02	0.0037	0.000E+00	0.0000	1.854E-02	0.0023	3.915E-04	0.0000	9.594E-04	0.0001	1.396E-03	0.0002
U-238	2.625E+00	0.3297	2.973E+00	0.3734	0.000E+00	0.0000	1.854E+00	0.2328	3.915E-02	0.0049	9.594E-02	0.0120	1.396E-01	0.0175
Total	2.810E+00	0.3529	3.003E+00	0.3771	0.000E+00	0.0000	1.872E+00	0.2351	3.954E-02	0.0050	9.690E-02	0.0122	1.410E-01	0.0177

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.356E-01	0.0296
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.727E+00	0.9704
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.963E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.841E-01	0.0232	2.966E-02	0.0037	0.000E+00	0.0000	1.856E-02	0.0023	3.998E-04	0.0001	9.568E-04	0.0001	1.394E-03	0.0002
U-238	2.618E+00	0.3297	2.965E+00	0.3734	9.254E-15	0.0000	1.849E+00	0.2328	3.904E-02	0.0049	9.568E-02	0.0120	1.392E-01	0.0175
Total	2.802E+00	0.3529	2.994E+00	0.3771	9.254E-15	0.0000	1.867E+00	0.2352	3.944E-02	0.0050	9.664E-02	0.0122	1.406E-01	0.0177

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.351E-01	0.0296
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.706E+00	0.9704
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.941E+00	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.831E-01	0.0233	2.951E-02	0.0038	0.000E+00	0.0000	1.818E-02	0.0023	4.137E-04	0.0001	9.470E-04	0.0001	1.389E-03	0.0002
U-238	2.604E+00	0.3315	2.948E+00	0.3753	2.455E-13	0.0000	1.798E+00	0.2289	3.860E-02	0.0049	9.470E-02	0.0121	1.385E-01	0.0176
Total	2.787E+00	0.3548	2.978E+00	0.3791	2.455E-13	0.0000	1.816E+00	0.2312	3.902E-02	0.0050	9.564E-02	0.0122	1.398E-01	0.0178

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.335E-01	0.0297
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.622E+00	0.9703
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.855E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.796E-01	0.0238	2.903E-02	0.0038	0.000E+00	0.0000	1.687E-02	0.0022	4.575E-04	0.0001	9.133E-04	0.0001	1.373E-03	0.0002
U-238	2.554E+00	0.3377	2.892E+00	0.3825	8.510E-12	0.0000	1.623E+00	0.2147	3.711E-02	0.0049	9.132E-02	0.0121	1.358E-01	0.0180
Total	2.733E+00	0.3615	2.921E+00	0.3863	8.510E-12	0.0000	1.640E+00	0.2169	3.757E-02	0.0050	9.223E-02	0.0122	1.372E-01	0.0181

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.282E-01	0.0302
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.333E+00	0.9698
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.562E+00	1.0000

\*Sum of all water independent and dependent pathways.

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	1.700E-01	0.0251	2.788E-02	0.0041	0.000E+00	0.0000	1.302E-02	0.0019	5.428E-04	0.0001	8.224E-04	0.0001	1.338E-03	0.0002
U-238	2.415E+00	0.3569	2.736E+00	0.4044	1.801E-10	0.0000	1.158E+00	0.1711	3.309E-02	0.0049	8.218E-02	0.0121	1.285E-01	0.0190
Total	2.585E+00	0.3821	2.764E+00	0.4085	1.801E-10	0.0000	1.171E+00	0.1730	3.363E-02	0.0050	8.301E-02	0.0123	1.298E-01	0.0192

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.137E-01	0.0316
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.554E+00	0.9684
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.767E+00	1.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

\*Sum of all water independent and dependent pathways.

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

\*Sum of all water independent and dependent pathways.



Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Table with 7 columns: Ground, Inhalation, Radon, Plant, Meat, Milk, Soil. Rows include Nuclide (U-235, U-238) and Total, with columns for mrem/yr and fract.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+03 years

Water Dependent Pathways

Table with 7 columns: Water, Fish, Radon, Plant, Meat, Milk, All Pathways\*. Rows include Nuclide (U-235, U-238) and Total, with columns for mrem/yr and fract.

\*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+04 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)  
 As mrem/yr and Fraction of Total Dose At t = 1.000E+04 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

\*Sum of all water independent and dependent pathways.

Summary : Post-closure Pathways Analysis (No Cover) - Harvard Avenue Site

File : HARV-4.DAT

Dose/Source Ratios Summed Over All Pathways  
Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction	DSR(j,t) (mrem/yr)/(pCi/g)																	
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	3.000E+03	1.000E+04								
U-235	U-235	1.000E+00	6.930E-01	6.911E-01	6.861E-01	6.687E-01	6.214E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Pa-231	1.000E+00	0.000E+00	2.561E-04	7.495E-04	2.285E-03	5.147E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	Ac-227	1.000E+00	0.000E+00	3.351E-06	2.908E-05	2.849E-04	1.815E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-235	DSR(j)		6.930E-01	6.914E-01	6.869E-01	6.713E-01	6.284E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-238	1.000E+00	2.273E-01	2.266E-01	2.242E-01	2.157E-01	1.927E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	U-234	1.000E+00	0.000E+00	4.532E-07	1.341E-06	4.262E-06	1.110E-05	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Th-230	1.000E+00	0.000E+00	3.688E-12	3.295E-11	3.569E-10	2.985E-09	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Ra-226	1.000E+00	0.000E+00	2.502E-14	6.683E-13	2.384E-11	5.758E-10	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	Pb-210	1.000E+00	0.000E+00	8.628E-17	6.800E-15	7.333E-13	3.890E-11	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00
U-238	DSR(j)		2.273E-01	2.266E-01	2.242E-01	2.157E-01	1.928E-01	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00	0.000E+00

Branch Fraction is the cumulative factor for the j'th principal radionuclide daughter: CUMBRF(j) = BRF(1)\*BRF(2)\* ... BRF(j).  
The DSR includes contributions from associated (half-life  $\mu$  0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
Basic Radiation Dose Limit = 15 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03	3.000E+03	1.000E+04
U-235	2.164E+01	2.170E+01	2.184E+01	2.234E+01	2.387E+01	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06
U-238	6.600E+01	6.619E+01	6.691E+01	6.955E+01	7.782E+01	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05

\*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)  
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g  
at tmin = time of minimum single radionuclide soil guideline  
and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
U-235	3.400E-01	0.000E+00	6.930E-01	2.164E+01	6.930E-01	2.164E+01
U-238	3.400E+01	0.000E+00	2.273E-01	6.600E+01	2.273E-01	6.600E+01