

MAR 14 1994

Docket No. 030-02533

License No. 29-11187-01

Fair Lawn Diagnostic Imaging Center  
ATTN: Stuart Moses, M.D.  
20-19 Fair Lawn Avenue  
Fair Lawn, New Jersey 07410

Dear Dr. Moses:

Subject: Routine Inspection No. 030-02533/94-001

This letter refers to your February 14, 1994 correspondence, in response to our February 3, 1994 letter.

Thank you for informing us of the corrective and preventive actions documented in your letter. These actions will be examined during a future inspection of your licensed program.

Your cooperation with us is appreciated.

Sincerely,

Original Signed By:  
Jenny M. Johansen

Jenny M. Johansen, Chief  
Medical Inspection Section  
Division of Radiation Safety  
and Safeguards

cc:  
Public Document Room (PDR)  
Nuclear Safety Information Center (NSIC)  
State of New Jersey

OFFICIAL RECORD COPY - S:\PENDING\FAIRLAWN.RL - 03/08/94

9403290073 940314  
PDR ADOCK 03002533  
C PDR

RETURN ORIGINAL TO  
REGION I

TE:07

Fair Lawn Diagnostic Imaging Center -2-

bcc:  
Region I Docket Room (w/concurrences)

DRSS:RI  
Cahill/cmmuc  
3/10/94

DRSS:RI  
Johansen  
3/14/94