

COMMONWEALTH EDISON COMPANY

DOCKET NO. 50-373

LA SALLE COUNTY STATION, UNIT 1

AMENDMENT TO FACILITY OPERATING LICENSE

License No. NPF-11  
Amendment No. 6

1. The Nuclear Regulatory Commission (the Commission or the NRC) having found that:
  - A. The application for amendment by the Commonwealth Edison Company, dated August 19 and 30, 1982, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations set forth in 10 CFR Chapter I;
  - B. The facility will operate in conformity with the application, the provisions of the Act, and the regulations of the Commission;
  - C. There is reasonable assurance: (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations; set forth in 10 CFR Chapter I;
  - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment and paragraph 2.C.(2) of the Facility Operating License No. NPF-11 is hereby amended to read as follows:

(2) Technical Specifications

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 6, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

8209130490 820907  
PDR ADOCK 05000373  
P PDR

DATE

3. This amendment is effective as of the date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

A. Schwencer, Chief  
Licensing Branch No. 2  
Division of Licensing

Attachments:  
Changes to the Technical  
Specifications

Date of Issuance: September 7th, 1982

OFFICE	DL:LB#2/PM	DL:LB#2/LA	OELD	DL:LB#2/BC			
SURNAME	ABournia:pt	EHylton	<i>[Signature]</i>	ASchwencer			
DATE	9/3/82	9/3/82	9/3/82	9/7/82			

ATTACHMENT TO LICENSE AMENDMENT NO. 6

FACILITY OPERATING LICENSE NO. NPF-11

DOCKET NO. 50-373

Replace the following pages of the Appendix "A" Technical Specifications with the enclosed pages. The revised pages are identified by Amendment number and contain vertical lines indicating the area of change.

REMOVE

3/4 3-82

3/4 3-84

INSERT

3/4 3-82

3/4 3-84

TABLE 4.3.7.10-1

RADIOACTIVE LIQUID EFFLUENT MONITORING INSTRUMENTATION SURVEILLANCE REQUIREMENTS

<u>INSTRUMENT</u>	<u>CHANNEL CHECK</u>	<u>SOURCE CHECK</u>	<u>CHANNEL FUNCTIONAL TEST</u>	<u>CHANNEL CALIBRATION</u>
1. GAMMA SCINTILLATION MONITOR PROVIDING ALARM AND AUTOMATIC TERMINATION OF RELEASE				
a. Liquid Radwaste Effluents Line	D	P	Q(1)	R(3)
2. GAMMA SCINTILLATION MONITORS PROVIDING ALARM BUT NOT PROVIDING AUTOMATIC TERMINATION OF RELEASE				
a. Service Water System Effluent Line (ID18-K608)	D	M	Q(2)	R(3)
b. RHR Service Water (Line A) Effluent Line	D	M	Q(2)	R(3)
c. RHR Service Water (Line B) Effluent Line	D	M	Q(2)	R(3)
d. Service Water System Effluent Line (2D18-K608)	D	M	Q(2)	R(3)
3. FLOW RATE MEASUREMENT DEVICES				
a. Liquid Radwaste Effluent Line	D(4)	N.A.	Q	R
b. River Discharge - Blowdown Pipe	D(4)	N.A.	Q	R