

March 25, 1995

Docket No. 50-254

Docket No. 50-265

Commonwealth Edison Company
ATTN: Mr. R. Pleniewicz
Site Vice President
Quad Cities Station
22712 206th Avenue North
Cordova, IL 61242

SUBJECT: NRC INSPECTION REPORTS NO. 50-254/94007; 50-265/94007

Dear Mr. Pleniewicz:

This refers to the engineering and technical support inspection conducted by Mr. I. T. Yin of this office on January 31 through February 25, 1994. The inspection included a review of activities authorized for your Quad Cities facility. At the conclusion of the inspection, the findings were discussed with the members of your staff identified in the enclosed report.

Areas examined during the inspection are identified in the enclosed report. The inspection focused on your corrective action plans to resolve pump and valve cavitation and vibration problems. Within these areas, the inspection consisted of a selective examination of procedures and representative records, and interviews with personnel. As a result of the inspection, we concluded that your pump and valve cavitation and vibration plan was adequate.

Two concerns were identified during this inspection. First, a lack of careful consideration of similar events was identified during LER and deficiency report generation. Accurate evaluation of similar past events during the assessment of a current event will establish meaningful trending data. Secondly, available original design information was not retrieved during the development of a modification to a non-safety system as part of your corrective action to an identified design deficiency. Retrieval of original design information will ensure appropriate maintenance of system design margins.

No violations of NRC requirements were identified during the course of the this inspection.

In accordance with 10 CFR 2.790 of the Commission's regulations, a copy of this letter and its enclosure will be placed in the NRC Public Document Room.

9404040104 940325
PDR ADOCK 05000254
Q PDR

11
1E-01

March 25, 1994

We will gladly discuss any questions you have concerning this inspection.

Sincerely,

original signed by Bruce L. Burgess /for

Mark A. Ring, Chief
Operations Branch

Enclosure: Inspection Reports
No. 50-254/94007(DRS);
No. 50-265/94007(DRS)

cc w/enclosure:

- L.O. DelGeorge, Vice President,
Nuclear Oversight and Regulatory
Services
- G. Campbell, Station Manager
- N. Chrissotimos, Regulatory Assurance
Supervisor
- D. Farrar, Nuclear Regulatory
Services Manager
- OC/LFDCB
- Resident Inspectors LaSalle
Dresden, Quad Cities
- Richard Hubbard
- Nathan Schloss, Economist Public
Utilities Division
- Licensing Project Manager, NRR
State Liaison Officer
- Chairman, Illinois Commerce
Commission
- T. O. Martin, RIII

bcc: PUBLIC IE-01

RIII
[Signature]
Yth/lc
3/25/94

RIII
[Signature]
Burgess
3/25/94

RIII
[Signature]
Hiland
3/24/94

RIII
[Signature]
Ring
3/25/94