

SAFETY INSPECTION

pmb

1. LICENSEE Centennial Engineering Inc. P.O. Box 2000 341 East E., Suite 100 Casper, Wyoming 82602		2. REGIONAL OFFICE U.S. Nuclear Regulatory Commission Region IV 611 Ryan Plaza Drive, Suite 1000 Arlington, Texas 76011	
3. DOCKET NUMBER(S) 30-19140	4. LICENSE NUMBER(S) 49-19711-01	5. DATE OF INSPECTION July 1-2, 1982	

Licensee:

The inspection was an examination of the activities conducted under your license as they relate to radiation safety and to compliance with the Nuclear Regulatory Commission's (NRC) rules and regulations and the conditions of your license. The inspection consisted of selective examinations of procedures and representative records, interviews, with personnel, and observations by the inspector. The findings as a result of this inspection are as follows:

1. Within the scope of this inspection, no violations were observed.

2. The inspector also verified the steps you have taken to correct the violations identified during the last inspection. We have no further questions on those actions at this time.

3. During this inspection certain of your activities, as checked below, were in violation of NRC requirements. **THIS IS A NOTICE OF VIOLATION** which is required to be posted in accordance with 10 CFR 19.11.

A. _____ was not properly posted to indicate the presence of a _____ 10 CFR 20.203(b), (c), (d), (e) or 34.42.

B. Containers located in _____ were not properly labeled to indicate the presence of radioactive material. 10 CFR 20.203(f)(1), or (f)(2).

C. _____ of sealed sources were not performed at the proper frequencies. 10 CFR _____ License Condition Number _____

D. Records of **leak tests** _____ were not properly maintained. ~~10 CFR~~ _____ or License Condition Number **14.B**

E. Documents were not properly posted or otherwise made available. 10 CFR 19.11.

F. Reports or notifications of _____ were not made in accordance with 10 CFR _____ or License Condition Number _____

H. **Records of receipt and transfer of two moisture density gauges were not available as required by 10 CFR 30.51.**

I. **Records of physical inventories were not available as required by license Condition Number 15.**

J. **As required by 10 CFR 71.5(a) (a) Shipping papers were not provided for transporting gauging devices (49 CFR 172.200); (b) Specification 7A package certifications were not maintained**

K. **(49 CFR 173.394(a)(1)); (c) Special form certifications were not maintained for special form material (49 CFR 173.398 (a)).**

I hereby state that within 30 days the actions described by me to the inspector will be taken to correct the violations identified in the items checked above. This statement of corrective actions is made in accordance with the requirements of 10 CFR 2.201. No further response will be submitted unless required by the NRC.

<i>James R. Thomas</i> SIGNATURE - LICENSEE	7/26/82 DATE	<i>CA. Hood</i> SIGNATURE - NRC INSPECTOR	7/9/82 DATE
--	-----------------	--	----------------

IE-01