

AUG 31 1982

Docket No. 99900113/82-02

ITT Barton Instruments  
ATTN: Mr. Thomas J. Shideler  
General Manager  
900 South Turnbull Canyon Rd.  
City of Industry, CA 91749

Gentlemen:

This refers to the inspection conducted by Mr. A. L. Smith of this office on June 22-23, 1982, of your facility at City of Industry, California, and to the discussions of our findings with Mr. G. R. Welt and members of your staff at the conclusion of the inspection.

Areas examined during this inspection and our findings are discussed in the enclosed report. Within these areas, the inspection consisted of an examination of procedures and representative records, interviews with personnel, and observations by the inspector.

Within the scope of this inspection, we found no instance where you failed to meet NRC requirements.

In accordance with 10 CFR 2.790 of the Commission's regulations, a copy of this letter and the enclosed inspection report will be placed in the NRC's Public Document Room. If this report contains any information that you believe to be exempt from disclosure under 10 CFR 9.5(a)(4), it is necessary that you (a) notify this office by telephone within 10 days from the date of this letter of your intention to file a request for withholding; and (b) submit within 25 days from the date of this letter a written application to this office to withhold such information. If your receipt of this letter has been delayed such that less than 7 days are available for your review, please notify this office promptly so that a new due date may be established. Consistent with Section 2.790(b)(1), any such application must be accompanied by an affidavit executed by the owner of the information which identifies the document or part sought to be withheld, and which contains a full statement of the reasons on the basis which it is claimed that the information should be withheld from public disclosure. This section further requires the statement to address with specificity the considerations listed in 10 CFR 2.790(b)(4).

RIV  
CI:EQS  
ALSmith/rf  
8/24/82

SC:EQS  
HSPhillips  
8/26/82

BC:VPB  
UPotapovs  
8/28/82

D:IES  
EHJohnson  
8/27/82

RA:RIV  
JTCollins  
8/31/82

1809

The information sought to be withheld shall be incorporated as far as possible into a separate part of the affidavit. If we do not hear from you in this regard within the specified periods noted above, the report will be placed in the Public Document Room.

Should you have any questions concerning this inspection, we will be pleased to discuss them with you.

Sincerely,

Uldis Potapovs, Chief  
Vendor Program Branch

Enclosures:

1. Appendix A - Inspection Report No. 99900113/82-02
2. Appendix B - Inspection Data Sheets (3 Pages)

bcc:

IE Files

AEOD

QAB

EQB

NRC:PDR

Reg. Administrator, I, II, III, IV, V

EHJohnson, RIV

NB Le, IE

DD Reiff, NRR:EQB

WS Farmer, RES

DMJeppesen, Sandia National Laboratories, Albuquerque, NM