PRELIMINARY NOTIFICATION OF EVENT OR UNUSUAL OCCURRENCE PNO-11-90-52

This preliminary notification constitutes EARLY notice of events of POSSIBLE safety or public interest significance. The information is as initially received without verification or evaluation, and is basically all that is known by the Region II staff on this date.

FACILITY: Quadrex Recycle Center Oakridge, TN Licensee No. R-01037-594 (Agreement State Licensee) Licensee Emergency Classification: Notification of Unusual Event Alert Site Area Emergency General Emergency X Not Applicable

SUBJECT: PROCESS TANK LIQUID SPILL

Tennessee, an Agreement State, notified NRC Region II at 2:00 pm (EDT) on September 17, 1990 that Quadrex had reported a liquid spill from one of their process tanks.

Quadrex estimated that approximately six millicuries of activity contained in 700 gallons of liquid over flowed and ran onto adjacent property. The liquid was slightly acidic with hydrochloric acid. The licensee spread lime on the affected area to neutralize the liquid. Radiation levels were reported to be approximately 50 microroentgens per hour. The licensee has reported that all materials have been contained and that all contaminated soil would be removed.

The State sent an Inspector from their Knoxville area office to provide oversight.

The State has declined NRC assistance at this time.

News media interest is expected.

This information is current as of 3:00 pm. (CDT) on September 17, 1990.

CONTACT: R. L. Woodruff - 841-5553

DISTRIBUTION:

One White 4:55 Flint North Chairman Carr Comm. Roberts Comm. Rogers Comm. Curtiss Comm. Remick OGC OCA GPA/SLITP/PA EDO NRR NMSS OE	M'land Nat'l 4.5-9 Bank Bldg IRM OIG AEOD NRC Ops Ctr <u>Nicholson Lane</u> 11.5 <u>RES</u> <u>L Street</u> PDR	RegionsMAIL TO:Region I 5: 05Region IIRegion IIRegion IV 807Region V 800Phillips BldgPACRSEWW M.30ASLAP	DCS (Original IE 34) DOT (Transportation Only) INPOSSES LICENSEE (Corporate) RII Resident
5520: //90 @	TO REGIONS AND HQ		
PDR	**************************************	******	иххххххххххххххххххххххххххх 1/0 IEЗ