

## Washington Public Power Supply System

P.O. Box 968 3000 George Washington Way Richland, Washington 99352 (509) 372-5000

September 22, 1982

Docket 50-508

Mr. D. G. Eisenhut, Director  
Division of Licensing  
U. S. Nuclear Regulatory Commission  
Washington, D. C. 20555

Dear Mr. Eisenhut:

Subject: WNP-3 FSAR DISTRIBUTION

Reference: Letter D. G. Eisenhut to R. L. Ferguson,  
"Acceptance Review of the Application for  
an Operating License for WNP-3", dated  
August 20, 1982

In accordance with the distribution lists attached to the referenced letter, copies of the FSAR, General Information Report and Environmental Report for WNP-3 were sent to the Regional Radiation Representative of the U. S. Environmental Protection Agency, Region X in Seattle.

We were recently advised by EPA, Region X that they had no need for the FSAR (including the Emergency Preparedness Plan and Fire Protection Evaluation) and General Information Report. These documents were subsequently returned to us.

The purpose of this letter is to advise you that we have deleted EPA, Region X from our distribution list for future FSAR and General Information amendments. A copy of our letter to Region X is attached for your information.

Very truly yours,



G. D. Bouchey, Manager  
Nuclear Safety & Licensing

GCS/sm

Attachment

cc: NS Reynolds U&L w/a

3001

## Washington Public Power Supply System

P.O. Box 968 3000 George Washington Way Richland, Washington 99352 (509) 372-5000

September 21, 1982

Regional Radiation Representative  
U. S. Environmental Protection Agency  
Region X  
1200 6th Avenue  
Seattle, Washington 98101


Gentlemen:

Subject: FINAL SAFETY ANALYSIS REPORT FOR NUCLEAR PROJECT NO. 3

In accordance with instructions which we received from the Nuclear Regulatory Commission, a copy of the Final Safety Analysis Report (FSAR) and Environmental Report (ER) for our Nuclear Project No. 3 was sent to your office. On September 8, 1982, Mr. Ed Cowan of your office called to advise me that the FSAR had been received, but was not needed by your agency. The FSAR, including Emergency Preparedness Plan, Fire Protection Evaluation and General Information document has since been returned to my office.

This will acknowledge that we have deleted your agency from the distribution list for future FSAR amendments. You will receive future amendments to the Environmental Report only, which you have retained.

Very truly yours,



G. C. Sorensen, Manager  
Licensing Programs

GCS/sm

cc: DG Eisenhut    NRC  
    NS Reynolds    D&L